

Delivering High Quality Products

Make your Food Producing Animals More Efficient.

**Increase Efficiency to Decrease all Deficiencies
and Infections**




EXHAR[®]
Formulations Pvt. Ltd.

Third Generation DFM with micro Minerals


Feed Your Animal **AQUAFED** for more profitable dairy

सूखा चारा कम एवं दाना बढ़ाणे के दुष्परिणाम

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



EXHAR®
AQUAFED
A leader in directly fed microbials



छोडो कल की बाते



पैसे की बर्बादी

Stop Wasting your Hard Earned Money on Costly Feeds & Supplements

EXHAR®
Formulations Pvt. Ltd.

OPTIMUM RUMINATION MAKES HAPPY COW.

Happy Cow Gives Optimum Production, Reproduction And Profitability.




लाभप्रद जीवाणुओं की संख्या बढ़ाए

समाधान

AquaFed supports animal health from inside out, encourage peak performance and provide natural advantage to maximize your dairy profits

- AquaFed से Ruminal Fermentation बढ़ता है, मतलब-
- अधिक जीवाणु, अधिक जीवाणु मतलब अधिक पाचन ।
- सूखा चारा बढ़ाए (DMI) Increased.
- Cellulose जीवाणु खाए और गाय जीवाणु को पचाए ।
- भूसा बढ़ाएँ, दाना घटाएँ, दूध का लागत मूल्य घटाएँ ।
- भूसा एवं जवाणु में प्रचुर कैल्शियम, फॉस्फोरस, मिनरल, नाईट्रोजन एवं एनर्जी है
- भूसा (Cellulose) + पानी = Dextrose
 $CH^{10}O^5 + H^1O = CH^6^{12}O^6$
- जीवाणु की संख्या अधिक मतलब रोग निरोधक क्षमता का बढ़ना ।

भूसा सम्पूर्ण आहार गाय के लिए, गाय के द्वारा, गाय के अन्दर
(Complete Food for the Cow, by the Cow, in the Cow)



Prevents

- Sub-acute and acute ruminal acidosis
- Laminitis
- Ketosis
- Fatty Liver
- Left displacement abomasum
- Milk Fever
- Downer Cow
- Retained placenta
- Liver abscesses
- Metritis
- Mastitis
- Bloat
- Heat & Cold Stress



Dosage :

1ml/40kg Body Weight



Presentation :


30ml, 100ml, 300ml

छोडो कल की बाते



पैसे की बर्बादी

EXHAR®
Formulations Pvt. Ltd.



Ja Du Cal Ka Jadu Pilana Hain Mushkil, Khilana Hain Asan

JA DU CAL

Calcium Propionate monohydrate 100% Soluble Calcium

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Composition

- Each bolus Contains Calcium Propionate monohydrate 10,000 mg.



Indication

- Calcium replenisher for high milkers



Dosage

- 1 Bolus OD for 10 days



Presentation

- Box of 1 x 10 Bolus
- 10 Litre of milk contains 11500 mg. of calcium.
10 Litre of colostrum contains 22500 mg. of calcium.
100 ml. of calcium tonic contains only 1750 mg. of calcium. (Not sufficient)
- **Ja Du Cal** the only solution to Replenish the heavy outflow of calcium as it contains 10000 mg. of calcium propionate in one bolus.

EXHAR[®]
Formulations Pvt. Ltd.

A Complete solution for Dairy Farming

INOPHOS Bol.

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

- Each bolus Contains 10 gm.
- Sodium Acid Phosphate

Indication

- Anoestrus
- Infertility
- Peak Lactation

Dosage

- 1 Bolus OD

Presentation

- Bolus of 10 x 1's

एक गोली रोज
बांझपन भगाए दूध बढ़ाये

- In India Soil is Phosphorus Deficient—Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- Important Component of Body Buffer and is excreted in Urine, adjusting Body Ph, Acts as urine acidifier thus prevents urinary calculi.
- Main reason of calcium deficiency is phosphorus deficiency.
- Prevents hypophosphatemia which leads to milk fever.
- Acts as a Diuretic Also

Veterinary applied pharmacology and Therapeutics

G.D. Brander and D.M. Pug



EXHAR[®]
Formulations Pvt. Ltd.

NUTRAL

Trisodium Citrate

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Composition

- Trisodium Citrate 15 gm.



Prevents

- Mastitis, Diarrhoea, PH balancer, Milk Production



Presentation

- 15gm Sachet



Dosage

- 30 mg/kgbdwt for 7-10days

- * Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association
- * Trisodium Citrate Purchased under Intensive Mastitis Control Prog.
- * Anticoagulant activity, buffering agent
- * Brings the PH of Systemic Fluid of the body to Neutral



FLORACARE-YC

Saccharomyces cerevisiae - 15000MCFU

Bacillus Subtills - 500MCFU

Propionibacterium Freydenreichi - 500MCFU

S. Cerevisiae 10 Billion CFU

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Indication

- Anorexia, Fibre digestion, Improves VFA_s & Fat

Presentation

- Box of 20 x 4 Bolus

Dosage

- 1-2 boli BD

GASNIL

Cure the Bloat with gasnil

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Compositions

- Magnesium Carbonate.
Each Sachet contains :
Magnesium Carbonate 16 gm

Prevents


- Bloat, Gas, Tympany
Indigestion, Impaction

Presentation

- 16 gm. Sachet.

Dosage

- Large Animal : 1-2 Sachet SOS
- One Sachet Daily as
RUMEN MODIFIER



Pack : Box of 10 x 16 gm

Full Fill the Trace Mineral Deficiency

FAST

Copper, Cobalt, Magnesium, ferrous, Zinc

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

Each Bolus contains	
Copper Solphate	: 1.0 gm.
Manganese Sulphate	: 0.56 gm.
Ferrous Sulphate	: 0.60 gm.
Zinc Sulphate	: 0.280 gm.
Cobalt Chloride	: 0.056 gm.

Indications

- Infertility, Degnala, Trace minerals deficiency

Presentation

- Box of 10 X 4's Strips

Dosage

- 1 Bolus OD For 10 Days



* **Copper** - Symptoms of Copper deficiency include, Chronic diarrhoea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embryo transplant and artificial insemination

MIKE MEHREN

Zinc - Plays a role in protein Synthesis, Maintenance of cell member Acts as a cofactor of numerous enzymes - **EMEA**

Magnesium - Adjunctive Therapy of hyperthermia, Anticonvulsant, Antacid.

EXHAR[®]
Formulations Pvt. Ltd.

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



TRACEMIN STRONG

Each 1 Ltr. Contains
Sodium Selenate 1000 mg.
Iodine Chelate-EDDI 1500 mg.
Zinc Chelate 20000 mg.
Cobalt Chelate 14% 500 mg.
Aniseed Water

Prevents

- Infertility, Debility, Repeat breeding, Production

Dosage

- Large Animals : 10-20 ml. OD
OR As Directed by Veterinarian

Presentation

- 300 ml. Bottle

EXHAR[®]
Formulations Pvt. Ltd.

TRACEMIN-7

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Vitamin A – 18000 IU , Vitamin E(50%) - 300 mg
Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg
Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg
Iodine - 1 mg, Lysine mono HCL - 20 mg
D-L-Methionine - 80 mg,
Selenium as Solium Selenate - 50 mcg
Magnesium Hydroxide - 50 mg



Prevents

- Infertility, Debility, Repeat breeding, Production



Dosage

- Large Animals : 1 bolus daily 21 days
As Directed by Veterinarian



Presentation

- Box of 7 x 3 Boli



CHYMOSIN

Chymotrypsin and Trypsin

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

Each Bolus contains	
Papain	: 46.15%
Trypsin	: 18.46%
Chymotrypsin	: 0.77%
Bromelain	: 36.61%
Total Enzyme	: 1870 mg.


Prevents

- Mastitis, Metritis, Pyometra
- Increases Protein Digestion
- Chronic and Acute Mastitis
- To Relieve pain and Swelling in post operative wounds
- Post Operative Pain
- Reduce inflammation, Oedema
- Soft tissue injury, sprains, strains
- Lameness & osteoarthritis

Benefits

- Tryptic enzyme protein dilator
- Boosts healing & cleaning of alveoli.
- Restores milk production after mastitis.
- Servicing of alveoli during mastitis.
- Block the growth & development of fibrosis.
- Reduces the udder fibrosis.
- Reduces the economic losses due to mastitis.

Cure inflammation & Pain
New power of Chymosin
Antifibrotic & Milk Restorative



Dosage

- 1 to 2 Bolus BD for 8-10 Days or As Directed by Veterinarian

Presentation

- Box of 5 x 4's Bolus
- 20 ml liquid

Indication (Liquid)

- Topical, IU, Intramammary

The only protein dilator in Vet.

Dosage

- 20ml. OD for 3 days

EXHAR[®]
Formulations Pvt. Ltd.



FLOXAVET

(SAFE, RELIABLE & EFFICIENT ANTIBIOTIC)

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

Each Tab Contains.
Catharanthus roseus

USP :

- Triple Action Broad spectrum
- Antibacterial, Anti viral, Anti ulcer, Anti-inflammatory
- With prebiotic, Post biotic & Symbiotic effect

Prevents :

Supportive and Prevention for :

- Mastitis
- Bacterial Diarrhoea & Dysentery
- Peritonitis, Gonorrhoe

MOA

- Inhibits harmful bacteria without disturbing beneficial bacteria.

Additional Advantage

- No Residue in Milk & Meat.
- Responsible antibiotic use.
- Supports Sustainable production.
- No Resistance.

Dosage :

One Bolus. BD for 5 days.
Up to 600 B/W
Or As directed by Veterinarian

Use and abuse of Antibiotics in food producing animals is dangerous for public health



EXHAR[®]
Formulations Pvt. Ltd.



Energy Yielding pathways

NIACIN 6gm Bolus

RUM-FER



ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

- NIACIN 6gm Bolus

Indications

- Ruminal Fermentation Modifier

Dosage :


- 1 Bolus Daily or
- As directed by Veterinarian

Presentation

1 x 10 Bolus

Benefits

Rumifer Helps in the digestion of carbohydrates & fibers present in cattle forages and convert into propionic Acid, B-Hydroxy butyric Acid and Acetic acid which provides energy to the cattle



Laila Majnu Ki Jodi

Reduce Ketosis and support transition Cows liver Degreasing

Choline 15gm bolus

KETONIL

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Choline 15gm bolus

Indications

Fatty Liver, Anorexia
Increases Fat % and
Improves Fiber Digestion

Presentation

1 x 10 S

Dosage

1 Bolous OD



Table 1: Effects ph rumen degraded and rumen bypass choline supplementation

Parameters	Control	Choline supplement (Rumen)	Choline supplement (Abomasum)
Milk (Kg/day)	21.4	21.8	28.8
Butterfat (%)	2.55	2.78	2.90
Dry matter (intake/day)	15.0	15.2	15.9

EXHAR[®]
Formulations Pvt. Ltd.

PLACENT-EX

Small Pack—Big Bang

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Each ml Contains

Nigella Sativa extract (Thymoquinone)	50 mg.
Ashoka (Saraca asoca) extract	20 mg.
Dashmool (Ten Roots) extract	10 mg.
Excipients -	q.s.

Dosage


- 50-100 ml. orally within 24 hrs. post Calving.
Can be repeated after 20 hrs if required.
- Milk let Down – 20ml OD for 5-10 Days
- Intrauterine Infection – 20ml OD for 3-5 Days
(Intrauterine)

Indications

Improvement of Uterine tone and contraction Delayed Calving. Wonderful Galactagogue Improves Fertility

Presentation

100 ml.



JA DU CAL

Syrup

A NEW GENERATION SUPPLEMENT FOR THE NEW GENERATION LIVESTOCK
(10ml is more powerful than 100ml)

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Each ml Contains	
Calcium propionate	175 mg
Chromium propionate	0.8 mg
Cobalt Acetate	15 mg
Sorbitol	qs

Benefits



- Improves Ruminal fermentation
- Improves Energy Metabolism
- Improves Microbial diversity
- Immune Function and Stress Response
- Heat Stress Relief
- Mold Inhibitor
- Prevents Hypoglycemia and ketosis
- Reduces Respiratory Rate and Rectal temperature
- Enhances Milk yield and milk composition

Dosage

Lactating Cows - 1 ml/40kg
bd.wt with drinking water after milking
Dry cows - 1ml/80kg bd.wt
Horses - 5ml OD
Goats - 2ml OD with drinking water
Pig - 3 to 5ml OD
Poultry - 1 ml 2ltr. of water

Presentation

360 ml.



ज्यादा दूध, ज्यादा दिनों तक दूध, ज्यादा बछड़े

EXHAR®
Formulations Pvt. Ltd.

EASTR-ON

Syrup

Phytoestrogens Combination

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Each ml Contains :

Phytoestrogens	30mg.
Selenised yeast	0.3mg.

Dosage

1ml/40kg bdwt. (10 Days)



Benefits

- Unexplained infertility.
- Improves pregnancy rate.
- Polycystic Ovarian Syndrome.
- Pre and Post insemination.
- Prevents early embryonic death.

Presentation

100 ml.


REPRODUCTIVE HORMONES IN CATTLE



Phytoestrogens Combination EASTR-ON



REPRODUCTIVE HORMONES IN CATTLE



EXHAR[®]
Formulations Pvt. Ltd.

100 ml

EXHAR[®]
Formulations Pvt. Ltd.

FLORACARE

Composition :

Lactobacillus
Sporogenes 80 mill CFU,
Live Yeast Culture - 2mg,
Liver extract - 10mg

Indication :

Anorexia, Fibre Digenstion,
Imporves VFAs & Fat
Anorexia of Unkown Etiology
Supportive Therapy with Antibiotics
Supportive Therapy with Anthelmintics
Indigestion / Poor Rumen Function

Benifits :

For support during Antibiotic Therapy
For Better Feed Intake & Better FCR
To Improve Digestion
To Maintain Healthy Gut & Rumen
For Better health & Better Immunity

Dosage :

Buffalo/Cow/Camel -1-2 bolus BD for 3-5 day
Sheep / Goat - 1/2-1 bolus daily for 3-5 day.

Presentation : Box of

30 x 4's Strips

The Best Choice for Anorexia

ज्यादा भूख के लिए
४ गुणा पावर की गोली





ANIONIC SALT MIXTURE

- Prevents Mastitis
- Prevents Milk Fever
- Prevents retention of Placenta
- Prevents Negative Energy Balance



Indication

- Helps in Prevention of Mastitis & Milk Fever
- In Transition Period of Cattle



Dosage

- 1 Sachet OD or As Directed by Veterinarian




Presentation

- 50gm x 20 Sachet OD

एक पुड़ीया रोज २० दिनों तक बच्चा देने से पहले

निरन्तर उत्पादन के लिए प्रजनन जरूरी है ।

FLUX के साथ कैल्सियम एवं मिनरल न दें।



Before Flux



After Flux

RUMILAX

Cure the Constipation with Rumilax

Composition

- Each Sachet Contains :
Sodium Sulphate 60 gm

Indication


- Works as Laxative
Intestinal motility, Restores,
Normal Functioning of GI System
and Rejuvenation for good Digestion.
Improves Digestion and Performance.

Dosage

- Large Animals : 1-3 Sachet SOS
- One Sachet OD as
RUMEN MODIFIER

Presentation

- 60 gm. Sachet.




Pack : Box of 5 x 60 gm.

EXHAR[®]
Formulations Pvt. Ltd.

A Life a day Prevents all **Metabolic Disorders** in Dairy cattle

LIFE

**Monensin Sodium 400 mg
(CRC) Capsule**



- Ruminants Takes Cellulose (भूसा) for Microbes and ruminal microbes are regurgitated & transferred to Abomasum.
- Composition of Amino Acids (Protein) of microbes and milk are same.
- Too much grains in rations leads to acidosis in the rumen, Hence growth in gram positive bacteria that attack the udder.


Reduces Concentrate and increases DMI Hence Profits.

Rumen buffers

Buffers are included in ruminant diets to regulate Rumen pH to levels that favour the activity of **Cellulolytic** organisms (pH 6–7).

Diets rich in readily fermentable carbohydrate create

- acidic conditions
 - increase lactic acid information
- both of which are detrimental to the cellulolytic bacteria.



**एक गोली LIFE प्रतिदिन दें
30 दिनों तक**


TABLET A DAY PREVENTS

- Lameness
- Ketosis
- Liver Problems
- Milk Fever
- Downer Cow
- Retention of Placenta
- Metritis
- Mastitis
- Bloat, Tympany
- Diarrhoea

EXHAR[®]
Formulations Pvt. Ltd.

AI WITHOUT SEMINAL FLUID REDUCES CONCEPTION


Role of Seminal Fluid



- Protects the Semen from Natural Biological Attacks.
- Protection from Environmental Factors.
- Fertility Enhancing Protein Compounds.
- Promote Irrigation
- Receptivity to implantation
- Helps in Sperm Selection
- Conception and Embryo Development
- Maintain Vaginal Hygiene

Dosage :

Large animal : 20-30 ml. IU before AI for Longevity of Semen



Creates Favourable Environment

Introducing


Semen +

(A Semen Extender)



No Conception without Satisfaction
No Satisfaction Without Seminal Fluid

EXHAR[®]
Formulations Pvt. Ltd.





ECTO-WASH

Broad Spectrum

Composition :

Natural Active ingredients of plant origin used in veterinary medicine in dogs & livestock against external parasites

Indication :

Broad Spectrum
Non Systemic ectoparasitic against Flies, Ticks, Mites, Lice Fleas and Mosquitoes

Dosage :

Mix the contents in 1 to 2 ltr of water and wipe the skin with mixed solution
Use Exact Quantity of Water for better results

Safety :

No Residues in milk

Prevents all Vector Borne Diseases including FMD & LUMPY SKIN DISEASES





Anitiprotozoal botanical extract

BABENIL-H

Broad Spectrum

Composition :


Non Medical Antiparasite and antiprotozoal extract derived from organic source

Indication :

For the treatment and prophylaxis of babesiosis, Trypanosomiasis, Anaplasmosis, Theileriosis, Pyrexia of unknown origin and mixed haemoprotozoan Infections

USP :

No dyspepsia
No anaphylactic shock
Safe in pregnancy
Anti Bacterial, Fungal, Acaricidal
No Ticks after treatment
Liver and Kidney not effected
Economical for the farmers



BABENIL-H

Organic treatment for
Babesiosis, Anaplasmosis,
Trypanosomiasis, Theileriosis



Dosage :

1 Bolus orally for 8 alternate days



Inhibits harmful bacteria and protects beneficial bacteria with Symbiotic Action.

Sefatox - G

(सिफाटोक्स-जी)

Composition :

Geraniol 2.36gm

USP :

- Broad spectrum activity
- Inhibits Gram+ve, Gram-ve and Mycoplasma
- A Potential safe and Powerful alternative to Antibiotics
- Geraniol does not destroy the gut microbiome
- No Drug residue and no resistance
- Significantly inhibits the pathogenic bacteria only.
- Rotates the useful microbial Communities.
- Increases the abundance of probiotic in milk .

Indication :

- Respiratory Tract infections pneumonia, bronchitis..
- Post parturient diseases like
- Mastitis
- Metritis, Pyometra, Vaginitis.
- Foot Rot, Pododermatitis.
- Urinary tract infections, FMD.
- Skin & Soft Tissue infections.
- To prevent secondary bacterial infections.

Additional Advantage

- Anti Inflammatory, anti oxidant, anti ulcer, anti fungal and Acracidal protective effects on liver, heart and nerves.

Dosage :

Intramuscular Only,
1 Vial OD for 3 to 5 days
Up to 600 kg. B/W 2.36 gm Vial ,
ORAs directed by Veterinarian

**1st time in India
Up to 10th Generation
Powerful Antibiotics**



MAP



Composition : Mono Ammonium Phosphate
Indication : Non Protein feed Supplement,
 General Health and
 productivity, growth.
Dosage : 1 Bolus OD
Presentation : 1 x 10 Bolus

(90-95% Bioavailability of Protein and Phosphorus

INJECTABLES


Brand Name	Composition	Pack
 ENDECTONIL	Invermectin	10ML, 50 ML
 INOPHOS	Sodium acid Phosphate	30ML
 SPASNIL	Dicyclomin HCL	30 ml vial
 CEFOBACT	Cefoperazone Sodium, Sulbactam	2.25gm, 3gm
 SEFATOX - Z	Ceftriaxone Sodium	3gm
 SEFATOX - S	Ceftriaxone Sodium, Sulbactam	3gm, 375mg, 4.5gm
 ANIFEN - P	Piroxicam and paracetamol	30ml vial, 100ml
 MILKO MAX	Calcium, Vitamin D ₃ & Vitamin B ₁₂	30 ml
 ADEB	Vitamin A, D ₃ , E & H in iodised form	5 ml Vial
 NURO - BM	Methylcobalamin - 2500 mcg	10ml, 30ml Vial
 LIVOFIT.	Vit B. Comp, Choline Chloride	50 ml Vial
 QUNOFLOX - L	Levofloxacin	15ml, 30ml



EXHAR[®]

(THE LEADER BY INOVATIONS)

CHYMOSIN



Composition : Chymotrypsin and Trypsin
Indication : Mastitis, Increases Protein Digestion
Dosage : 1 Bolus OD for 8 - 10 days
Presentation : Box of 5 X 6's Strips
 Helps to expedite the healing process that follows injury to tissue structure. Helps in removing cellular debris, bloodclots and Scar tissue. Is Called Sports injury Formula Douglas Laboratories, Pittsburgh

ERGOVAT



Composition : Methyl Ergometrine
Indication : Uterine involution, Bloodless calving
Dosage : 2-5mg / animal
Presentation : Box of 5 X 6's Strips

Choline 15gm bolus

KETONIL

Composition : Rumen Protected Choline 15gm
Indication : Fatty Liver, Anorexia Increases Fat % and Improves Fibre Digestion
Dosage : 1 Bolus OD or As Directed by veterinarian
Presentation : 1 x 10 S



NEUTRAL



Composition : Trisodium Citrate
Indication : Mastitis, Diarrhoea, PH balancer, Milk Production
Dosage : 30 mg/kgbdwt for 7-10days
Presentation : 15gm
 * Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association
 * Trisodium Citrate Purchased under Intensive Mastitis Control Prog.
 * Anticoagulant activity, buffering agent
 * Brings the PH of Systemic Fluid of the body to Neutral

FLORACARE-YC

Composition : Saccharomyces cerevisiae - 15000MCFU
 Bacillus Subtills - 500MCFU
 Propionibacterium Freydenreichi - 500MCFU
 S. Cerevisiae 10 Billion CFU
Indication : Anorexia, Fibre digestion, Improves VFA_s & Fat
Presentation : Box of 20 x 4 Bolus




FIBRONIL

Composition : Kanchnar Gugal B.R.-1.5gm
 Triphals Gugal B.R.-1gm
 Chitrak muls Ext. A.B. (Plunbago zeylonica) 0.025gm
 Punarnayestaka Kwach Churn Ext. B.R.-050gm
 Apamarge Kshar (Achyranthes aspera) A.B.-0.15gm.
Indication : Mastitis, Fibrosis
Dosage : As Directed by Veterinarian
Presentation : Box of 10 x 6 Bolus



INOPHOS

★ A COMPLETE SOLUTION TO DAIRY FARMING.



Composition : Sodium acid Phosphate
Indication : Anoestrus, Infertility,
Peak Lactation
Dosage : 1 Bolus OD for 10-20 days
Presentation : Box of 10X1's

- ★ In India Soil is Phosphorus Deficient—Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- ★ Important Component of Body Buffer and is excreted in Urine adjusting Body Ph—acts as urine acidifier thus prevents urinary calculi.
- ★ Main reason of calcium deficiency is phosphorus deficiency.
- ★ Prevents hypophosphatemia which leads to milk fever.
- ★ Acts as a Diuretic Also

Veterinary applied pharmacology and Therapeutics
G.D. Brander and D.M. Pug

एक गोली रोज

बाइसपन भगाए, दूध बढ़ायें

EXIT

Composition : Albendazole
Indication : Broad Spectrum Anthelmintics
Dosage : 7.5 mg - 15 mg/kg bw
Presentation : 30 ml, 60 ml, 90 ml, 120 ml, 3 gm bolus,
1.5gm



NPN BOLUS

Indication : Protein
Supplements
Dosage : 1 Bolus OD
Presentation : 1 x 10 Bolus

NPN
BOLUS

एनपीएन बोल्स



LIFE

Monensin Sodium 400 mg

सिर्फ एक गोली रोज 305 दिनों तक
दाना घटायें, भूसा बढ़ायें, मुनाफा बढ़ायें

Life a day keeps the Cattle, healthy,
Productive and fertile

हर साल बच्चा होगा तभी तो किसान बढ़ेगा



ANIONIC SALT MIXTURE

FLUX
POWDER

Composition :

Indication : Helps in Prevention of Mastitis & Milk Fever
In Transition Period of Cattle
Dosage : 1 Sachet OD or As Directed by Veterinarian
Presentation : 50gm x 20 Sachet OD

- Prevents Mastitis
- Prevents Milk Fever
- Prevents retention of Placenta
- Prevents Negative Energy Balance



IMMUNOVET

Composition : Betacaroteno - 20mg
Zinc Methionine - 9gm
Copper Sulphate - 15 mg
Sodium Selenate - 5 mg
Vit A - 500 I.V.

Indication : Immunomodulator
Presentation : Box of 1 x 10 Bolus



Niacin 6gm bolus RUME-FER

- Composition :** Niacin 6 gm
Indication : Ruminal
 Fermentation Modifier
Dosage : 1 Bolus Daily or
 As Directed by veterinarian
Presentation : 1 x 10 Bolus



JA DU CAL

- Composition :** Calcium Propionate monohydrate
 100% Soluble Calcium
Indication : Calcium replenisher for high milkers
Dosage : 1 Bolus OD for 10 days
Presentation : Box of 1 x 10 Bolus



D-LITE

- Composition :** Cholecalciferol
Indication : Calcium metabolism, Increasing
 milk production, prevents
 milk fever, Prolapse of uterus
Dosage : 1 sach OD for 8-10 days
Presentation : 5 mg Sach



CATABOLITE

- Composition :** Positive DCAD Mix
Indication : For more milk and Production
Dosage : One Sach for 10-20 Days
Presentation : Box of 20 Sach



TRACEMIN-7

- Composition :** Vitamin A- 18000 IU , Vitamin E(50%) - 300 mg
 Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg
 Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg
 Iodine - 1 mg, Lysine mono HCL - 20 mg
 D-L-Methionine - 80 mg,
 Selenium as Solium Selenate - 50 mcg
 Magnesium Hydroxide - 50 mg
Indication : Infertility, Debility, Production
Dosage : As Directed by Veterinarian
Presentation : Box of 7 x 3 Boli



DERMECTIN

- Composition :** Ivermectin I.P 100 mg.
Indication : Internal & External parasites, Mange
Dosage : Bolus - 10 mg/50 kg body weight
Presentation : 1 x 100 mg Bolus



ETHAMVET

- Composition :** Ethamsylate
Indication : Increases Blood Platelets, Blood
 Coagulant, Blood Protozoal
Dosage : One Bolus twice Daily for 3 Days
Presentation : 5 x 6 Bolus



FENBEN

- Composition :** Fenbendazole
Indication : Broad Spectrum Anthelmintics
Dosage : 150 mg for Calf, Small Animal
 3 gm for Large Animal
Presentation : 150 mg & 3 gm. bolus



ANMOL

Composition : Aceclofenac + Paracetamol

Indication : Pain, fever, inflammation

Dosage : 1-2 boli BD

Presentation : Box of 5 X 6's Strips



- ★ Aceclofenac acts by blocking the action of cyclo-oxygenase, which is responsible for the production of prostaglandins.

FAST



Composition : Copper, Cobalt, Magnesium, ferrous, Zinc

Indication : Infertility, Degnala, Trace minerals difeciency

Dosage : 1 bolus OD for 10 days

Presentation : Box of 10 X 4's Strips

- ★ Copper - Symptoms of Copper deficiency include, Chronic diarrhea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embroyo transplant and artificial insemination

MIKE MEHREN

Zinc - Plays a role in protein Synthesis, Maintenance of cell member Acts as a cofactor of nemerous enzymes - **EMEA**

Magnesium - Adjunctive Therapy of hyperthermia, Anticonyvulsant, Antacid.

NIDE - L



Composition : Oxytocazole and Levamisole

Indication : Fascioliasis, Amphistomiasis, Moneziasis

Dosage : Bolus - 1 bolus / 100kg

Liq - 1 ml/2.5kgbw

Presentation : 110ml, Box of 5 X 6 Strips

ENDECTONIL

Composition : Ivermectin

Indication : Internal and external Parasites, Mange

Dosage : Bolus - 10 mg/50kg bdwt

Presentation : Box of 5 X 6's Strips
10mg, 100mg

- ★ Revolutionary drug with activity against both parasitic nematodes and anthropods – WHO.



LIVOFIT BOLUS



Composition : Silymarine - 210mg

Indication : Sluggish Liver, Jaundice, Fatty lever

Dosage : One bolus BD for 10 days

Presentation : Box of 10X4's Strips

- ★ Silymarine - Hepatoprotector, increases milk, Fat percentage, 100% natural Journal of Dairy Science

Vol 87, Issue 7 Pages - 2239-2247

BLOAT-NIL

- Composition :** Algenic acid, Aluminium hydroxide, Smithicone, Magnesium Sulphate
- Indication :** Bloat, Tympany, Impaction, Dyspepsia
- Dosage :** 4-6 boli BD
- Presentation :** Box of 5 X 6's Strips



DAISTOP

- Composition :** Loperamide & Simethicone
- Indication :** All types of Diarrhoea
- Dosage :** 2-4 bolus BD
- Presentation :** Box of 5 X 6's Strips



- Loperamide -** Reduces intestinal motility
- Simethicone -** Attacks excess gas in the Stomach

SPASNIL BOLUS

- Composition :** Dicyclomin HCL & Nimesulide
- Indication :** Smooth Muscle pain, Colic pain
- Dosage :** 2-4 bolus BD
- Presentation :** Box of 5 X 6's Strips



FLOXAVET P

- Composition :** Pefloxacin
- Indication :** Ecoli, Mixed bacterial infection
- Dosage :** 1-2 boli BD
- Presentation :** Box of 5 X 6's Strips

FLORACARE

- Composition :** Lactobacillus Sporogenes 80 mill CFU, Live Yeast Culture - 2mg, Liver extract - 10mg
- Indication :** Anorexia, Fibre digestion, Improves VFAs & Fat
- Presentation :** Box of 20X4's Strips



ESTROFIT

- Composition :** Folic Acid, Clomiphene Citrate
- Indication :** Induction of ovulation, delayed puberty, Anoestrus
- Dosage :** One bolus daily for 5 days
- Presentation :** Box of 10 X 5's Strips

PANVET

- Composition :** Pantoprazole
- Indication :** Proton pump in hibitor, Bloat, Tympany
- Dosage :** 2-4 boli BD
- Presentation :** Box of 5 X 6's Strips



OPERATION DOUBLE THE INCOME

Farm Animals / Birds are Homeothermic & Habitually over Eaters

AQUAFED

A leader in directly fed microbials

Benefits

Gut Hygiene.
Increases Intake (Healthy & Economical) Forages.
Prevents all Inflammatory Diseases (LPS).
Ruminitis, Mastitis, Metritis, Laminitis.
Regulates PH & Controls SARA.

Dosage

Dairy Cows : 1 ml/40kg bdwt., Goat : 1ml OD
Poultry : 2 ml in 1 Ltr. Water.



DIATO-MAX

(15 Trace Minerals with Selenized Yeast)

A broad Spectrum Bio Protection

Benefits

Colon Cleanser, Prevents all Infections & Infestations.
Prevents Red Water, Black Leg, Liver Flukes.
Binds Toxins, Mycotoxins & Over Eating Diseases.
Natural Parasite (Internal & External) Control.
Regulates Temperature Humidity Index (Stress)
Increases Milk and Milk Composition (Fat).
Zero Antibiotic Farming.

Dosage

Dairy Cows : 40 gm/day
Poultry : For Cleaning Water 10 gm in 190 Ltr.
Fish : 500 gm/- 10 Sqft. & 0.3% in Feed.



JA DU CAL Syrup

Benefits

Chromium Prevents Ketosis.
Boost Energy. Optimize Production.
Decreases Cortisol.
Stimulates Insulin Release (Energy).
Fortified with Calcium and Cobalt

Dosage

Dairy Cows : 1 ml/40kg bdwt.
Poultry : 2 ml in 1 Ltr. Water.



FIBRE - The Untapped Source of Energy.

EXHAR[®]
Formulations Pvt. Ltd.

HEALTHY REPRODUCTION, HEALTHY HEARD, HEALTHY PROFITS



Semen + 1st Day (A Semen Extender)

Benefits

- Protects the Semen.
- Uterine Irrigation.
- Receptivity to Implant.
- Buffers Vaginal PH.
- Prolongs Longevity of Sperm

Dosage

Dairy Cows : 20-30 ml Intrauterine before AI.



Zygotifit 5 Days (Supplement for Better Conception)

Benefits

- Supports Zygote survival.
- Supports Zygote Developments.
- Improves conception rate.
- Promotes Healthy Ovarian Functions.

Dosage

Dairy Cows : 50 ml OD for 5 Days.

EASTR-ON Syrup

(Fertility Formula)


Next 10 Days

Benefits

- Supports embryo survival.
- Reduces Early Embryonic Death.
- Improves conception.
- Ensures Embryo Implantation.

Dosage

Dairy Cows : 10 ml OD for 10 Days.



C-Max Inj. 8th & 12th Day Post Insemination

Tracemin Inj. After Insemination

Placentex Sy. For Milk Letdown & Expulsion of Placenta.

On Farm non-invasive Monthly Pregnancy Check with Pregknow/Milkocheck
15 to 210 Days

EXHAR
Formulations Pvt. Ltd.