

Delivering High Quality Products

Make your Food Producing Animals More Efficient.

Increase Efficiency to Decrease all Deficiencies
and Infections


EXHAR®
Formulations Pvt. Ltd.

Third Generation DFM with micro Minerals

Feed Your Animal **AQUAFED** for more profitable dairy


सूखा चारा कम एवं दाना बढाणे के दृष्टिरिणाम

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Stop Wasting your Hard Earned Money on Costly Feeds & Supplements

EXHAR®
AQUAFED
A leader in directly fed microbials



छोड़ो कल की बातें




पैसे की बर्बादी

EXHAR®
Formulations Pvt. Ltd.

OPTIMUM RUMINATION MAKES HAPPY COW.

Happy Cow Gives Optimum Production, Reproduction And Profitability.





समाधान

Aquafed supports animal health from inside out, encourage peak performance and provide natural advantage to maximize your dairy profits

- Aquafed से Ruminal Fermentation बढ़ता है, मतलब-
- अधिक जीवाणु, अधिक जीवाणु मतलब अधिक पाचन ।
- सूखा चारा बढ़ाए (DMI) Increased.
- Cellulose जीवाणु खाए और गाय जीवाणु को पचाए ।
- भूसा बढ़ाएँ, दाना घटाएँ, दूध का लागत मूल्य घटाएँ ।
- भूसा एवं जवाणु में प्रचुर कैल्शियम, फॉस्फोरस, मिनरल, नाईट्रोजन एवं एनर्जी है
- भूसा (Cellulose) + पानी = Dextrose

$$CH_{10}O_5 + H_2O = CH_{12}O_6$$
- जीवाणु की संख्या अधिक मतलब रोग निरोधक क्षमता का बढ़ना ।

भूसा सम्पूर्ण आहार गाय के लिए, गाय के द्वारा, गाय के अन्दर
(Complete Food for the Cow, by the Cow, in the Cow)



Prevents

- Sub-acute and acute ruminal acidosis
- Laminitis
- Ketosis
- Fatty Liver
- Left displacement abomasum
- Milk Fever

Dosage :

1ml/40kg Body Weight

Presentation :

30ml, 100ml, 300ml

- Downer Cow
- Retained placenta
- Liver abscesses
- Metritis
- Mastitis
- Bloat
- Heat & Cold Stress

छोड़ो कल की बातें



पैसे की बर्बादी



Ja Du Cal Ka Jadu Pilana Hain Mushkil, Khilana Hain Asan

JA DU CAL

Calcium Propionate monohydrate 100% Soluble Calcium

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

- Each bolus Contains Calcium Propionate monohydrate 10,000 mg.

Indication

- Calcium replenisher for high milkers

Dosage

- 1 Bolus OD for 10 days

Presentation

- Box of 1 x 10 Bolus

- 10 Litre of milk contains 11500 mg. of calcium.
10 Litre of colostrum contains 22500 mg. of calcium.
100 ml. of calcium tonic contains only 1750 mg. of calcium. (Not sufficient)

- **Ja Du Cal** the only solution to Replenish the heavy outflow of calcium as it contains 10000 mg. of calcium propionate in one bolus.

A Complete solution for Dairy Farming

INOPHOS Bol.

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

- Each bolus Contains 10 gm.
- Sodium Acid Phosphate

Indication

- Anoestrus
- Infertility
- Peak Lactation

Dosage


- 1 Bolus OD

Presentation

- Bolus of 10 x 1's

एक गोली रोज
बांझपन भगाए दूध बढ़ाये

- In India Soil is Phosphorus Deficient—Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- Important Component of Body Buffer and is excreted in Urine, adjusting Body Ph, Acts as urine acidifier thus prevents urinary calculi.
- Main reason of calcium deficiency is phosphorus deficiency.
- Prevents hypophosphatamea which leads to milk fever.
- Acts as a Diuretic Also



NUTRAL

Trisodium Citrate

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

- Trisodium Citrate 15 gm.

Prevents

- Mastitis, Diarrhoea, PH balancer, Milk Production

Presentation

- 15gm Sachet

Dosage

- 30 mg/kgbdwt for 7-10days

- Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association
- Trisodium Citrate Purchased under Intensive Mastitis Control Prog.
- Anticoagulant activity, buffering agent
- Brings the PH of Systemic Fluid of the body to Neutral



FLORACARE-YC


Saccharomyces cerevisiae - 15000MCFU

Bacillus Subtils - 500MCFU

Propionibacterium Freydenreichi - 500MCFU

S. Cerevisiae 10 Billion CFU

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Indication

- Anorexia, Fibre digestion, Improves VFA_s & Fat

Presentation

- Box of 20 x 4 Bolus

Dosage

- 1-2 boli BD

GASNIL

Cure the Bloat with gasnil

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Compositions

- Magnesium Carbonate.
Each Sachet contains :
Magnesium Carbonate 16 gm



Prevents

- Bloat, Gas, Tympany
Indigestion, Impaction



Presentation


- 16 gm. Sachet.



Dosage

- Large Animal : 1-2 Sachet SOS
- One Sachet Daily as
RUMEN MODIFIER

Pack : Box of 10 x 16 gm



Full Fill the Trace Mineral Deficiency



Composition :

| | |
|---------------------|-------------|
| Each Bolus contains | |
| Copper Solphate | : 1.0 gm. |
| Manganese Sulphate | : 0.56 gm. |
| Ferrous Sulphate | : 0.60 gm. |
| Zinc Sulphate | : 0.280 gm. |
| Cobalt Chloride | : 0.056 gm. |



Indications

- Infertility, Degnala, Trace minerals difecency



Presentation

- Box of 10 X 4's Strips



Dosage

- 1 Bolus OD For 10 Days

* **Copper** - Symptoms of Copper deficiency include, Chronic diarrhoea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embryo transplant and artificial insemination

MIKE MEHREN


Zinc - Plays a role in protein Synthesis, Maintenance of cell memberActs as a cofactor of nemerous enzymes - **EMEA**

Magnesium - Adjunctive Therapy of hyperthermia, Anticonvulsant, Antacid.

FAST

Copper, Cobalt, Magnesium, ferrous, Zinc

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



TRACEMIN STRONG

Each 1 Ltr. Contains
Sodium Selenate 1000 mg.
Iodine Chelate-EDDI 1500 mg.
Zinc Chelate 20000 mg.
Cobalt Chelate 14% 500 mg.
Aniseed Water

Prevents

- Infertility, Debility, Repeat breeding, Production

Dosage

- Large Animals : 10-20 ml. OD or As Directed by Veterinarian

Presentation

- 300 ml. Bottle

TRACEMIN-7

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.



Vitamin A – 18000 IU , Vitamin E(50%) - 300 mg

Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg

Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg

Iodine - 1 mg, Lysine mono HCL - 20 mg

D-L-Methionine - 80 mg,

Selenium as Sodium Selenate - 50 mcg

Magnesium Hydroxide - 50 mg



Prevents

- Infertility, Debility, Repeat breeding, Production



Dosage

- Large Animals : 1 bolus daily 21 days
As Directed by Veterinarian



Presentation

- Box of 7 x 3 Boli

CHYMOSEN

Chymotrypsin and Trypsin

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

| | |
|---------------------|------------|
| Each Bolus contains | |
| Papain | : 46.15% |
| Trypsin | : 18.46% |
| Chymotrypsin | : 0.77% |
| Bromelain | : 36.61% |
| Total Enzyme | : 1870 mg. |

Prevents

- Mastitis, Metritis, Pyometra
- Increases Protein Digestion
- Chronic and Acute Mastitis
- To Relieve pain and Swelling in post operative wounds
- Post Operative Pain
- Reduce inflammation, Oedema
- Soft tissue injury, sprains, strains
- Lameness & osteoarthritis

Benefits

- Tryptic enzyme protein dilator
- Boosts healing & cleaning of alveoli.
- Restores milk production after mastitis.
- Servicing of alveoli during mastitis.
- Block the growth & development of fibrosis.
- Reduces the udder fibrosis.
- Reduces the economic losses due to mastitis.

Cure inflammation & Pain
New power of Chymosin

Antifibrotic & Milk Restorative



Dosage

- 1 to 2 Bolus BD for 8-10 Days or As Directed by Veterinarian

Presentation

- Box of 5 x 4's Bolus
- 20 ml liquid

Indication (Liquid)

- Topical, IU, Intramammary

The only protein dilator in Vet.

Dosage

- 20ml. OD for 3 days

EXHAR®
Formulations Pvt. Ltd.



FLOXAVET

(SAFE, RELIABLE & EFFICIENT ANTIBIOTIC)

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition :

Each Tab Contains.
Catharanthus roseus

USP :

- Triple Action Broad spectrum
- Antibacterial, Anti viral, Anti ulcer, Anti-inflammatory
- With prebiotic, Post biotic & Symbiotic effect

Prevents :

Supportive and Prevention for :

- Mastitis
- Bacterial Diarrhoea & Dysentery
- Peritonitis, Gonorrhoe

MOA

- Inhibits harmful bacteria without disturbing beneficial bacteria.

Additional Advantage

- No Residue in Milk & Meat.
- Responsible antibiotic use.
- Supports Sustainable production.
- No Resistance.

Dosage :

One Bolus. BD for 5 days.

Up to 600 B/W

Or As directed by Veterinarian

Use and abuse of Antibiotics in food producing animals is dangerous for public health





Energy Yielding pathways
NIACIN 6gm Bolus

RUM-FER



ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

• **Composition :**

- NIACIN 6gm Bolus

• **Indications**

- Ruminal Fermentation Modifier

• **Dosage :**


- 1 Bolus Daily or
- As directed by Veterinarian

• **Presentation**

- 1 x 10 Bolus

• **Benefits**

Rumifer Helps in the digestion of carbohydrates & fibers present in cattle forages and convert into propionic Acid, B-Hydroxy butyric Acid and Acetic acid which provides energy to the cattle



Laila Majnu Ki Jodi

Reduce Ketosis and support transition Cows liver Degreasing
Choline 15gm bolus

KETONIL

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

• **Composition**

- Choline 15gm bolus

• **Indications**

- Fatty Liver, Anorexia
- Increases Fat % and
- Improves Fiber Digestion

• **Presentation**

- 1 x 10 S

• **Dosage**

- 1 Bolous OD



Table 1: Effects ph rumen degraded and rumen bypass choline supplementation

| Parameters | Control | Choline supplement (Rumen) | Choline supplement (Abomasum) |
|-------------------------|---------|----------------------------|-------------------------------|
| Milk (Kg/day) | 21.4 | 21.8 | 28.8 |
| Butterfat (%) | 2.55 | 2.78 | 2.90 |
| Dry matter (intake/day) | 15.0 | 15.2 | 15.9 |

PLACENT-EX

Small Pack—Big Bang

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Each ml Contains
 Nigella Sativa extract
 (Thymoquinone) 50 mg.
 Ashoka (Saraca asoca) extract 20 mg.
 Dashmool (Ten Roots) extract 10 mg.
 Excipients - q.s.

Indications



Improvement of Uterine tone and contraction Delayed Calving. Wonderful Galactagogue Improves Fertility

Dosage

- 50-100 ml. orally within 24 hrs. post Calving.
Can be repeated after 20 hrs if required.
- Milk let Down – 20ml OD for 5-10 Days
- Intrauterine Infection – 20ml OD for 3-5 Days
(Intrauterine)

Presentation

100 ml



EXHAR®
Formulations Pvt. Ltd.

JA DU CAL

Syrup

A NEW GENERATION SUPPLEMENT FOR THE NEW GENERATION LIVESTOCK (10ml is more powerful than 100ml)


ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

| | |
|---------------------|--------|
| Each ml Contains | |
| Calcium propionate | 175 mg |
| Chromium propionate | 0.8 mg |
| Cobalt Acetate | 15 mg |
| Sorbitol | as |

Benefits

- Improves Ruminal fermentation
- Improves Energy Metabolism
- Improves Microbial diversity
- Immune Function and Stress Response
- Heat Stress Relief
- Mold Inhibitor
- Prevents Hypoglycemia and ketosis
- Reduces Respiratory Rate and Rectal temperature
- Enhances Milk yield and milk composition





Dosage

Lactating Cows - 1 ml/40kg
bd.wt with drinking water after milking
Dry cows - 1ml/80kg bd.wt
Horses - 5ml OD
Goats - 2ml OD with drinking water
Pig - 3 to 5ml OD
Poultry - 1ml 2ltr. of water

Presentation

360 ml.



ज्यादा दध, ज्यादा दिनों तक दध, ज्यादा बछड़े

EXHAR®
Formulations Pvt. Ltd.

EASTR-ON

Syrup

Phytoestrogens Combination

ANIMAL FEED SUPPLEMENTS NOT FOR MEDICINAL USE.

Composition

Each ml Contains :
Phytoestrogens 30mg.
Selenised yeast 0.3mg.

Benefits




Unexplained infertility.
Improves pregnancy rate.
Polycystic Ovarian Syndrome.
Pre and Post insemination.
Prevents early embryonic death.

Dosage

1ml/40kg bdwt. (10 Days)

Presentation

100 ml.



FLORACARE

Composition :

Lactobacillus
Sporogenes 80 mill CFU,
Live Yeast Culture - 2mg,
Liver extract - 10mg

Indication :

Anorexia, Fibre Digestion,
Improves VFAs & Fat
Anorexia of Unknown Etiology
Supportive Therapy with Antibiotics
Supportive Therapy with Anthelmintics
Indigestion / Poor Rumen Function

Benefits :

For support during Antibiotic Therapy
For Better Feed Intake & Better FCR
To Improve Digestion
To Maintain Healthy Gut & Rumen
For Better health & Better Immunity

Dosage :

Buffalo/Cow/Camel - 1-2 bolus BD for 3-5 day
Sheep / Goat - 1/2-1 bolus daily for 3-5 day.

Presentation :

Box of
30 x 4's Strips

The Best Choice for Anorexia

ज्यादा भूख के लिए
& गुणा पावर की गोली





ANIONIC SALT MIXTURE

- Prevents Mastitis
- Prevents Milk Fever
- Prevents retention of Plecenta
- Prevents Negative Energy Balance

Indication

- Helps in Prevention of Mastitis & Milk Fever
- In Transition Period of Cattle

Dosage

- 1 Sachet OD or As Directed by Veterinarian


Presentation

- 50gm x 20 Sachet OD

एक पुढ़ीया रोज 20 दिनों तक बच्चा देणे से पहले

निरन्तर उत्पादन के लिए प्रजनन जरूरी है।

FLUX के साथ कैल्सियम एवं मिनरल न दें।



Before Flux



After Flux

RUMILAX

Cure the Constipation with Rumilax



Composition

- Each Sachet Contains :
Sodium Sulphate 60 gm



Indication

- Works as Laxative
Intestinal motility, Restores,
Normal Functioning of GI System
and Rejuvenation for good Digestion.
Improves Digestion and Performance.



Dosage


- Large Animals : 1-3 Sachet SOS
- One Sachet OD as
RUMEN MODIFIER



Presentation

- 60 gm. Sachet.


Pack : Box of 5 x 60 gm.



A Life a day Prevents all **Metabolic Disorders** in Dairy cattle

LIFE

Monensin Sodium 400 mg (CRC) Capsule



- Ruminants Takes Cellulose (भूसा) for Microbes and ruminal microbes are regurgitated & transferred to Abomasum.
- Composition of Amino Acids (Protein) of microbes and milk are same.
- Too much grains in rations leads to acidosis in the rumen, Hence growth in gram positive bacteria that attack the udder.


Reduces Concentrate and increases DMI Hence Profits.

Rumen buffers

Buffers are included in ruminant diets to regulate Rumen pH to levels that favour the activity of **Cellulolytic** organisms (pH 6–7).

Diets rich in readily fermentable carbohydrate create

- acidic conditions
- increase lactic acid formation both of which are detrimental to the cellulolytic bacteria.





एक गोली LIFE प्रतिदिन दें
30 दिनों तक

TABLET A DAY PREVENTS

- Lameness
- Ketosis
- Liver Problems
- Milk Fever
- Downer Cow
- Retention of Placenta
- Metritis
- Mastitis
- Bloat, Tympany
- Diarrhoea

AI WITHOUT SEMINAL FLUID REDUCES CONCEPTION

Role of Seminal Fluid



Creates Favourable Environment
Introducing

Semen +
(A Semen Extender)




- Protects the Semen from Natural Biological Attacks.
- Protection from Environmental Factors.
- Fertility Enhancing Protein Compounds.
- Promote Irrigation
- Receptivity to implantation
- Helps in Sperm Selection
- Conception and Embryo Development
- Maintain Vaginal Hygiene

Dosage :

Large animal : 20-30 ml. IU before AI for Longevity of Semen

No Conception without Satisfaction
No Satisfaction Without Seminal Fluid

EXHAR®
Formulations Pvt. Ltd.



ECTO-WASH

Broad Spectrum

Composition :

Natural Active ingredients of plant origin used in veterinary medicine in dogs & livestocks against external parasites

Indication :

Broad Spectrum
Non Systemic ectoparasitic against Flies, Ticks, Mites, Lice Fleas and Mosquitoes

Dosage :

Mix the contents in 1 to 2 ltr of water and wipe the skin with mixed solution
Use Exact Quantity of Water for better results

Safety :

No Residues in milk

Prevents all Vector Borne Diseases including FMD & LUMPY SKIN DISEASES



Anitiprotozoal botanical extract

BABENIL-H

Broad Spectrum

Composition :


Non Medical Antiparasite and antiprotozoal extract derived from organic source

Indication :

For the treatment and prophylaxis of babesiosis, Trypnomosomiasis, Anaplasmosis, Theileriosis, Pyrexia of unknown origin and mixed haemoprotzoan Infections

USP :

No dyspepsia
No anaphylactic shock
Safe in pregnancy
Anti Bacterial, Fungal, Acrocidal
No Ticks after treatment
Liver and Kidney not effected
Economical for the farmers



BABENIL-H

Organic treatment for
Babesiosis, Anaplasmosis,
Trypnomosomiasis, Theileriosis



Dosage :

1 Bolus orally for 8 alternate days



Inhibits harmful bacteria and protects beneficial bacteria with Symbiotic Action.

Sefatox - G

(सिफाटोक्स-जी)

Composition :

Geraniol 2.36gm

USP :

- Broad spectrum activity
- Inhibits Gram+ve, Gram-ve and Mycoplasma
- A Potential safe and Powerful alternative to Antibiotics
- Geraniol does not destroy the gut microbiome
- No Drug residue and no resistance
- Significantly inhibits the pathogenic bacteria only.
- Protects the useful microbial Communities.
- Increases the abundance of probiotic in milk .

Indication :

- Respiratory Tract infections pneumonia, bronchitis..
- Post parturient diseases like
- Mastitis
- Metritis, Payometra, Vaginitis.
- Foot Rot, Pododermatitis.
- Urinary tract infections, FMD.
- Skin & Soft Tissue infections.
- To prevent secondary bacterial infections.

Additional Advantage

- Anti Inflammatory, anti oxidant, anti ulcer, anti fungal and Acaricidal protective effects on liver, heart and nerves.

Dosage :

Intramuscular Only,
1 Vial OD for 3 to 5 days
Up to 600 kg. B/W 2.36 gm Vial ,
ORAs directed by Veterinarian



MAP



Composition : Mono Ammonium Phosphate
Indication : Non Protein feed Supplement, General Health and productivity, growth.
Dosage : 1 Bolus OD
Presentation : 1 x 10 Bolus

(90-95% Bioavailability of Protein and Phosphorus

INJECTABLES

| Brand Name | Composition | Pack |
|---------------------|---|-------------------|
| ENDECTONIL | Invermectin | 10ML, 50 ML |
| INOPHOS | Sodium acid Phosphate | 30ML |
| SPASNIL | Dicyclomin HCL | 30 ml vial |
| CEFOPRACT | Cefoperazone Sodium, Sulbactum | 2.25gm, 3gm |
| SEFATOX - Z | Ceftriaxone Sodium | 3gm |
| SEFATOX - S | Ceftriaxone Sodium, Sulbactum | 3gm, 375mg, 4.5gm |
| ANIFEN - P | Piroxicam and paracetamol | 30ml vial, 100ml |
| MILKO MAX | Calcium, Vitamin D ₃ & Vitamin B ₁₂ | 30 ml |
| ADEB | Vitamin A, D ₃ , E & H in iodised form | 5 ml Vial |
| NURO - BM | Methylcobalamin - 2500 mcg | 10ml, 30ml Vial |
| LIVOFIT. | Vit B. Comp, Choline Chloride | 50 ml Vial |
| QUNOFLOX - L | Levofloxacin | 15ml, 30ml |



CHYMOSIN



Composition : Chymotrypsin and Trypsin
Indication : Mastitis, Increases Protein Digestion
Dosage : 1 Bolus OD for 8 - 10 days
Presentation : Box of 5 X 6's Strips
 Helps to expedite the healing process that follows injury to tissue structure. Helps in removing cellular debris, bloodclots and Scar tissue. Is Called Sports injury Formula Douglas Laboratories, Pittsburgh

ERGOVAT



Composition : Methyl Ergometrine
Indication : Uterine involution, Bloodless calving
Dosage : 2-5mg / animal
Presentation : Box of 5 X 6's Strips

Choline 15gm bolus

KETONIL

Composition : Rumen Protected Choline 15gm
Indication : Fatty Liver, Anorexia Increases Fat % and Improves Fibre Digestion
Dosage : 1 Bolus OD or As Directed by veterinarian
Presentation : 1 x 10 S



NEUTRAL

Composition : Trisodium Citrate
Indication : Mastitis, Diarrhoea, PH balancer, Milk Production
Dosage : 30 mg/kgbdwt for 7-10days
Presentation : 15gm

- * Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association
- * Trisodium Citrate Purchased under Intensive Mastitis Control Prog.
- * Anticoagulant activity, buffering agent
- * Brings the PH of Systemic Fluid of the body to Neutral



FLORACARE-YC

Composition : Saccharomyces cerevisiae - 15000MCFU
 Bacillus Subtils - 500MCFU
 Propionibacterium Freydenreichi - 500MCFU
 S. Cerevisiae 10 Billion CFU
Indication : Anorexia, Fibre digestion, Improves VFA_s & Fat
Presentation : Box of 20 x 4 Bolus



FIBRONIL

Composition : Kanchnar Gugal B.R.-1.5gm
 Triphals Gugal B.R.-1gm
 Chitrak muls Ext. A.B. (Plunbago zeylonica) 0.025gm
 Punarnayestaka Kwatch Churn Ext. B.R.-050gm
 Apamarge Kshar (Achyranthes aspera) A.B.-0.15gm.
Indication : Mastitis, Fibrosis
Dosage : As Directed by Veterinarian
Presentation : Box of 10 x 6 Bolus



INOPHOS

* A COMPLETE SOLUTION TO DAIRY FARMING.



Composition : Sodium acid Phosphate
Indication : Anoestrus, Infertility, Peak Lactation
Dosage : 1 Bolus OD for 10-20 days
Presentation : Box of 10X1's

- * In India Soil is Phosphorus Deficient—Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- * Important Component of Body Buffer and is excreted in Urine adjusting Body Ph—acts as urine acidifier thus prevents urinary calculi.
- * Main reason of calcium deficiency is phosphorus deficiency.
- * Prevents hypophosphatamea which leads to milk fever.
- * Acts as a Diuretic Also

Veterinary applied pharmacology and Therapeutics
G.D. Brander and D.M. Pug

एक गोली रोज

बांधनन भगाए, दूध बढ़ायें

EXIT



Composition : Albendazole
Indication : Broad Spectrum Anthelmintics
Dosage : 7.5 mg - 15 mg/kg bw
Presentation : 30 ml, 60 ml, 90 ml, 120 ml, 3 gm bolus, 1.5gm



NPN BOLUS

Indication : Protein Supplements
Dosage : 1 Bolus OD
Presentation : 1 x 10 Bolus

LIFE

Monensin Sodium 400 mg

सिर्फ एक गोली रोज 305 दिनों तक दाना घटायें, भूसा बढ़ायें, मुनाफा बढ़ायें

Life a day keeps the Cattle, healthy, Productive and fertile

हर साल बच्चा होगा तभी तो किसान बढ़ेगा



ANIONIC SALT MIXTURE



Composition :

Indication : Helps in Prevention of Mastitis & Milk Fever In Transition Period of Cattle
Dosage : 1 Sachet OD or As Directed by Veterinarian
Presentation : 50gm x 20 Sachet OD

- Prevents Mastitis
- Prevents Milk Fever
- Prevents retention of Placenta
- Prevents Negative Energy Balance

IMMUNOVET

Composition : Betacarotene - 20mg Zinc Methionine - 9gm Copper Sulphate - 15 mg Sodium Selinate - 5 mg Vit A - 500 I.V.

Indication : Immunomodulator
Presentation : Box of 1 x 10 Bolus



Niacin 6gm bolus **RUME-FER**

Composition : Niacin 6 gm
Indication : Ruminal
Fermentation Modifier
Dosage : 1 Bolus Daily or
As Directed by veterinarian
Presentation : 1 x 10 Bolus



JA DU CAL

Composition : Calcium Propionate monohydrate
100% Soluble Calcium
Indication : Calcium replenisher for high milkers
Dosage : 1 Bolus OD for 10 days
Presentation : Box of 1 x 10 Bolus

D-LITE

Composition : Cholecalciferol
Indication : Calcium metabolism, Increasing
milk production, prevents
milk fever, Prolapse of uterus
Dosage : 1 sach OD for 8-10 days
Presentation : 5 mg Sach



CATABOLITE

Composition : Positive DCAD Mix
Indication : For more milk and Production
Dosage : One Sach for 10-20 Days
Presentation : Box of 20 Sach

TRACEMIN-7

Composition : Vitamin A- 18000 IU , Vitamin E(50%) - 300 mg
Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg
Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg
Iodine - 1 mg, Lysine mono HCL - 20 mg
D-L-Methionine - 80 mg,
Selenium as Solium Selenate - 50 mcg
Magnesium Hydroxide - 50 mg
Indication : Infertility, Debility, Production
Dosage : As Directed by Veterinarian
Presentation : Box of 7 x 3 Boli



DERMECTIN



Composition : Ivermectin I.P 100 mg.
Indication : Internal & External parasites, Mange
Dosage : Bolus - 10 mg/50 kg body weight
Presentation : 1 x 100 mg Bolus

ETHAMVET

Composition : Ethamsylate
Indication : Increases Blood Platelets, Blood
Coagulant, Blood Protozoal
Dosage : One Bolus twice Daily for 3 Days
Presentation : 5 x 6 Bolus



FENBEN



Composition : Fenbendazole
Indication : Board Spectrum Athelminitics
Dosage : 150 mg for Calf, Small Animal
3 gm for Large Animal
Presentation : 150 mg & 3 gm. bolus

ANMOL

Composition : Aceclofenac + Paracetamol
 Indication : Pain, fever, inflammation
 Dosage : 1-2 boli BD
 Presentation : Box of 5 X 6's Strips



* Aceclofenac acts by blocking the action of cyclooxygenase, which is responsible for the production of prostaglandins.



FAST

Composition : Copper, Cobalt, Magnesium, ferrous, Zinc
 Indication : Infertility, Degnala, Trace minerals deficiency
 Dosage : 1 bolus OD for 10 days
 Presentation : Box of 10 X 4's Strips

* Copper - Symptoms of Copper deficiency include, Chronic diarrhea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embryo transplant and artificial insemination

MIKE MEHREN

Zinc - Plays a role in protein Synthesis, Maintenance of cell member Acts as a cofactor of numerous enzymes - **EMEA**
 Magnesium - Adjunctive Therapy of hyperthermia, Anticonvulsant, Antacid.

NIDE - L



Composition : Oxyclozanide and Levamisole
 Indication : Fascioliasis, Amphistomiasis, Moneziasis
 Dosage : Bolus - 1 bolus / 100kg
 Liq - 1 ml/2.5kgbw
 Presentation : 110ml, Box of 5 X 6 Strips

ENDECTONIL

Composition : Invermectin
 Indication : Internal and external Parasites, Mange
 Dosage : Bolus - 10 mg/50kg bdwt
 Presentation : Box of 5 X 6's Strips
 10mg, 100mg

* Revolutionary drug with activity against both parasitic nematodes and anthropods – WHO.



LIVOFIT BOLUS



Composition : Silymarine - 210mg
 Indication : Sluggish Liver, Jaundice, Fatty lever
 Dosage : One bolus BD for 10 days
 Presentation : Box of 10X4's Strips

* Silymarine - Hepatoprotector, increases milk, Fat percentage, 100% natural Journal of Dairy Science

BLOAT-NIL

Composition : Algenic acid, Aluminium hydroxide, Smithicone, Magnesium Sulphate
Indication : Bloat, Tympany, Impaction, Dyspepsia
Dosage : 4-6 boli BD
Presentation : Box of 5 X 6's Strips



DAISTOP

Composition : Loperamide & Simethicone
Indication : All types of Diarrhoea
Dosage : 2-4 bolus BD
Presentation : Box of 5 X 6's Strips

Loperamide - Reduces intestinal motility
Simethicone - Attacks excess gas in the Stomach



SPASNIL BOLUS

Composition : Dicyclomin HCL & Nimesulide
Indication : Smooth Muscle pain, Colic pain
Dosage : 2-4 bolus BD
Presentation : Box of 5 X 6's Strips



FLOXAVET P

Composition : Pefloxacin
Indication : Ecoli, Mixed bacterial infection
Dosage : 1-2 boli BD
Presentation : Box of 5 X 6's Strips



FLORACARE

Composition : Lactobacillus Sporogenes 80 mill CFU, Live Yeast Culture - 2mg, Liver extract - 10mg
Indication : Anorexia, Fibre digestion, Improves VFA's & Fat
Presentation : Box of 20X4's Strips



ESTROFIT

Composition : Folic Acid, Clomiphene Citrate
Indication : Induction of ovulation, delayed puberty, Anoestrus
Dosage : One bolus daily for 5 days
Presentation : Box of 10 X 5's Strips



PANVET

Composition : Pantoprazole
Indication : Proton pump inhibitor, Bloat, Tympany
Dosage : 2-4 boli BD
Presentation : Box of 5 X 6's Strips

