

2,4-D Amine Weed Killer

Selective Broadleaf Pre-emergent and Post Emergent Weed Control

NOTE: Read and understand the entire label directions for use, worker protection, container disposal, conditions of warranties and limitations of liability before using this product.

The label is the law.

LAWNS, GOLF COURSES, CEMETERIES, PARKS, AND SIMILAR ORNAMENTAL TURF

2,4-D Amine Herbicide is a powerful formula that provides pre-plant and post-emergent control of brush and broadleaf weeds in corn, soybeans, sorghum, small grains, rice, sugarcane, grasses, fallow land, stone fruits and nut orchards, rangeland, pastures, CRP, and in non-crop areas like ornamental turf, commercial lawns, drainage ditch banks, fence rows, and rights-of-way. It contains a combination of Dimethylamine salt, ester, and acid formula of 2,4-D and MCP which offers reliable control of brushes and annual, perennial, and biennial broadleaf weeds. It also provides excellent aquatic weed control and control of trees by injection, plus it is also great for tank mixing. Helps control beggarticks, alligator weed, bittercress, box elder, broomweed, burdock, Carolina geranium, chickweed, carpetweed, chicory, cocklebur, dandelion, ground ivy, henbit, Kochia, purslane, ragweed, and more.

How Much 2,4-D to use:

Apply 3 pints per acre (6 1/2 teaspoons [1.08 oz.] per 1,000 sq. ft.) in sufficient water to give good coverage (usually between 3 to 5 gallons water per 1,000 sq. ft.). Increase this to 4 pints per acre (3 Tablespoons [1.5 oz.] per 1,000 sq. ft.) if hard to kill weeds (Spurge) are present.

- Use of a non-ionic surfactant is recommended and encouraged for optimal 2,4 D activity. Use one (1) ounce rate per gallon of water.
- Do not apply during hot/dry periods and 24 hours of anticipated rainfall.

When to use 2,4.-D

Apply at times of rapid weed growth, usually May, June and/or September before grasses are in the flag leaf (shot blade) stage. Avoid mowing for several days after application. May apply 2 applications per year excluding spot sprayings.

- Do not apply to newly seeded lawns until grasses become well established.
- Injury may result if applied to Bentgrass, St. Augustinegrass, Carpetgrass, Centipedegrass, Dichondra, and Clovers.

WARRANTY AND CONDITIONS OF SALE - Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

DIY Pest and Lawn - 386.774.2847 2417 Enterprise Rd., Orange City, FL 32763