

D-Fense SC / Tekko Pro, Lubber, Grasshopper, Boxelder bug or similar pest Kit



D-Fense SC and Tekko Pro IGR

1st Time mix 2 oz of D-Fense SC + 2 oz of Tekko Pro IGR with 1 gallon of water into a pump sprayer.

Wear appropriate protective gear such as gloves, long sleeves, and goggles. Ensure that the product is mixed correctly according to the label instructions. Apply the emulsion to a band of soil and vegetation 6-10 feet wide around and adjacent to the structure. Use a sprayer to apply the solution evenly along the perimeter, targeting the soil and any vegetation in the area. Treat the foundation of the structure to a height of 2-3 feet. Use a sprayer to apply the emulsion evenly along the foundation, ensuring thorough coverage. Treat house siding If pests like boxelder bugs, elm leaf beetles, earwigs, silverfish, or similar pests are present, you can treat house siding as well. Apply the emulsion evenly to the siding using a sprayer. Follow all safety precautions listed on the product label, including avoiding contact with skin and eyes, and keeping pets and children away from treated areas until they are dry.

Day 7, 14, use 1 oz. of D-Fense SC / 1 gal of water, treat the same locations.

By following these steps, you can effectively apply D-Fense SC as a perimeter treatment around your structure to control pests and protect your home.

After the initial problem is taken care of, treat it once every three months.

WARRANTY AND CONDITIONS OF SALE Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.



DIY Pest and Lawn - 386-774-2847
2417 Enterprise Rd. Orange City, FL 32763