



Trimec Lawn Weed Kill

HOW TO TIPS

Spray when broadleaf weeds are small and actively growing for best results. Be sure the lawn is well watered. If dry, water 1 to 2 days before spraying. To reduce risk of lawn injury, avoid spraying drought-stressed lawns or when temperatures are above 90° F. Rain or watering within 24 hours after treatment LAWN

WEED KILLER WITH TRIMEC Broadleaf Herbicide

NOTE: Read the entire label directions for use, container disposal, conditions of warranties and limitations of liability before using this product. The label is the law.

For use on Bahiagrass, Bermudagrass, Bentgrass, Buffalograss, Bluegrass, Centipedegrass, Ryegrass, Fescue, Zoysiagrass and St. Augustine grass. (Do not use on Floratam St. Augustinegrass).

Controls Over 72 Broadleaf Weeds.

Lawn Weed Killer With Trimec® is a selective contact herbicide with three (3) proven weed killers: 2,4-D, mecoprop, and dicamba. Together, they control a wide range of broadleaf weeds. This unique formulation is low in 2,4-D for maximum safety to 2,4-D sensitive such as St. Augustinegrass, Bentgrass and buffalograss.

Controls Weeds Such As:

Chickweed, Dandelions, Plantain, Spurge, Henbit, Oxalis, Thistle, Morning Glory, Ground Ivy, Poison Ivy, Poison Oak, Ragweed, Shepherds Purse, and many more. See label for complete list.

It may reduce effectiveness. For best results, use hose end sprayers or tank type (pump-up pressure) sprayers. Spray evenly over the area at specified rates. **Use of a non-ionic surfactant is recommended.**

Limitations on Spot Treatments to Residential Turfgrass

Spot treatment is defined as a treatment area no greater than 1,000 sq. feet per acre. The maximum application rate is 5.0 fl. oz. per 1,000 sq. feet per application. The maximum number of spot treatment applications is two (2) per year with a minimum of 30 days between applications.

HOW MUCH to USE

Spot Treatments: For St. Augustinegrass, Bentgrass, and Buffalograss.

Tank sprayers - Use 1 1/2 fluid ounce (3 Tablespoon) per gallon of water to cover 400 square feet of lawn. Do not use on Floratam or other improved varieties of St. Augustinegrass. Do not apply to St. Augustinegrass nor centipedegrass emerging from winter dormancy. Temperatures below 45°F within 72 hours of application may cause damage.

Spot Treatments: For Bluegrass, Fescues, Perennial Ryegrass, Bahiagrass, Bermudagrass, Centipedegrass, and Zoysiagrass.

Tank sprayers - Use 1½ fluid ounces (3 Tablespoons) per gallon of water to cover 400 square feet. Repeat treatment for hard-to-control weeds in 30 days if they regrow. Do not use a hose end sprayer to spray small areas or spot treat weeds.

Hose-end Sprayers

For larger areas a hose-end applicator may be warranted. Refer to the product label for specific use instructions.

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

**DIY Pest and Lawn - 386-774-2847
2417 Enterprise Rd., Orange City, FL, 32763**

WARRANTY AND CONDITIONS OF SALE Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.