



Quinclorac 75 DF Herbicide

Product Overview

Quinclorac 75 DF is a water-soluble selective **post-emergent** herbicide that kills broadleaf weeds and grasses in tolerant turf species. Used as a **post-emergent**, this crabgrass killer herbicide controls many broad-leaf and grass weeds in turf-grasses on commercial and residential grounds or lawns for homes, airports, athletic fields, golf courses, military and other institutions, parks, roadsides, schools, sod farms.

The weed foliage and roots absorb the Quinclorac 75 DF and translocate it throughout the weed. Treated weeds will show signs of leaf and stem curling or twisting, stunting, change of color from green to white, then to red, before finally dying.

The use of a surfactant is recommended to greatly enhance the effectiveness of the product. **Use ½ ounce of surfactant per one (1) gallon of water per 1,000 square feet.**

Active Ingredient	Quinclorac 75%
Target pests	Crabgrass , Clover, Foxtail, Dandelion, Black Medic, English Daisy, Morning Glory, Dollarweed , Speedwell, Torpedograss, Kikuyugrass, Barnyardgrass, Bindweed, Signalgrass, Violet, yellow nutgrass
For use in	Commercial & Residential Turf-grass, Golf Courses, Sports Fields and Sod Farms NOT FOR USE ON Bahiagrass, Colonial Bentgrass, Seaside Bentgrass, Centipedegrass, Dichondra, St. Augustine
Application	1 tbsp. per gallon of water (1 lb. per acre) * See label for complete application instructions
Pet safe	Yes, if used as directed on Label
Formulation	Professional Product
NOT FOR SALE TO	AK, HI, NY
Shipping Weight	1.15 lbs
Manufacturer	Quali-Pro (Mfg. Number: 83013620)
UPC	072693362086
EPA Registration	66222-160

Quali-Pro_Quinclorac_75DF_Herbicide_Label



Quinclorac is designed to kill broadleaf weeds and pest grasses without harming turf grasses. However, not all grasses are safe for Quinclorac application. **Quinclorac will not harm most grasses.**

Quinclorac provides approximately 20-30 days control of crabgrass.

Do not mow grass 2-3 days post application.

Quinclorac should be applied when soil and foliage are dry.

Quinclorac is rain fast one (1) hour post application.

It is recommended to irrigate two (2) to seven (7) days post application allowing, in order for Quinclorac to filter to the soil for pre emergent activity.

Quinclorac can be reapplied seven (7) to 14 days depending on target weeds. Refer to label correct instructions.

Safe for pets and humans after the spray has completely dried.



Quinclorac 75 DF

Post-Emergent Herbicide



Quinclorac 75 DF is a water-soluble selective post-emergent herbicide that kills broadleaf weeds and grasses in tolerant turf species. The weed foliage and roots absorb the Quinclorac 75 DF and translocate it throughout the weed. Treated weeds will begin a process called chlorosis where the weed will curl up and changes colors and then die.

Active Ingredient

75% Quinclorac

Effective Against

Crabgrass, Clover, Foxtail, Dandelion, Black Medic, English Daisy, Morningglory, Dollarweed, Speedwell, Torpedograss, Kikuyugrass, Barnyardgrass, Bindweed, Signalgrass, Violet

Use Sites

Commercial & Residential Turfgrass, Golf Courses, Sports Fields and Sod Farms

Packaging

6 x 1 lb (30 cases/pallet)

Mode of Action

Absorbed by roots and foliage, active ingredient translocates to interfere with plant growth and cellulose production, which quickly causes plants to die

Features & Benefits

- Long-lasting control of weeds and grasses - from one month up to 90 days
- Excellent control of crabgrass, even in its mature stages
- Application and seeding flexibility - ideal for seeding and overseeding before or after application

QUALI-PRO

5903 Genoa-Red Bluff, Pasadena, Texas 77507 • 800.242.5562 • Fax 281.892.2501 • www.quali-pro.com

Always read and follow label directions.