

Flooring

Index



Unique Surface and Edge	01-02
Splen Series	03-04
Pradoo Series	05-06
Magic Series	07-08
Grande Series	09-10
Bejork Series	11-12
Homie Series	13-14
Elegant V GROOVE Series	15-22
Elegant Series	23-26
Fancy & Ease Series	27-30
Flooring Accessories and Other Building Materials	31-32
Tap&Go Locking System	33-38
Quality Laminate Flooring	39-40



Select a Unique Surface... Feeling...



Hairlike Surface (Elegant, VG-Elegant, Fancy&Ease Series Only)



Embossed Surface (Elegant, VG-Elegant, Fancy&Ease Series Only)



Raindot Surface (Elegant, VG-Elegant, Fancy&Ease Series Only)



Fossil Surface (Elegant, VG-Elegant, Fancy&Ease Series Only)



Distressed Wood Surface (Magic series only)

New



Wood art Crafted Surface (Pradoo series only)

New



High Glossy Surface (Hornie series only)



Refined Registered Embossed Surface (Grande series only)



Handscraped Surface (Bejork series only)



Handscraped and Registered Embossed Surface (Maya series only)

Select a Plank Edge...

Creat a Unique Look...



Square Edge



V Groove-Painted Bevel



V Groove-Matched Film Bevel



V Groove Black Film Bevel



U Groove Molded Bevel

SPLEN SERIES


Panels are suitable for high class commercial areas like
Luxury hotels and residential villa

ALL THE COLORS LISTED ARE JUST CURRENTLY POPULAR ONE, FOR MORE DESIGNS INFO, PLS CONTACT US.




Quality for Splen Series


15 years Pine
Select Pine core only
Exclusive German original decor






Colors for Pradoo Series





Colors for Magic Series






Available thickness: 8mm, 12.3mm
Available length & Width: 1200x197mm, 1200x127mm


The grand collection floor will surely surprise you with its superb natural, vivid grain yet competitive price! It is a real magician that brings you a room with solid wood looking in one Second.

GRX-65 Denver Wenge

Colors for Grande Series



GRX-65 - DENVER WENGE



GRX-66 - CHARCOAL OAK



Freshened HDF



Wax Tech



Eco Friendly









AC3



AC4










Colors for Bejork Series








Colors for Homie Series



ELEGANT SERIES V GROOVE COLLECTION




AVAILABLE SIZE: 1210x167x8MM, 1200x197x8mm, 1200x125/195x10mm,
1200x127/197x12.3mm, 1210x167x12.3mm

Innovative V-groove flooring system enhances your room design it features the look and feel at a solid planked floor but after all the advantages of our popular laminate flooring. The attractive look is achieved by beveling the sides of the planks to creates a subtle V-groove between the laminate flooring planked. The V-joint is sealed with a pattern matching the wood grain design.





Colors for Elegant V Groove Series



2

Smart groove

4

Smart groove

Square Edge

))










Freshened HDF













Wax Tech

Eco Friendly

AC3





AC4








Colors for Elegant Series





Colors for Elegant Series



FANCY & EASE SERIES


Bergeim Fancy & Ease series was invented as a low-cost, low maintenance floor, also it have a wide range of colors suitable for all rooms and people.



ALL THE COLORS LISTED ARE JUST CURRENTLY POPULAR ONE, FOR MORE DESIGNS INFO, PLS CONTACT US.

Colors for Fancy & Ease Series

 6017 - ELEGANT BEECH	 FYT-412 - RED CHERRY
 2232A - RED TEAK	 YT-28 - FIRELAND CHERRY
 FM29 - MAPLE	 8105 - MOUNTAIN OAK
 6269 - ROSEWOOD	 Vg1711 - JATOBA
 HTM-678 - NEWPORT MAHOGANY	 Ea665 - ROYAL MAHAGONY
 HT-341 - GREENLAND WALNUT	 7025 - RED OAK
 WJM-40 COTTAGE WENGÉ	 6925 - CHERRY




FANCY & EASE SERIES

Bergeim Fancy & Ease series was invented as a low-cost, low maintenance floor, also it have a wide range of colors suitable for all rooms and people.



Colors for Fancy & Ease Series



Transitions For Finishing your flooring

Bergeim Transitions for Selection:



End Moulding

Finishes the space where laminate flooring ends (such as sliding glass doors, along wall bases, door thresholds and carpet).



T-Moulding

Fills the gap at doorways and finishes spaces between the two areas of laminate flooring.



Stairnose Moulding

Used where laminate flooring meets a step down or landing.



Reducer

To form a natural transition from laminate floor to vinyl or carpet.



Quarter-Round Moulding

The classic finish to your laminate floor; used where wall and flooring meet.



Scotia

Ensure a perfect finish around walls



Baseboard

Bring an Elegant finish to the laminate flooring used around walls. All kinds baseboard are available. Used where wall and flooring meet with both 6cm, 8cm, 9cm & 10cm height available



WPC Transitions for Selection:

- Waterproof, Mildew-resistant.
- Elegant wood-grain texture and touch.
- No cracking, won't warp or corrode, never splinters.
- No hazardous chemicals, entirely ecological

Without Long Strip

Applied with screw on plastic block base then clip the skirting on.



- More durable.
- Easily installed.
- Dimension stability.

With Long Strip

Applied with screw within the long strip then cover long strip fixing on the wall.



Alum. & PVC moulding are also available

Bergeim Underlayment & Installation Kit

The paving method of ordinary underlay is easy. It assures the flooring to be paved in straight way. It is also moistureproof and noiseproof. Anti-bacteria and Self adhesive underlay double laminated are also available. More colors could be available according to customers' special requirement.



2in1 White Foam



2in1 3mm Blue Foam



Silver Foil Foam 3mm




3in1 Self-adhesive Foam



Rubber Hammer

Tap&Go Stairnose



1. Unique and Innovative design

Tap&Go profiled in stair nose make it a real unique product.



2. Easy installation

Can easily be installed with Tap&Go laminate flooring.



3. Smooth surface

Since it can be installed with tap and go laminate flooring perfectly, so the surfaced installed is very smooth.



4. High quality

Profile of tap and go locking requires a high quality HDF.



How to Select the Real Valuable Flooring?

Tip 1

☒ One piece = The whole flooring

The quality of one piece of flooring is equal to those of the Whole flooring after installation.

☒ One piece ≠ The whole flooring

Fact: Actually, the quality of one piece of flooring is just one aspect of overall effect of the whole flooring after installation.

The real valuable flooring not only demands single plank is beautiful, healthy and durable, but also requires the whole flooring gap, separation and warp resistant for long-time use after installation. Otherwise it will be easy to get dusty and grow germ in the joint, and no longer keep artistic, healthy or durable.

Tip 2

☒ Construction quality=Installation quality

☒ Construction quality + Floor joint technology= Installation quality

Fact: The installation technology plays a decisive role especially in heating floor system. Superior joint technology is a key factor in preventing separation and gap problems between the flooring.

Tip 3

☒ The higher price of floors = The higher purchase cost

☒ The purchase cost= Material cost + Installation cost + Usage cost

Fact: The consumers' real purchase cost is hugely influenced by the installation cost and the usage cost like maintenance cost, warranty, psychology feeling, effect to health, etc.



Gap-Resistant



Warp-Resistant




Separation-Resistant

TAP&GO® Innovative Glueless Locking Technology Flooring

Thank you for choosing TAP & GO flooring. Each type of flooring has its own specific instructions for installation, the success of which requires following the attached guidelines carefully. Please read and follow the instructions to enjoy your quality floor that will last for many years to come.


TAP&GO® Structure

4-sided Lock-in System Flooring:




A flexible groove has been uniquely designed and applied to both long and short sides creating a 4 sided locking system that is both strong and secure once installed. TAP&GO's special 4 sided locking technology ensures that installed floors resist separation after installation.

Long-side Lock-in System Flooring(Droploc)



The Drop loc structure offers a convenient, user friendly installation even for the novice home user. The system requires less tapping reducing the risk of breakage or splitting on installation. The combination of the drop loc structure on the short side with the original flexible and strong long side ensures a perfect finish when correctly installed.

Advantages



1) Trusted Quality Material

TAP&GO floors adopted high quality raw materials, excellent technology and advanced equipment.



2) Stronger Locking

The wider and deeper design of TAP&GO locking system makes TAP&GO locking much stronger, no loosening or departing. Meanwhile, the intelligent Groove in the up hook is an innovative technology, which enables the hook shrink and expands with good elasticity, and makes planks truly firmly locked together.



3) Easier installation

To be simply installed by tapping-in the edge of the planks, One person with one rubber mallet is all needed.



4) Eco-Friendly

* Low formaldehyde

TAP&GO locking flooring formaldehyde emission rate is far below than the the normal or low quality ones. Moreover, Tap&Go locking installation requires no glue, which makes the floor more natural and safe.

Tap&Go® Flooring Structure



Laminate



Solid bamboo
Solid strandwoven bamboo




Engineered wood




Solid wood

History of Laminate Flooring Joint System





Generation	Invented	Joint	Installation			Gap/ Separation	Recycle Used	Heating System	Eco-friendly		Application
			Glue/ Nail	Keel	Easy				Formaldehyde Emission	Bacteria/ Dust	
1st G	—	Non	✓	✓	✗	✗	✗	✗	✗	✗	Non
2nd G	1950	Tongue & Groove	✓	✓	✗	✗	✗	★	✗	✗	Simple connection
3rd G	1996	Locking System	✗	✗	★	✗	✓	★★	✗	✗	Glueless, nailless, keelless
4th G	2006	Smart Locking System	✗	✗	★★	✗	✓	★★★	✗	✗	Separation resistant, warp/gap resistant

Preparation



Installation

NOTE: Please examine all the flooring before installing for the colour, finish, quality and style. The manufacturer will not assume any responsibility for the above once the product has been installed.



Care and Maintenance



Mouldings (Transition mouldings can be used for the following purposes)

	Reducer: Use in transition from laminate floor to linoleum or other type of hard surface.
	T-Moulding: Use in doorways, between rooms with adjacent floors, and expansion joints.
	Stair Nosing: Use at the edge of each step in a staircase.
	End Cap: Use for transition from laminate floor to other types of floor coverings.
	Baseboard: Use at base of wall. *NOTE: Always fasten baseboard and/or base shoe to the wall, never to the floor.

Tap&Go Locking System

Save more, live better


Bergeim Floor and Patented TAP&GO Locking System Always Excelling In Your Satisfaction and Offer Exceptional Value. TAP&GO Glueless Locking System Is A Revolution In Laminate Flooring Industry By Its Precision Technology.

Bergeim laminate flooring structure:



Technical Data Sheet for Bergeim laminate flooring

Test criteria	Method	Parameters	Normal requirement	TAP&GO value
General aspect of installed flooring	EN13329	opening betw. Joints general flatness length general flatness width	Max.0.20mm concave max.0.50% convex max.1.00% concave max.0.15% convex max.0.20%	Max.0.10mm concave max.0.50% convex max.1.00% concave max.0.15% convex max.0.20%
Class	EN13329			Class21,22,23 class31, class 32
Wear class	EN13329		AC3,AC4	AC3,AC4
Moisture swelling	EN13329	after 24th Immersion	Max.18%	9%
Impact resistance big ball	EN13329	324g-10mm	Dropping height min.1600mm	complied with
Slip resistance	ZH 1/571 et DIN 51130			R9
Light fastness	EN 438-2,16	Bleu reference	CLASS 6	> 6
Burning cigaret	EN 438-2,18		CLASS 4	complied with
Castor chairs	EN 425	25000 cycles	Type W(en 12529)	no change
Formaldehyd Emission	EN 717	E1, max.1.5mg/l		0.3-0.5mg/l
Fire classification	Epiradateur EN ISO 9239-1 BS 476.7 DIN 4102.14			Cfl-s1 class 2 B1



Tap&Go laminate flooring is probably the biggest single advance in laminate installation technology since this type of flooring was introduced to the market some years ago.

Using a hook joint rather than a traditional tongue and groove or click joint structure, the installer simply places the Tap&Go plank into position and gently taps it into place using a rubber mallet. The savings on installation time and labour costs are considerable!

Using state-of-the-art machinery and technology, Tap&Go is produced in a vertically integrated factory, ensuring that every stage of manufacture is subjected to the strictest quality control conditions.

The High Density Fibreboard core is manufactured from wet-land pine grown in our own sustainable forest, and in this way Bergeim is able to lower formaldehyde emissions, higher stability and better elasticity for the HDF. To accommodate the precision machining required by this advanced installation technology, the HDF core is considerably stronger than normal.



Tough and high quality



Resistant to cigarette burns



Stain resistant



Light resistant



Natural



No pressure marks



Wear resistant and incredibly durable



Non-allergenic