Approved Exterior Paint and Stains Color Charts

Paints -Doors, Trim, Sheds, Shutters & Staircase Use Only. Stains- Decks, Fences, Sheds & Threads Use Only.

(Red and Orange Stains Not approved)

Applications can be found at https://portal.ghacm.com - documents tab

ARC Applications Must be Submitted and ARC Approved when:


(photos of the current color/color scheme and new color sample must be included with application)

- Changing existing paint colors. *Vinyl siding shall Not be painted*.
- Prior to staining to ensure earth tone color request is in accordance to the guidelines.

Autumn Circle Front Exterior Staircases- (See Diagram Below):

(Existing photo and new color sample must be included with application)

- Staircases- *Must* be Painted original or approved *Colonial White or Amber White*.
- Threads- *Must* be Stained original or approved earth toned color. Threads can be replaced with **Trex** prior ARC approval is required.



Approved Exter	ior Paint Chart		
Amber White 101	Super White 100	Colonial White 118	Putty Hill 442
Newport 119	Antietam 446	Annapolis Grey 228	Tidewater 130
Incense 106	James River Moss 131	Flintstone 452	Fenwick 244
Mt Vernon Grey 443	Clarendon 147	Smokey Pewter 470	Potomac 235
Bull Run 444	Harpers Ferry 441	Hearthstone 216	Thomas Point 148
Jamestown 145	Bull Run 444	Ocean Pines 132	Williamsburg 227
	Gunston Hall 445	Black 200	Carolina Slate 226
Takoma 232		31V	
Takoma 232			

Approved Exterior Solid Stain Chart

McCormick Paints & Sherwin Williams Offers GTHOA 10-15% Off

Decks, Fences, Sheds & Threads Use Only

(Red and Orange Stains Not approved)



SW 3083 Wet Clay

SW 3023 Flagstone

SW 3013 Gray Birch

SW 3026 King's Canyon



SW 3071 Mercury



SW 3001 Shagbark SW 3063 Charcoal https://www.sherwin-williams.com/homeowners/color/find-and-explore-colors/stain-colors

Approved Exterior Semi Transparent & Opaque Stains

McCormick Paints & Sherwin Williams Offers GTHOA 10-15% Off

Decks, Fences, Sheds & Threads Use Only

(Red and Orange Stains Not approved)



PRODUCT DETAILS

FLOOD[®] **PRO** Semi-Transparent / Semi Opaque(100 VOC) protects wood from moisture and sun damage while adding a rich, beautiful color that enhances the wood grain. It features E-B EMULSA BOND[®] adhesion technology and is recommended for use on any properly prepared exterior wood, including decks, fences, railings and other wood surfaces. Apply to new, dry, pressure-treated wood, uncoated new or weathered wood, or previously coated wood with a weathered, clear sealant or semi-transparent stain.

FEATURES: Protects Against Damage from UV Rays, Provides Rich, Subtle, Fade Resistant Color, Provides Excellent Adhesion and Penetration.

PREPARATION: Surfaces must be dry and clean. Remove all dust, dirt, mildew, oil, loose **wood** fibers and other contaminants. Remove loose, peeling **stain** or paint by sanding, scraping or wire brushing. To ensure proper adhesion, weathered, dirty or mildewed surfaces should be cleaned with **FLOOD Wood** Cleaner prior to applying **stain**. After rinsing, allow **wood** to dry.