State Environmental Policy Act

Determination of NonSignificance

Date of Issuance: 11/4/2026

Lead Agency: Fisherman Bay Sewer District

Agency Contact: Meike Meissner, District Manager, Fisherman Bay Sewer District

Lead Agency File Number: Wetland Reconstruction Project

Description of Proposal: Fisherman Bay Sewer District is replacing the media and liner in the constructed wetland at the wastewater treatment facility. The District will need to create an entrance and access road for the media and construction equipment to be delivered and access the lagoon. Media will be vac trucked out and disposed of. A new lagoon liner and media will be installed.

Applicant: Fisherman Bay Sewer District, Old Fish Bay Lumber Building, 295 Village Road, #101 P. O. Box 86 Lopez Island, WA 98261

Location of Proposal: Project location is at the Fisherman Bay Sewer District Wastewater Treatment Facility located on the east side of Lopez Road approximately .28 miles north of the intersection of Lopez Road and Weeks Road. Work is contained to the property within the bounds of the current Wastewater Treatment Facility.

The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. An environmental impact statement is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency.

This information is available at: Fisherman Bay Sewer District website: www.fishbaysewer.com

☐ There is no comment period for this DNS.

☐ This DNS is issued after using the optional process in WAC **197-11-355**. There is no further comment period on the DNS.

☒ This DNS is issued under WAC **197-11-340**(2); the lead agency will not act on this proposal for 14 days from the date of issuance. **Comments must be submitted by:** November 25, 2026.

Responsible Official: Meike Meissner
Position/Title: District Manager
Address: 620 Lopez Road, Lopez Island, WA 98261
Phone: 360-468-2131
Email: clerk@fishbaysewer.com



Signature Date: 11/3/2026

☒ You may appeal this determination to Fisherman Bay Sewer District at PO Box 86, Lopez Island, WA 98261 or email clerk@fishbaysewer.com no later than November 25, 2026. You should be prepared to make specific factual objections.