




CATALOGUE FOR GOVERNMENT



GLOBAL SOLAR SOLUTION

35
watt



SEMI INTEGRATED SOLAR STREET LIGHT

SPECIFICATIONS

- **OPERATING VOLTAGE - 12/24**
- **WATTAGE - 12W - 35W**
- **BATTERY - PO4 LITHIUM/LEAD ACID**



**12-35
watt**

INTEGRATED SOLAR STREET LIGHT

SPECIFICATIONS

- **OPERATING VOLTAGE - 12/24**
- **WATTAGE - 12W - 35W**
- **BATTERY - PO4 LITHIUM**



LED STREET LIGHT

SPECIFICATIONS

- OPERATING VOLTAGE - 220volt
- WATTAGE - 150 - 250 watt



LED STREET LIGHT

SPECIFICATIONS


- OPERATING VOLTAGE - 220volt
- WATTAGE - 60-120 watt



HIGHMAST LED LIGHT

SPECIFICATIONS

- OPERATING VOLTAGE - 220volt
- WATTAGE - 50 watt



100-200
watt

HIGHMAST LED LIGHT

SPECIFICATIONS

- OPERATING VOLTAGE - 220volt
- WATTAGE - 100-200 watt



CONCRETE GARDEN BENCHES

SPECIFICATIONS

- **CONCRETE GARDEN BENCHES**
- **SIZE 5FT**
- **3 SEATER**
- **ANY COLOUR AVAILABLE**



GI PIPE GARDEN BENCH

SPECIFICATIONS

- Height - 36"
- Width - 18"
- Length - 5ft
- Main Frame - 1.25" Ø G.I pipe.
- F.R.P Planks - 9Nos. 5ft Long with M.S flat stiffening.



SPECIFICATIONS

- Material - Plastic
- Color - Green And Blue
- Stand - Gi stand
- Brand - Digital Motors
- Country of Origin - Made in India



SPECIFICATIONS

- **Material - Plastic**
- **Color - Green**
- **Wheel- Four-Wheel**
- **Brand - Digital Motors**
- **Country of Origin - Made in India**



SPECIFICATIONS

- Usage/ Application - Medical
- Loading Capacity -500-1000 Kgs
- Maximum Run Per Charge -81-100 Km
- Seating Capacity -2 Seater
- Country of Origin -Made in India



SPECIFICATIONS

- speed - 25kmph
- load - 500 kg - 1000 kg
- range - 100km
- hydraulic tipping facility
- battery operated
- wheel - alloy type



GLOBAL SOLAR SOLUTION

GST:- 09AJBPR5462P1ZH

Address:- L-137, SAHIBABAD, LAJPAT NAGAR, Ghaziabad, Uttar Pradesh, 201005

MOBILE NO.:- +91-9717287417



Digital Motors India's no.1 BLDC fan Manufacturer

Welcome to Digital Motors India's no.1 BLDC fan Manufacturer

dm Digital Motors India's no.1 BLDC fan Manufactu...

