



BEESWIFT
ONLINE









Product Code:
CF8

Available in Sizes:
06 -13

Unit of Measure:
Each

Available in Colours:

 Tan
CF8

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  S1P SRC
Conforms to EN ISO 20345
S1P SRC

PREMIUM RIGGER BOOT

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- TPU structured heel support
- Fur lining
- Padded ankle
- Conforms to EN ISO 20345: 2011 S1P SRC



S3 THINSULATE RIGGER BOOT

- Dual density PU
- 200 joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water resistant leather upper
- 3M Thinsulate lining
- Conforms to EN ISO 20345: 2011 S3 SRC



BEESWIFT
ONLINE








Product Code:
CTF28

Available in Sizes:
4 - 13

Unit of Measure:
Each

Available in Colours:

 Tan
CTF28

-  3M Thinsulate Lined
-  Anti Slip Sole
-  Anti Static Sole
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  S3 SRC
Conforms to EN ISO 20345
S3 SRC





BEESWIFT
ONLINE

Product Code:
CTF48

Available in Sizes:
5 - 12

Unit of Measure:
Each

Available in Colours:

 Brown
CTF48BR

-  Anti Slip Sole
-  Anti Static Sole
-  Heat Resistant Sole 300c
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  Conforms to EN ISO 20345
S3 SRC
-  Cat 2 - Intermediate Risk

CLICK S3 PUR RIGGER BOOT

- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Fur lined
- Conforms to EN ISO 20345:2011 S3 SRC HRO



 **BEESWIFT**

RIGGER BOOT LINED

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Acrylic fur lined.
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC



BEESWIFT
ONLINE










Product Code:
RBL5

Available in Sizes:
4 - 13

Unit of Measure:
Each

Available in Colours:

 Tan

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1P SRC

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
RBLSSC

Available in Sizes:
6 - 12


Unit of Measure:
Each

Available in Colours:


 Tan

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 S1P SRC
Conforms to EN ISO 20345
S1P SRC

CLICK SCUFF CAP LINED RIGGER BOOT

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- Scuff cap
- Conforms to EN ISO 20345: 2011 S1P SRC



RIGGER BOOT UNLINED

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC



BEESWIFT
ONLINE

Product Code:
RBUS

Available in Sizes:
4 - 13


Unit of Measure:
Each

Available in Colours:

 Tan

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 S1P SRC
Conforms to EN ISO 20345
S1P SRC






BEESWIFT
ONLINE


Product Code:
SRB

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

 Brown

-  Anti Slip Sole
 -  Anti Static Sole
 -  Heat Resistant Sole 300c
 -  Leather Upper
 -  Fuel Oil Resistant Sole
 -  Shock Absorber Heel
 -  Steel Midsole
 -  200 Joule Steel Toecap
 -  Water Resistant
 -  S3 SRC
- Conforms to EN ISO 20345
S3 SRC

SHERPA DUAL DENSITY POLYURETHANE RUBBER RIGGER BOOT

- Sherpa PU Rubber
- Fur lining
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC



 **BEESWIFT**

CLASSIC SHIRT LONG SHIRT

- 65/35% polycotton.
- Stiffened collar.
- Left breast pocket.
- Button Cuffs



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CS

Available in Sizes:
14.5" - 20"

Unit of Measure:
Each

Available in Colours:

 Sky Blue
CSB

 White
CSW

 Cat 1 - Minimal Risk



BEESWIFT
ONLINE

Product Code:
CSSS

Available in Sizes:
14.5" - 20"

Unit of Measure:
Each

Available in Colours:

-  Sky Blue
CSSSB
-  White
CSSSW

 Cat 1 - Minimal Risk

CLASSIC SHIRT SHORT SLEEVE

- 65/35% polycotton.
- Stiffened collar.
- Left breast pocket.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
OXSL

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:

-  Blue
OXSLB
-  White
OXSLW

 Cat 1 - Minimal Risk

OXFORD SHIRT LONG SLEEVE

- 70% cotton/30% polyester.
- Easy care fabric.
- Semi-fitted styling.
- Button down collar.
- Left breast mitred pocket.
- Button fastened cuffs that also fit cufflinks
- Back yoke with two side pleats.
- Curved hem.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
OXSSS

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:


 Blue
OXSSSB

 White
OXSSSW

 Cat 1 - Minimal Risk

OXFORD SHIRT SHORT SLEEVE

- 70% cotton/30% polyester.
- Easy care fabric.
- Semi-fitted styling.
- Wrinkle resistant finish.
- Button down collar.
- Left breast mitred pocket.
- Back yoke with two side pleats.
- Curved hem.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
PSLS

Available in Sizes:
14.5" - 20"

Unit of Measure:
Each

Available in Colours:

 Sky Blue
PSLSB

 White
PSLSW

 Cat 1 - Minimal Risk

PILOT SHIRT LONG SLEEVE

- 65/35% polycotton
- Shoulder epaulettes
- 2 breast pockets with button fasteners
- Stiffened collar



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
PSSS

Available in Sizes:
14.5" - 20"

Unit of Measure:
Each

Available in Colours:

 Sky Blue
PSSSB

 White
PSSSW

 Cat 1 - Minimal Risk

PILOT SHIRT SHORT SLEEVE

- 65/35% polycotton
- Shoulder epaulettes
- 2 breast pockets with button fasteners
- Stiffened collar



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
KFLGMWD


Available in Sizes:
8 - 10

Unit of Measure:
Each

Available in Colours:

 Yellow
KFLGMWD

 Cat 2 - Intermediate Risk

 Mechanical Handling

REINFORCED FINGERLESS DOTTED GLOVE

- 90% reinforced fiber + 10% PVC
- Medium weight fingerless latex dotted glove.
- Extra density blended yarn.
- Offers exceptional cut protection.
- Good dexterity and comfort to the user.
- Ideal to handle both large and small hazardous components.
- Dotted both sides.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
KGLW

Available in Sizes:
8 - 10

Unit of Measure:
Each

Available in Colours:

 Yellow
KGLW

 Cat 2 - Intermediate Risk

 Mechanical Handling

KEVLAR LIGHTWEIGHT GLOVE

- 100% reinforced fiber
- Lightweight cut resistant glove.
- Exceptional dexterity for safe handling of the smallest components.
- Extremely successful used as a glove liner in conjunction with traditional work gloves.
- Used this way it can provide additional protection should the outer glove incur laceration.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level A - ISO 13997 Cut Resistance



REINFORCED MEDIUMWEIGHT GLOVES

- 100% reinforced fiber
- Medium weight glove.
- Extra density yarn.
- High level cut protection without the loss of dexterity
- Comfortable for the wearer.
- Ideal where there is a requirement to handle both large and small hazardous components.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
O N L I N E

Product Code:
KGMW

Available in Sizes:
8 - 10

Unit of Measure:
Each

Available in Colours:

 Yellow
KGMW

 Cat 2 - Intermediate Risk

 Mechanical Handling



BEESWIFT
ONLINE

Product Code:
KGMWD

Available in Sizes:
8 - 10

Unit of Measure:
Each

Available in Colours:

 Yellow
KGMWD

 Cat 2 - Intermediate Risk

 Mechanical Handling

REINFORCED MEDIUMWEIGHT DOTTED GLOVE

- 90% reinforced fiber + 10% PVC
- Medium weight glove.
- Extra density yarn.
- High level cut protection without the loss of dexterity
- Comfortable for the wearer.
- Ideal where there is a requirement to handle both large and small hazardous components.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



KEVLAR LATEX GLOVES LARGE

- 40% reinforced fiber + 60% Latex
- Reinforced knitted glove latex coated palm
- High cut resistancy.
- Comfortable, allows hand to breathe through back.
- Excellent grip.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level D - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KLG

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 Blue
KLG

 Cat 2 - Intermediate Risk

 Mechanical Handling





BEESWIFT
ONLINE

Product Code:
KLGFC

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 Blue
KLGFC

 Cat 2 - Intermediate Risk

 Mechanical Handling

REINFORCED LATEX GLOVES FULL CUFF

- 20% reinforced fiber + 80% Latex
- Reinforced knitted glove fully latex coated.
- Excellent all-round protection.
- High cut resistance.
- Offers excellent grip.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level D - ISO 13997 Cut Resistance



 **BEESWIFT**

KUTSTOP MICRO FOAM NITRILE AMBER CUT LEVEL 3

- Kutstop system
- Cut 3 amber cut protection
- 13g HPPE plus nylon liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Construction industry, automotive industry, electrical industry and handling materials with sharp edges
- Conforms to EN388:2003 - 4,3,4,2



BEESWIFT
ONLINE

Product Code:
KS13

Available in Sizes:
S - 2XL

Unit of Measure:
Each

Available in Colours:

 Amber
KS13

 Cat 2 - Intermediate Risk

 **BEESWIFT**




BEESWIFT
ONLINE


Product Code:
KS14

Unit of Measure:
Each

Available in Colours:

 Yellow
KS14

 Cat 2 - Intermediate Risk

 Mechanical Handling

KEVLAR 14 INCH SLEEVE WITH THUMB SLOT

- 14" (35cm) Reinforced sleeve with thumb slot.
 - 100% reinforced fiber
 - Excellent cut resistance.
 - Soft and comfortable against the arm during use.
 - Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks.
 - Thumb slot is added to further ensure that the product remains in place.
 - Ideal in industries where laceration risks to the arms are prominent.
 - Sold as singles.
- EN388: 2016
 - Level 1 - Abrasion
 - Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
 - Level 4 - Tear Resistance
 - Level X - Puncture
 - Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KS15

Available in Sizes:
S - 2XL

Unit of Measure:
Each

Available in Colours:

 Green
KS15

 Cat 2 - Intermediate Risk

KUTSTOP MICRO FOAM NITRILE GREEN CUT LEVEL 5

- Kutstop system
 - 15g HPPE plus glass fibre and spandex liner
 - Black nitrile coated palm
 - Excellent dexterity and comfort
 - Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal
- EN388: 2016
 - Level 4 - Abrasion
 - Level X - Cut Resistance
 - Level 4 - Tear Resistance
 - Level 4 - Puncture
 - Level C - ISO 13997 Cut Resistance






BEESWIFT
ONLINE

Product Code:
KS18

Unit of Measure:
Each

Available in Colours:

 Yellow
KS18

 Cat 2 - Intermediate Risk

 Mechanical Handling

REINFORCED 18 INCH SLEEVE WITH THUMB SLOT

- 18" (45cm) Reinforced sleeve with thumb slot.
 - 100% reinforced fiber
 - Excellent cut resistance.
 - Soft and comfortable against the arm during use.
 - Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks.
 - Thumb slot is added to further ensure that the product remains in place.
 - Ideal in industries where laceration risks to the arms are prominent.
 - Sold as singles.
-
- EN388: 2016
 - Level 1 - Abrasion
 - Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
 - Level 4 - Tear Resistance
 - Level X - Puncture
 - Level B - ISO 13997 Cut Resistance



BEESWIFT

MICRO FOAM NITRILE CUT 3 LGE

- Cut resistant Nylon/Spandex glove.
 - Nitrile micro foam palm coating.
 - Dexterity with comfort.
-
- EN388: 2016
 - Level 4 - Abrasion
 - Level X - Cut Resistance
 - Level 4 - Tear Resistance
 - Level 3 - Puncture
 - Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KS3

Available in Sizes:
S-XL

Unit of Measure:
Each

Available in Colours:

 Black
KS3

 Cat 2 - Intermediate Risk

 Mechanical Handling



BEESWIFT



BEESWIFT
ONLINE

Product Code:
KS5

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

 Black
KS5

 Cat 2 - Intermediate Risk

 Mechanical Handling

MICRO FOAM NITRILE CUT 5 LGE

- High cut resistance.
- Nitrile micro foam palm coating.
- Dexterity with comfort.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level D - ISO 13997 Cut Resistance



PU COATED CUT 5 GLOVE

- 65% UHMWPE(Ultra high molecular weight polyethylene) + 35%PU
- Seamless liner.
- PU coating, palm coated.
- High quality cut resistance.
- Excellent dexterity.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level C - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KSPU5

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

 Black
KSPU5

 Cat 2 - Intermediate Risk

 Mechanical Handling





BEESWIFT
ONLINE


Product Code:
BFHQWN

Available in Sizes:
ONE SIZE


Unit of Measure:
Bx 10


Available in Colours:

 Blue
BFHQWN

 Cat 2 - Intermediate Risk

 Conforms to the correct EN Standards

 Fire Retardant

 Mechanical Handling

CAT2 BLUE GOLD HQ 16" WELDERS GAUNTLET

- Fully lined.
- Gold leather welts.
- Gold leather reinforced thumb and part palm.
- Reinforced stitching.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance

- EN 407:2004
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal

- EN12477: 2001+A1:2005 Type A



PREMIUM GOLDEN WELDERS GAUNTLET

- 16" Gold/Black cow split leather
- Fully lined
- Reinforced stitching
- Hand lining 100% cotton
- Outer in split leather

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance

- EN 407:2004
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal

- EN12477: 2001+A1:2005 Type A



BEESWIFT
ONLINE

Product Code:
BFPGW

Unit of Measure:
Bx 10

Available in Colours:

 Gold
BFPGW

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
C2WN

Available in Sizes:
14"

Unit of Measure:
Bx 10

Available in Colours:



Cat 2 - Intermediate Risk

Fire Retardant

Mechanical Handling

RED WELDERS GAUNTLET 14"

- Red Welders Gauntlet 14".
- Finger welts.
- Fully lined hand and cuff.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance
- EN407: 2004 4.2.3.X.4.X
- EN 12477:2001+A1:2005 - Type A



RED WELDERS GAUNTLET 14" R/P

- Red Welders Gauntlet 14".
- Reinforced Palm (two layers of leather).
- Finger welts.
- Fully lined including cuff.
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance
- EN 407:2004
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal
- EN 12477:2001 +A1:2005 - Type A



BEESWIFT
ONLINE

Product Code:
C2WRPN

Available in Sizes:
14"

Unit of Measure:
Bx 10

Available in Colours:



Cat 2 - Intermediate Risk

Fire Retardant

Mechanical Handling



BEESWIFT
ONLINE

Product Code:
DGVC


Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 Black/White
DGVC

 Cat 2 - Intermediate Risk

 Mechanical Handling

DRIVERS GLOVE VELCRO CUFF

- High quality soft grain leather.
- knitted cotton back.
- Hook and loop cuff fastening.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



FREEZER GLOVES ONE PIECE BACK

- Full grain soft cowhide leather
- Gun pattern design.
- Elasticated cuff with integral vein patch
- Fully cotton fleece lined
- Robust hard wearing, multi purpose glove ideal for low temperature working.

•GLOVE IS SIZE L/9•

- EN388: 2003
- Level 2 - Abrasion
- Level 1 - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture



BEESWIFT
ONLINE

Product Code:
FGIMP

Available in Sizes:
XL

Unit of Measure:
Bx 10

Available in Colours:

 Yellow
FGIMP

 Cat 2 - Intermediate Risk

 Minimal Risk





BEESWIFT
ONLINE

Product Code:
QLDG

Available in Sizes:
L - XL

Unit of Measure:
Bx 10

Available in Colours:

-  Grey
QLDGPHN
-  Yellow
QLDGN

 Cat 2 - Intermediate Risk

QUALITY LINED DRIVERS GLOVES

- Soft grain leather.
- Gun pattern design.
- Half elastication to back of cuff.
- Fleece lined.
- Colour co-ordinated sized cuffs
- L - Green Cuff
- XL - Blue Cuff
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



 **BEESWIFT**

UNLINED DRIVERS GLOVE PEARL L

- Soft grain leather.
- Gun pattern design.
- Half elastication to back of cuff.
- Colour co-ordinated sized cuffs
- L - Green Cuff
- XL - Blue Cuff
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
QUDGPHNL

Available in Sizes:
L - XL

Unit of Measure:
Bx 10

Available in Colours:

-  Grey
QUDGPHN



BEESWIFT
ONLINE

Product Code:
ACGBL


Available in Sizes:
XL

Unit of Measure:
Each

Available in Colours:

Black
 ACG

 Minimal Risk

 Cat 1 - Minimal Risk

ACRYLIC GLOVE

- Acrylic fibre knit.
- One size.
- Generous fit.
- Minimal Risk.



FINGERLESS MITTS

- Acrylic fibre knit.
- One size fits all.
- Minimal risk.



BEESWIFT
ONLINE

Product Code:
FLM

Available in Sizes:
XL

Unit of Measure:
Each

Available in Colours:

Black

 Cat 1 - Minimal Risk

 Minimal Risk





BEESWIFT
ONLINE


Product Code:
LTHG

Unit of Measure:
Each

Available in Colours:

 Black
LTHG

 Garment has 3M
Thinsulate Lining

 Cat 1 - Minimal Risk

 Minimal Risk

LADIES THINSULATE GLOVE

- Knitted acrylic with 3M Thinsulate underlayer.
- Microfibre technology to keep the hands warm.
- Effective when wet and dries quickly.
- Ideal for winter use.
- Minimal risk, no standards attached.



 **BEESWIFT**

MIXED FIBRE GLOVES

- Mixed fibre non specific glove.
- 70/30 cotton / polyester blend.
- One size.
- Can be used as heavyweight liner.
- Minimal Risk



BEESWIFT
ONLINE

Product Code:
MFG

Available in Sizes:
L

Unit of Measure:
Bx 240

Available in Colours:

 Grey
MFGNGY

 Cat 1 - Minimal Risk

 Minimal Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
SKWS

Available in Sizes:
Mens & Ladies

Unit of Measure:
Bx 600

Available in Colours:

 White
SKWSN

 Cat 1 - Minimal Risk

STOCKINETTE KNITWRIST SUPER

- 100% Cotton
- 600 pairs per case



THINSULATE FLEECE GLOVE

- Fleece glove with 3M Thinsulate underlayer.
- Microfibre technology to keep the hands warm.
- Generously sized.
- One size fits all
- Ideal for winter use.

- Minimal risk, no standards attached.




BEESWIFT
ONLINE

Product Code:
THFLG

Unit of Measure:
Each

Available in Colours:

 Black
THFLGBL

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
THG

Unit of Measure:
Each

Available in Colours:



Black



Garment has 3M
Thinsulate Lining



Cat 1 - Minimal Risk



Minimal Risk

THINSULATE GLOVE

- Knitted acrylic with 3M Thinsulate underlayer.
- Microfibre technology to keep the hands warm.
- Effective when wet and dries quickly.
- Ideal for winter use.
- Minimal risk, no standards attached.



CRISS CROSS GLOVES

- Yellow/gold knitted base.
- PVC criss cross coating.
- Multi purpose glove offering excellent grip.
- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
XXN

Available in Sizes:
XL

Unit of Measure:
Bx 10

Available in Colours:



Orange
XXN



Cat 2 - Intermediate Risk



Mechanical Handling





BEESWIFT
ONLINE

Product Code:
BCTS

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Navy Blue
BCTSN



Cat 1 - Minimal Risk

LIGHTWEIGHT TEE SHIRT

- 150gsm polyester lightweight fabric
- Wicking treatment
- Moisture absorbing
- Anti-Perspiring



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CLCTS

Available in Sizes:
XS - 5XL

Unit of Measure:
Each

Available in Colours:



Black
CLCTSHWBL



Bottle Green
CLCTSHWBG



Navy Blue
CLCTSHWN



Red
CLCTSHWRE



Royal Blue
CLCTSHWR



White
CLCTSHWW

CLICK HEAVY WEIGHT TEE SHIRT

- 100% Cotton
- Twin needle stitching
- Generous sizing
- 180gsm premium weight





BEESWIFT
ONLINE

Product Code:
CLCTS1

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

 Navy Blue
CLCTSN

 Royal Blue
CLCTSR

 White
CLCTSW

 Cat 1 - Minimal Risk

CLICK TEE SHIRT

- 100% Cotton
- Twin needle stitching
- Generous sizing
- 150gsm standard weight



BEESWIFT
ONLINE

Product Code:
CARF

Available in Sizes:
S -5L


Unit of Measure:
Each


Available in Colours:


 Orange
CARFOR


 Saturn Yellow
CARFSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Fully interactive with another garment

 Garment conforms to GO/RT 3279

CARNOUSTIE FLEECE JACKET

- High density 300gm polyester fabric.
- Angled hand warmer pockets.
- Retro - Reflective tape.
- Drawcord at hip.
- Fully interchangeable with - 'CAR' Carnoustie Jacket (sold separately).

- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.





BEESWIFT
O N L I N E


Product Code:
DBS

Unit of Measure:
Dozen

Available in Colours:

 Blue
DBSBL

 Brown
DBSBR

 Cat 1 - Minimal Risk

DISPOSABLE BEARD SNOOD

Our 5mm Close Mesh Beard Snood, is made from polypropylene for high moisture transportation and wicking properties. This helps to diffuse the risk of the wearer recycling carbon dioxide on inhalation; when compared to a non-woven Beard Cover.

- This product is Metal Free.
- Complete lower face cover
- Lightweight mesh encloses beards and moustaches
- Ideal method for eliminating loose hair contamination
- Fits comfortably and snugly around the face
- Material is ignition resistant
- Standard size
- Pack size of 12
- Carton of 2400 (200 packs of 12)



DETECTABLE HAIRNET

- Metal Detectable
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



BEESWIFT
O N L I N E

Product Code:
DHBDET

Unit of Measure:
PK 100

Available in Colours:

 Blue
DHBDET





BEESWIFT
ONLINE

Product Code:
DHBN

Unit of Measure:
PK 100

Available in Colours:



Blue
DHBN

DISPOSABLE HAIRNET

- Metal Free
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- Keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



 **BEESWIFT**

DISPOSABLE HAIRNET

- Metal free
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- Keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
DHWN

Unit of Measure:
PK 100

Available in Colours:



White
DHWN




BEESWIFT
ONLINE

Product Code:
DMC

Unit of Measure:
Bx 1Th

Available in Colours:

-  Blue
DMCB
-  Green
DMCG
-  Red
DMCR
-  White
DMCW
-  Yellow
DMCY

 Cat 1 - Minimal Risk

DISPOSABLE MOB CAP

- Soft and lightweight hair net
- Fully elasticated cap
- Made from non woven fabric
- Standard size fits all



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
MUBJ

Available in Sizes:
S- 5XL

Unit of Measure:
Each

Available in Colours:

-  Black
MUBJBL
-  Navy Blue
MUBJN

 Cat 1 - Minimal Risk

-  Garment has a Fully Elasticated Waistband
-  Garment has welded or reinforced seams
-  Garment comes with a hood
-  Garment has a mobile phone pocket
-  Garment conforms to EN343

MERCURY BOMBER JACKET

- Polyester/Pongee fabric
- 2 x zipped side pockets with reflective edge
- 1 x zipped security pocket
- Adjustable hook and loop cuffs
- Elasticised waist
- Polar fleece lined
- Zipped logo access
- 2 x internal zipped pockets
- Internal mobile phone pocket
- Taped Seams
- Zip away hood



 **BEESWIFT**



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSD310R


Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

 Orange
BSD310R

 CE Marked CAT 2

 Conforms to EN ISO 20471
for Hi Visibility


 UK CA Marked CAT 2

DELTIC HI-VIS ORANGE SOFTSHELL BODYWARMER

- 100% Softshell polyester bonded fabric
- 210gsm fabric weight
- Medium weight bodywarmer
- Left breast pocket with zip
- Full length zip for complete closures
- Garment fully fleece lined
- Soft touch zip pulls on all zips
- Heavy duty ykk front zip closure
- Hip pockets
- Shaped design for added styling
- Two internal pockets
- Elasticated hip drawstring with puller
- Shaped back for added comfort
- 60mm segmented tape for greater visibility

• Interactive bodywarmer can be used in combination with the Jacket (BSD21)

- EN ISO20471:2013
Class 2
- RIS-3279-TOM Issue 2:2019 (Orange variations only)



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDBWTT

Available in Sizes:
S-6XL


Unit of Measure:
Each

Available in Colours:

 Orange / Black
BSDBWTTORBL

 Saturn Yellow / Navy
BSDBWTTSYN

 CE Marked CAT 2

 Conforms to EN ISO 20471
for Hi Visibility

 UK CA Marked CAT 2

DELTIC HI-VIS GILET TWO-TONE

- 100% Softshell polyester bonded fabric
- 210gsm fabric weight
- Medium weight bodywarmer
- Garment fully fleece lined
- 60mm segmented tape for greater visibility
- Hi viz accents for added styling
- Full length heavy duty YKK zip
- Snorkel with fleece lined neck
- Soft touch zip pulls on all zips
- Left breast pocket with zip
- Two hip pockets with zips
- Two internal pockets
- Elasticated hip drawstring with adjustable puller
- Contrast colour in areas that soil most
- Generous sizing to interact with other garments

• Interactive bodywarmer can be used in combination with the Jacket (BSDJTT)

- EN ISO20471:2013
Class 2
- RIS-3279-TOM Issue 2:2019 (Orange variations only)







BEESWIFT
ONLINE


Product Code:
BWENG


Available in Sizes:
S - 6XL


Unit of Measure:
Each


Available in Colours:


-  Orange / Grey
BWENGOR
-  Saturn Yellow / Navy
BWENGSY


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Fully interactive with another garment

 Garment has a mobile phone pocket

 Garment conforms to GO/RT 3279

 Garment is reversible

REVERSIBLE BODYWARMER

Reversible Hi Vis "interactive" Bodywarmer

- PU coating to hi-vis side.
- Grey polycotton lining on reverse.
- Heavy duty zip.
- 2 zipped pockets on both sides.
- Mobile phone compartment on quilted side.
- Retro-Reflective tape.

- Conforms to EN ISO 20471
Class 2 high visibility

- RIS-3279-TOM - Railway use certified.



Initial High Visibility Bodywarmer

- EN471 class 2.
- PU coating to hi-vis side.
- Reversible bodywarmer 'zipout'.
- Knitted collar.
- Heavy duty zip.
- Navy polycotton diamond quilt on reverse.
- 2 patch pockets on quilted side.
- Reflective Material.




BEESWIFT
ONLINE

Product Code:
IWBWENGSY

Unit of Measure:
Each

Available in Colours:

-  Saturn Yellow
IWBWENGSY

 Garment conforms To EN471






BEESWIFT
ONLINE

Product Code:
DO14

Unit of Measure:
Bx 2th

Available in Colours:

 Blue
DO14B2

 Cat 1 - Minimal Risk

DISPOSABLE OVERSLEEVE 14"

- Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
- 2000 loose (1000 pairs)
- Non compliant to any EN standard



CN4013E DISPOSABLE COVERALL TYPE 5/6

Protects against:

- Chemical & Viral agents (including Coronavirus)
- Bloodborne pathogens
- Sulphuric acid
- Contaminated liquids
- Radioactive Contamination

- For fine dust particles, reduced spray and limited splash
- Anti-static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Microporous fabric 54% polypropylene + 46% polyethylene
- Individually packaged

EN 13034: 2005 + A1: 2009
 EN13982-1: 2005 + A1: 2010
 EN 1149-5: 2018 Anti-Static – Material Performance and Design Requirements
 EN 1073-2: 2002 Protective Clothing against radioactive contamination (no rays)
 EN 14126: 2003 + AC:2004 Protective clothing against Infective agents (Type 5B, 6B)



BEESWIFT
ONLINE

Product Code:
COCN4013E



Available in Sizes:
S-XXL

Unit of Measure:
Each

Available in Colours:

 White
COCN4013EW

-  Anti Static
-  Garment has breathable fabric
-  Cat 3 - High Risk
-  Conforms to the correct EN standards
-  Chemical Hazards
-  Limited Chemical Splash Protection
-  Noxious Dust
-  ClickOnce Retail Bag





BEESWIFT
ONLINE


Product Code:
PDBSHW


Available in Sizes:
S-XXL


Unit of Measure:
Each

Available in Colours:

 White
PDBSHW

 Garment has a Fully
Elasticated Waistband

 Garment comes with a
hood

 Cat 1 - Minimal Risk

POLPROP DISPOSABLE BOILERSUIT

- Fabric disposable boilersuit
- Non woven fabric
- 33gsm SMS (spunbond + meltblown + spunbond nonwovens)
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Zip colour matches garment shell fabric.



 **BEESWIFT**

Polyprop Disposable Visitors Coat

- Non woven polypropylene
- Disposable visitors coat with collar
- Hook and loop fastening



BEESWIFT
ONLINE

Product Code:
PDVC

Available in Sizes:
M - XXL

Unit of Measure:
Each

Available in Colours:

 White
PDVC

 Cat 1 - Minimal Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
AB1

Unit of Measure:
Each

Available in Colours:

 Green
AB1

 Cat 1 - Minimal Risk

IDENTIFICATION ARMBAND

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



IDENTIFICATION ARMBAND

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



BEESWIFT
ONLINE

Product Code:
AB2

Unit of Measure:
Each

Available in Colours:

 Red
AB2

 Cat 1 - Minimal Risk






BEESWIFT
ONLINE

Product Code:
AB3

Unit of Measure:
Each

Available in Colours:

 Yellow
AB3

 Cat 1 - Minimal Risk

IDENTIFICATION ARMBAND

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



FR BURGAN BOILERSUIT ANTI-STATIC

- 220 gram 99% Cotton, 1% Anti-static fibre
 - Flame retardant/Anti static treated fabric
 - FR retro-reflective tape. (Nordic Design)
 - Concealed zip front to neck
 - Two breast pockets, brass zip closure
 - Two hip pockets, vertical access
 - One rear hip patch pocket with flap
 - One plain patch hip pocket
 - Rule pocket
 - Half elasticated waist
 - Plain cuffs and ankles
- ISO 11611: 2007 Class 1 A1 - Protective clothing for use in welding
 - EN ISO 11612: 2008 A1, B1, C1 - Protection against heat and flame
 - EN 1149-5: 2008 (EN 1149-3: 2004) - Anti Static - Material performance and design requirements
- Does NOT conform to EN ISO 20471



BEESWIFT
ONLINE

Product Code:
CFRASBBS

Available in Sizes:
36 - 58


Unit of Measure:
Each


Available in Colours:

 Navy Blue
CFRASBBSN

 Orange
CFRASBBSOR

 Garment is anti-static

 Cat 2 - Intermediate Risk

 Garment is fire retardant

 Half Elasticated

 Garment is suitable for welding





BEESWIFT
ONLINE

Product Code:
CFRASTEBS

Available in Sizes:
36 - 58


Unit of Measure:
Each


Available in Colours:

 Saturn Yellow
CFRASTEBSY


 Garment is anti-static

 Conforms to the correct EN Standards

 Garment conforms EN ISO 20471

 Garment is fire retardant

 Garment has a Fully Elasticated Waistband

 Cat 2 - Intermediate Risk

TESLA FR/AS BOILERSUIT EN471

- Multi purpose 'utilities' boilersuit
- Fire Retardant
- Anti Static
- 320gsm Hi Vis flame retardant treated fabric with anti static grid
- 80% Cotton 19% Polyester 1% anti static
- 2 Vertical side access hip pockets
- High visibility
- 1 left breast pocket with sewn down flap
- Concealed stud fly front to neck
- Plain back
- Internal knee pouch pockets
- Elastic to waist
- Plain cuffs and ankles
- Retro-reflective tape
- FR/AS embroidery to left sleeve

EN ISO 11612: 2008 Class A1. B1. C1. - Protection against heat and flame
EN1149-5: 2008 - Anti Static - Material performance and design requirements
EN ISO 20471: 2013 Class 3. - Test requirements for high visibility



FIRE RETARDANT BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve

ISO 11611:2007 Class 1 A1 - Protective clothing for use in welding
ISO 11612:2008 A1, B1, C1 - Protection against heat and flame

1 garment per polybag.
10 garments per carton.



BEESWIFT
ONLINE

Product Code:
CFRBS

Available in Sizes:
36" - 60"

Unit of Measure:
Each

Available in Colours:


 Navy Blue
CFRBSN


 Orange
CFRBSOR


 Red
CFRBSRE

 Royal Blue
CFRBSR

 Cat 2 - Intermediate Risk

 Conforms to the correct EN Standards

 Garment is fire retardant

 Garment is suitable for welding





BEESWIFT
ONLINE

Product Code:
CFRBSND


Available in Sizes:
36" - 60"


Unit of Measure:
Each


Available in Colours:

-  Navy Blue
CFRBSNDN
-  Orange
CFRBSNDOR
-  Red
CFRBSNDRE
-  Royal Blue
CFRBSNDR

 Cat 2 - Intermediate Risk

 Conforms to the correct EN Standards

 Garment is fire retardant

 Garment is suitable for welding

FIRE RETARDANT NORDIC DESIGN BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips

ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding
ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

- Does NOT conform to EN ISO 20471



HAND SANITISING CLEANSING WIPE

- Hand sanitizer wipes
- Removes dirt and grime
- Cleans hands
- No need to use water
- Tested to EN1276, EN1650 & EN14476

- 200 wipes per dispenser.




BEESWIFT
ONLINE

Product Code:
CO020

Unit of Measure:
Each


Available in Colours:

-  White
CO020

 Cat 1 - Minimal Risk

 Flamable

 Irritant

 No Water Needed





BEESWIFT
ONLINE

Product Code:
2FF2V

Unit of Measure:
Bx 20

Available in Colours:

White
2FF2V

FOLD FLAT P2 MASK WITH VALVE

- Vertical fold flat design.
- Comfortable face fit.
- Low breathing resistance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR V

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.

- Alt Code: WSB550



FOLD FLAT P3 MASK WITH VALVE

- Maintenance free particulate respirator.
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP3 NR V

For Hazard Type: Fine Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.



BEESWIFT
ONLINE

Product Code:
3FF3V

Unit of Measure:
Bx 20

Available in Colours:

White
3FF3V

Cat 3 - High Risk




BEESWIFT
ONLINE

Product Code:
BB3000A1

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000A1

 Cat 3 - High Risk

A1 FILTERS (PAIR)

A1 Filters for BB3000 Respirator Range

Filters organic vapour solvents such as White Spirit
Toluene or Carbon Tetrachloride (CCl4)



A1P2 FILTERS (PAIR)

A1P2 Filters for BB3000 Respirator Range

Filters:

- Organic Vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl4).
- Fine Toxic Dust, Water and Oil based Mists/Aerosols.




BEESWIFT
ONLINE

Product Code:
BB3000A1P2

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000A1P2

 Cat 3 - High Risk






BEESWIFT
ONLINE

Product Code:
BB3000ABEK

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000ABEK

 Cat 3 - High Risk

ABEK1 FILTERS (PAIR)

- For protection against organic gases and vapours with a boiling point > 65 deg c.
- Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.

- Filter type and Class : ABEK1



TWIN FILTER MASK LARGE

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK, and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters



BEESWIFT
ONLINE


Product Code:
BB3000L

Available in Sizes:
L

Unit of Measure:
Each

Available in Colours:

 Blue
BB3000L

 Cat 3 - High Risk





BEESWIFT
ONLINE


Product Code:
BB3000M

Available in Sizes:
M

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000M

 Cat 3 - High Risk

TWIN FILTER MASK MEDIUM

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK, and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters



P3R FILTERS (PAIR)

- P3 Filters for BB3000 Respirators
- EN143:2007

Filters Fine Toxic Dust, Fumes, Water and Oil based Mists/ Aerosols.




BEESWIFT
ONLINE

Product Code:
BB3000P3

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000P3

 Cat 3 - High Risk






BEESWIFT
O N L I N E

Product Code:
BB3000PF

Unit of Measure:
Each

Available in Colours:

 Blue
BB3000PF

 Cat 3 - High Risk

PRE FILTER (5 PAIR PACK)

Pre Filters for BB3000 Respirators



 **BEESWIFT**

BB3000 CARTRIDGE RETAINER (PR)

Cartridge Retainers for BB3000 Respirators




BEESWIFT
O N L I N E

Product Code:
BB3000RET

Unit of Measure:
Each

Available in Colours:

 Grey
BB3000RET

 Cat 3 - High Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BB3020

Unit of Measure:
Each

Available in Colours:

 Grey
BB3020

 Cat 3 - High Risk

TWIN FILTER A1P2 READY MASK C/W FILTERS

- Pre-assembled ready mask c/w A1P2 filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters.

Provided filters protect against:

- Organic Vapour Solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl₄)
- Particulate Fine Toxic Dust, Water and Oil based Mists/Aerosols.

- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001



BEESWIFT

TWIN FILTER ABEK READY MASK C/W FILTERS

- Pre-assembled ready mask c/w ABEK filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable straps ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges.
- Gas filters can be fitted with replaceable pre-filters and retainer adapters.
- Provided filters for protection against organic gases and vapours with boiling point >65c inorganic gases and vapours sulphur dioxide ammonia and organic ammonia derivatives.
- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001



BEESWIFT
ONLINE

Product Code:
BB3030

Unit of Measure:
Each

Available in Colours:

 Grey
BB3030

 Cat 3 - High Risk



BEESWIFT



BEESWIFT
ONLINE

Product Code:
BBFFP2V

Unit of Measure:
Each

Available in Colours:

White
BBFFP2V

Cat 3 - High Risk

B-Brand P2 Mask

P2 FOLD-FLAT VALVED MASK

- Vertical fold flat design.
- Latex free synthetic rubber head strap.
- Comfortable face fit.
- Low breathing resistance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



BEESWIFT
ONLINE

Product Code:
BBFFP3V

Unit of Measure:
Bx 20

Available in Colours:

White
BBFFP3VN

Cat 3 - High Risk

B-Brand P3 Mask

FOLD FLAT P3 MASK VALVED

- Maintenance free particulate respirator.
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Soft inner face-seal ring

- Conforms to EN149:2001 + A1:2009 FFP3 NR

For Hazard Type: Fine Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.






BEESWIFT
ONLINE


Product Code:
BBMMP2CVDN

Unit of Measure:
Bx 10

Available in Colours:

 Black
BBMMP2CVDN

 Cat 3 - High Risk

 B-Brand P2 Mask

B-BRAND BBP2CV MESH MASK

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.
- All carbon (charcoal) helps absorb smell and odours.
- Premium mask for the more demanding applications.

- EN149:2001+A1:2009 FFP2 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



P2 VENTED MESH CUP MASK

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.

- EN149:2001+A1:2009 FFP2 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



BEESWIFT
ONLINE


Product Code:
BBMMP2VDN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

 White
BBMMP2VDN

 B-Brand P2 Mask





BEESWIFT
ONLINE


Product Code:
BBMMP3VDN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:

 White
BBMMP3VDN

 B-Brand P3 Mask

P3 VENTED MESH CUP MASK

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.

- EN149:2001+A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.



BEESWIFT
ONLINE


Product Code:
BBP2CVN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

 Grey
BBP2CVN

 B-Brand P2 Mask

P2 VALVED CHARCOAL MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.





BEESWIFT
ONLINE


Product Code:
BBP2N

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 20

Available in Colours:

 White
BBP2N

 B-Brand P2 Mask

P2 MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



BEESWIFT
ONLINE


Product Code:
BBP2VN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

 White
BBP2VN

 B-Brand P2 Mask

P2 VALVED MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.





BEESWIFT
ONLINE

Product Code:
BBP3VD

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:

White
BBP3VDN

P3 B-Brand P3 Mask

PREMIUM P3 VENTED MASK

- Soft foam nose seal for added comfort.
- Adjustable elastic straps.
- High quality construction.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Comfortable face fit.
- Easy breathe exhale valve.

- Conforms to EN149:2001 + A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding

The moulded polythene nose bridge creates a stronger seal when compared with metal nose crimps, leading to consistently superior fit-test results



BBP3 MASK VALVED

Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area.

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Adjustable head strap ensures the best facial seal with minimum leakage.
- Contour design ensures the compatibility of glasses/goggles reducing fogging.
- Full facial close-cell foam seal for improved fit.
- Adjustable nosepiece ensures increased worker comfort and acceptance.
- Protection level FFP3 with exhalation valve.

- Conforms to EN149:2001 + A1:2009 FFP3 NR

- Excellent face fit test results.

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.



BEESWIFT
ONLINE

Product Code:
BBP3VN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:

White
BBP3VN

P3 B-Brand P3 Mask






BEESWIFT
ONLINE

Product Code:
BBKP01

Unit of Measure:
Each

Available in Colours:

 Black
BBKP01

 Cat 1 - Minimal Risk

PU KNEE PADS

- Our most economical knee pads
- Protects against basic mechanical risks
- Adjustable knee straps
- For minimal risks only



 **BEESWIFT**

RIVETED CAP KNEE PADS

- Protects against basic mechanical risks
- Adjustable knee straps
- For minimal risks only



BEESWIFT
ONLINE

Product Code:
BBKP02

Unit of Measure:
Each

Available in Colours:

 White / Black
BBKP02

 Cat 1 - Minimal Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BBKP03

Unit of Measure:
Each

Available in Colours:

White / Black
BBKP03

Cat 1 - Minimal Risk

POLY RIDGED KNEE PADS

- Deluxe model offering excellent protection against basic mechanical risks
- Made using non marking material.
- Rubber-like surface with grip ridges help prevent sliding and slipping.
- Hook and loop Adjustable straps.
- For minimal risks only



BEESWIFT
ONLINE

Product Code:
BBKP05

Unit of Measure:
Each

Available in Colours:

Black
BBKP05

Cat 2 - Intermediate Risk

HEAVY DUTY GEL KNEE PAD

- Heavy duty nylon construction to resist abrasion and tear.
- Adjustable clip buckle and hook and loop closure.
- Hard shell cap to aid swivelling.
- Gel foam centre to cap for even weight distribution when worn for long periods.
- An all round superior Knee Pad.
- Fully CE approved
- Conforms to EN14404:2004 Type 1 Level 1






BEESWIFT
ONLINE

Product Code:
BBKP08

Unit of Measure:
Each

Available in Colours:

 Black
BBKP08

 Cat 1 - Minimal Risk

FOLDABLE KNEE PADS

- Moulded EVA Foam
- Universal sizing.
- Ergonomic design.
- Easily moulds around knee and can be trimmed to size.
- For use with all knee pad type work trousers.
- Protects against basic mechanical risks
- For minimal risks only



BEESWIFT
ONLINE

Product Code:
BBLCS

Unit of Measure:
Each

Available in Colours:

 White
BBLCS

 Cat 1 - Minimal Risk

B-BRAND LENS CLEANING STATION

- Contains 600 tissues
- 250ml bottle of lens cleaning fluid in pump dispenser.
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses







BEESWIFT
ONLINE








Product Code:
BET

Available in Sizes:
M - XXXL

Unit of Measure:
Each

Available in Colours:

-  Orange / Navy
BETORN
-  Saturn Yellow / Navy
BETSYN

-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garments conforms to EN ISO 20471
-  Garment has a Fully Elasticated Waistband
-  Garment has welded or reinforced seams
-  Garment is weather proof

BELFRY TROUSERS

- Belfry two-tone breathable overtrousers
- 100% polyester with breathable PU coating
 - Elasticated waist
 - 30cm gusset at ankles with hook and loop closure
 - 2 x side access pockets
 - Fully taped seams
 - Retro-reflective tape

- EN ISO 20471
Class 2 high visibility
- EN 343
Class 3 resistance to water penetration
Class 3 breathability



BIRKDALE TROUSERS

- Hi visibility breathable overtrousers
- 100% polyester with breathable PU coating
 - Elasticated waist
 - 30cm gusset at ankles with hook and loop closure
 - 2 x side pockets access
 - Fully taped seams
 - Retro-reflective tape

- EN ISO 20471
Class 2 high visibility
- EN343
Class 3 resistance to water penetration
Class 3 breathability
- RIS-3279-TOM Issue 1 - Railway use certified



BEESWIFT
ONLINE

Product Code:
BIT

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

-  Orange
BITOR
-  Saturn Yellow
BITSY

-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garments conforms to EN ISO 20471
-  Garment has a Fully Elasticated Waistband
-  Garment conforms to GO/ RT 3279
-  Garment has welded or reinforced seams
-  Garment is weather proof





BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDTOR


Available in Sizes:
S-5XL


Unit of Measure:
Each

Available in Colours:

 Orange
BSDTOR

 CE Marked CAT 2

 Conforms to EN ISO 20471
for Hi Visibility

 Conforms to EN343 for
Water Penetration and

 UK CA Marked CAT 2

DELTIC HI-VIS OVERTROUSER

75% Ripstop Polyester with a 25% PU Laminate
210gsm fabric weight
Medium weight trouser.
Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Two hi viz accents for styling
Two hip storm flap pockets for internal pocket access
Two combat pockets to each leg
Hook and loop closed like bellows
Contrast colour in areas that soil most
Generous sizing to interact with other garments



- EN ISO20471:2013
Class 2
RIS-3279-TOM Issue 2 (Orange variations only)
- EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability



DELTIC HI-VIS OVERTROUSER TWO-TONE

75% Ripstop Polyester with a 25% PU Laminate
210gsm fabric weight
Medium weight trouser.
Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Two hi viz accents for styling
Two hip storm flap pockets for internal pocket access
Two combat pockets to each leg
Hook and loop closed like bellows
Contrast colour in areas that soil most
Generous sizing to interact with other garments

- EN ISO20471:2013
Class 2
- EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDTRTT

Available in Sizes:
S-6XL


Unit of Measure:
Each


Available in Colours:


 Orange / Black
BSDTRTTORBL

 Saturn Yellow / Navy
BSDTRTTSYN

 CE Marked CAT 2

 Conforms to EN ISO 20471
for Hi Visibility

 Conforms to EN343 for
Water Penetration and

 UK CA Marked CAT 2



BEESWIFT
ONLINE


Product Code:
BSJB


Available in Sizes:
S - 4XL


Unit of Measure:
Each


Available in Colours:

-  Orange
BSJBOR
-  Saturn Yellow
BSJBSY

 Cat 2 - Intermediate Risk

 Garments conforms to EN ISO 20471

 Garment has a Fully Elasticated Waistband

 Garment conforms to GO/ RT 3279

HI VIZ JOGGING BOTTOMS

Rail Specification Hi Visibility Jogging Bottoms / Trousers

Comfortable, warm anti pill fleece jogging bottoms provide temperature relief from cold environments and allows a much more free range of movement compared to standard trousers. Various pockets, some with zips are available to store valuables such as mobile phones and wallets safely without fear of loss.

- 280gsm Anti pill fleece fabric.
 - Fully elasticated waist, with drawcord.
 - 2 Hip pockets with zip closure.
 - Cargo pocket with hook and loop flap on both legs.
 - 1 rear patch pocket with hook and loop flap.
 - Re-inforced nylon knee patches
 - 2 bands retro reflective tape to mid thigh.
 - Elasticated ankles.
 - Comfortable to wear allowing maximum movement without restriction.
- EN ISO 20471 CLASS 1.
 - RIS-3279-TOM - Railway use certified.



HIVIS TWO TONE TROUSERS

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 2 x rear pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Available in regular, short and tall leg fit
- ID pocket
- Certification Code: TTT

- EN ISO 20471
Class 1 high visibility





BEESWIFT
ONLINE

Product Code:
HVTT080

Available in Sizes:
28-44

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT080ORB
-  Saturn Yellow / Navy
HVTT080SYN





BEESWIFT
ONLINE


Product Code:
LPCTEN


Available in Sizes:
26-34


Unit of Measure:
Each


Available in Colours:

 Saturn Yellow
LPCTENSY

 Garment has 3M Scotchlite tape

 Garments conforms to EN ISO 20471

 Garment has pockets for knee pad access

 Cat 2 - Intermediate Risk

LADIES EN ISO 20471 TROUSER

- 80-20 polyester cotton.
- Seven loop belt waistband.
- 2 hip pockets.
- 1 left leg cargo pocket.
- 1 rear jetted pocket.
- Knee pad pouch pockets
- Hard wearing and durable.
- Double sewn main seams for extra strength.
- Teflon treatment to aid soil release when washing.
- 3M Scotchlite tape.

EN ISO 20471 Class 1



 **BEESWIFT**

LADIES RAIL SPEC TROUSERS

- 280gsm 80-20 Polyester cotton.
- Teflon coated for improved soil release.
- 7 Belt loop waistband.
- Limited inside leg length.
- Cargo pockets.
- Knee pad pocket.
- Durable hard wearing whilst remaining soft and comfortable.
- 3 x 3M Scotchlite - retroreflective leg bands.

- EN ISO 20471 2013: Class 2.
- GO/RT 3279. Issue 8 2013.



 **BEESWIFT**




BEESWIFT
ONLINE


Product Code:
LRST


Available in Sizes:
26 - 34


Unit of Measure:
Each


Available in Colours:


 Orange
LRST


 Garment has 3M Scotchlite tape


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment has pockets for knee pad access

 Garment conforms to GO/RT 3279

 Garment has welded or reinforced seams



BEESWIFT
ONLINE


Product Code:
PCTENSY


Available in Sizes:
28" - 48" (Tall Leg
Available)


Unit of Measure:
Each


Available in Colours:


 Saturn Yellow
PCTENSY

 Garment has 3M Scotchlite
tape

 Cat 2 - Intermediate Risk

 Conforms to the correct EN
standards

 Garments conforms to EN
ISO 20471

 Garment has welded or
reinforced seams

Poly Cotton EN471 Trousers

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 1 x rear jetted pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M Scotchlite retro reflective hi vis tape
- Available in regular, short and tall leg fit (T)

- EN ISO 20471
Class 1 high visibility



 **BEESWIFT**

BSEEN PU OVERTROUSER

- Breathable fabric
- Polyester with PU coating
- Overtrowsers with elasticated waist
- Studded ankles
- 3M retro-reflective tape

- EN ISO 20471
Class 2 high visibility

- EN 343
Class 3 resistance to water penetration
Class 1 breathability



 **BEESWIFT**




BEESWIFT
ONLINE


Product Code:
PUT


Available in Sizes:
S-4XL


Unit of Measure:
Each


Available in Colours:


 Orange
PUTOR

 Garment has breathable
fabric

 Cat 2 - Intermediate Risk

 Conforms to the correct EN
standards

 Garments conforms to EN
ISO 20471

 Garment is weather proof



BEESWIFT
ONLINE

Product Code:
RSS

Available in Sizes:
30 - 46

Unit of Measure:
Each

Available in Colours:



Orange
RSS

RAIL SPEC HIVIZ SHORTS

- "Railspec" Shorts
 - 280gsm 80-20 polyester cotton
 - Teflon treatment coated for improved soil release
 - Durable hard wearing whilst remaining soft and comfortable
 - Triple sewn seams for extra strength
 - 7 Belt loop waistband
 - 2 x cargo pockets
 - 2 x 3M Scotchlite - Retro-reflective leg bands
- EN ISO 20471
Class 1 high visibility
- RIS-3279-TOM - Railway use certified. (Only when worn with a class 2 upper)



RAILSPEC TROUSERS

- "Railspec" trousers
 - 280gsm 80-20 polyester cotton
 - Teflon treatment coated for improved soil release
 - Durable hard wearing whilst remaining soft and comfortable
 - Triple sewn seams for extra strength
 - 7 Belt loop waistband
 - 2 x cargo pockets
 - Knee pad pockets
 - 3 x 3M Scotchlite - Retro-reflective leg bands
 - Tall and short leg option available
- EN ISO 20471
Class 2 high visibility
- RIS-3279-TOM - Railway use certified.




BEESWIFT
ONLINE

Product Code:
RST

Available in Sizes:
30" - 46"

Unit of Measure:
Each

Available in Colours:



Orange
RST

Garment has 3M Scotchlite tape

Cat 2 - Intermediate Risk

Conforms to the correct EN standards

Garments conforms to EN ISO 20471

Garment comes in a Euroslot retail bag

Garment has pockets for knee pad access

Garment conforms to GO/ RT 3279

Garment has welded or reinforced seams






BEESWIFT
ONLINE

Product Code:
TEN


Available in Sizes:
S - 4XL


Unit of Measure:
Each


Available in Colours:





 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment has a Fully Elasticated Waistband

 Garment has welded or reinforced seams

 Garment is weather proof

TRAFFIC TROUSERS

- Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 x Side pockets with storm flaps
- Fully taped seams
- Retro-reflective tape

- EN ISO 20471
Class 1 high visibility

- EN 343
Class 3 resistance to water penetration
Class 1 breathability



TWO TONE BOMBER JACKET

Two Tone Bomber Jacket

- 300 Denier outer fabrics with sewn on tape.
- Heavyweight 100% polyester with PU coating.
- Two-way heavy duty YKK zip, with storm flap.
- Fleece lined collar.
- 2 lower bellows pockets with flaps.
- Rear hem access for ease of logo applications.
- Knitted storm cuffs.
- Concealed Hood.
- Retro-reflective tape.

- Conforms to EN ISO20471 Class 3
- Conforms to EN343
Class 3 Resistance to Water Penetration
Class 1 Air Permeation



BEESWIFT
ONLINE

Product Code:
BD208

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
BD75


Available in Sizes:
S - XXXXXL


Unit of Measure:
Each


Available in Colours:


 Saturn Yellow
BD75SY


 Cat 2 - Intermediate Risk


 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment comes with a hood

 Garment has a pocket for easy ID access

 Garment has a mobile phone pocket

 Garment is weather proof

SUPER BOMBER JACKET

- 300 Denier Heavyweight polyester with PU coating.
- Two-way heavy duty zip front with storm flap.
- Fleece lined collar.
- 2 lower bellows pockets with flaps.
- Security and phone pockets.
- Rear hem access for ease of logo applications.
- Knitted storm cuffs.
- Concealed Hood.
- Retro-Reflective tape.

- Conforms to EN ISO 20471 Class 3
- Conforms to EN343
- Class 3 Resistance to Water Penetration
- Class 1 Air Permeability



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CBJFL

Available in Sizes:
S-6XL


Unit of Measure:
Each


Available in Colours:


 Orange
CBJFLOR


 Saturn Yellow
CBJFLSY


 Cat 2 - Intermediate Risk


 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment comes with a hood

 Garment conforms to GO/RT 3279

 Garment has welded or reinforced seams

 Garment is weather proof

HIGH VISIBILITY FLEECE LINED BOMBER JACKET

- Heavyweight Polyester Oxford outer shell with PU coating.
- Fleece lining, including fleece collar
- Press stud flap.
- Fully taped seams.
- 2 Lower front pockets with flaps.
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar.

- EN ISO20471 Class 3 High Visibility
- RIS-3279-TOM Issue 2

- EN 343
- Class 3 Resistance to Water Penetration
- Class 1 Air Permeability



 **BEESWIFT**





BEESWIFT
ONLINE

Product Code:
CBJTT

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Navy
CBJTTORN
-  Saturn Yellow / Navy
CBJTTSYN

TWO TONE CONSTRUCTOR BOMBER JACKET

- Heavyweight two tone Polyester Oxford outer shell with PU coating.
 - Press stud flap.
 - Fully taped seams.
 - 2 Lower front pockets with flaps.
 - Internal breast pocket plus separate phone pocket
 - Concealed hood/drawcord in collar.
 - External phone pocket
- EN ISO20471 Class 3 High Visibility
 - EN 343
Class 3 Resistance to Water Penetration
Class 1 Air Permeability



EUROPA BOMBER JACKET

- 100% polyester with non-breathable coating
 - Removable sleeves
 - Detachable fleece liner
 - Unlined hood with draw cord
 - Plastic zip with internal storm flap
 - Pen pocket to upper left sleeve
 - Exposed ribbed cuffs and waist band
 - Mobile phone pocket to right breast
 - 2 lower front bellows pockets
 - 2 hand warmer pockets
 - Retro-Reflective tape
- EN ISO20471 Class 3 (Class 2 with sleeves removed)
 - EN343 Class 3. 1.





BEESWIFT
ONLINE







Product Code:
EBJ

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Navy
EBJORN
-  Saturn Yellow / Navy
EBJSYN

-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garment conforms To EN471
-  Garment has a pocket for easy ID access
-  Garment has a mobile phone pocket
-  Garment is weather proof



BEESWIFT
ONLINE

Product Code:
BBEVSH

Unit of Measure:
Each

Available in Colours:

-  Black
BBEVSHBL
-  Blue
BBEVSHB
-  Green
BBEVSHG
-  Orange
BBEVSHO
-  Red
BBEVSHRE
-  White
BBEVSHW
-  Yellow
BBEVSHY

 Cat 2 - Intermediate Risk

ECONOMY VENTED SAFETY HELMET

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- Plastic harness c/w sweatband
- Slots for attachments
- Conforms to EN397



FORESTRY KIT

Kit contains
 1 x ABS Safety Helmet.
 1 x Set of Clip-on Ear Defenders. (SNR: 25.9dB H: 29.3dB M:23.8dB L:15.5dB)
 1 x Chin Strap.
 1 x Mesh Face Shield with Mount.

Suitable for Forestry, Strimming and Agricultural.
 Conforms to the following standards.
 EN397, EN352-3, EN1731.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)





BEESWIFT
ONLINE

Product Code:
BBFK

Unit of Measure:
Each

Available in Colours:

-  Orange

 Cat 3 - High Risk






BEESWIFT
ONLINE

Product Code:
BBSBC

Unit of Measure:
Each

Available in Colours:

-  Black
BBSBCBL
-  Green
BBSBCG
-  Grey
BBSBCGY
-  Navy Blue
BBSBCN
-  Red
BBSBCRE
-  Royal Blue
BBSBCR

 Cat 2 - Intermediate Risk

SAFETY BASEBALL CAP

Stylish fashionable 100% cotton baseball cap with ventilation holes. Fitted over a plastic shell providing lightweight head protection.

Fits 54cm - 59cm Circumference

Conforms to EN812: 2012



B-BRAND SFTY BASEBALL CAP WITH RETRO REFLECTIVE TAPE

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
- Fitted over an ABS durable plastic shell, providing lightweight head protection.
- 65/35% Polyester cotton hi viz cap with reflective tape
- Fits 54cm - 59cm Circumference
- Conforms to EN812: 2012


- Does not conform to EN ISO 20471

Product Code:
BBSBCOR

Unit of Measure:
Each

Available in Colours:

-  Orange
BBSBCOR

 Cat 2 - Intermediate Risk






BEESWIFT
ONLINE

Product Code:
BBSBCY

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
BBSBCY

 Cat 2 - Intermediate Risk

B-BRAND SFTY BASEBALL CAP WITH RETRO REFLECTIVE TAPE

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
 - Fitted over an ABS durable plastic shell, providing lightweight head protection.
 - 65/35% Polyester cotton hi viz cap with reflective tape
 - Fits 54cm - 59cm Circumference
 - Conforms to EN812: 2012
- Does not conform to EN ISO 20471



 **BEESWIFT**

B-BRAND REDUCED PEAK HELMET

- Reduced peak industrial safety helmet.
 - ABS vented shell to improve long period wear.
 - Comfort fit sweatband.
 - 6 point webbing harness.
 - Ratchet adjustment.
 - Complete with 4 point chinstrap.
 - 30mm slot fixing point for attachments
- EN397:2012+ A1:2012



BEESWIFT
ONLINE

Product Code:
BBSHRP

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Black
BBSHRPBL

 White
BBSHRPW

 Cat 2 - Intermediate Risk

 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
BBVHCSN

Available in Sizes:
One Size

Unit of Measure:
Bx 10

Available in Colours:

Black
BBVHCSN

 Cat 1 - Minimal Risk

VENTED HELMET CHIN STRAP

- Comfortable and easy to adjust



 **BEESWIFT**

VENTED HELMET SWEATBAND

- Sweatband for use with Vented Safety Helmets (BBVSH/BBEVSH).
- Comfortable when worn over long periods



BEESWIFT
O N L I N E

Product Code:
BBVHSBN

Available in Sizes:
One Size

Unit of Measure:
Bx 10

Available in Colours:

Black
BBVHSBN

 Cat 1 - Minimal Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBVSH

Unit of Measure:
Each

Available in Colours:

-  Black
BBVSHBL
-  Blue
BBVSHB
-  Green
BBVSHG
-  Orange
BBVSHO
-  Red
BBVSHRE
-  Saturn Yellow
BBVSHSY
-  White
BBVSHW
-  Yellow
BBVSHY

 Cat 2 - Intermediate Risk

COMFORT VENTED SAFETY HELMET

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- 6 point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Complete with terry towelling sweatband
- Available in 7 colours
- Conforms to EN397



WHEEL RATCHET VENTED SAFETY HELMET

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- Wheel ratchet adjustment harness
- Slots for attachments
- Complete with terry towelling sweatband
- Conforms to EN397




BEESWIFT
ONLINE

Product Code:
BBVSHRH

Unit of Measure:
Each

Available in Colours:

-  Black
BBVSHRHBL
-  Blue
BBVSHRHB
-  Red
BBVSHRHRE
-  White
BBVSHRHW
-  Yellow
BBVSHRHY

 Cat 2 - Intermediate Risk




BEESWIFT
ONLINE

Product Code:
BC

Unit of Measure:
Each

Available in Colours:

-  Black
BCBL
-  Grey
BCGY
-  Navy Blue
BCN
-  Red
BCRE
-  Royal Blue
BCR
-  White
BCW

 Cat 1 - Minimal Risk

BASEBALL CAP

- 100% Cotton
- Standard peaked cap
- Comfortable to wear over long periods
- 5 Panel Cap
- Pull down buckram
- Plastic Snap Adjuster
- One size fits all



WINTER HELMET LINER

- Two Layers.
- 100% cotton shell with fleece lining.
- Regular length.
- Colour: Shell - Navy, Lining - Red.
- 2 internal ear pockets for use with warmer pads.
- Hook and loop fastening chin strap




BEESWIFT
ONLINE

Product Code:
RB405

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:

-  Navy Blue

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE


Product Code:
TBDN

Available in Sizes:
S-XL

Unit of Measure:
Bx 10

Available in Colours:

 White
TBDN

 Cat 2 - Intermediate Risk

 Mechanical Handling

TRONIX BLUE DOT PACK OF 10

- Nylon fibre knitted glove.
- Comfort fit.
- Offering excellent dexterity.
- PVC Dots to palm area for added grip.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



ZIP-UP HOODED SWEATSHIRT

- Hooded sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Full length front zip.
- Handwarmer pockets.
- Retro-reflective sew on tape.
- Two band & brace

- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.



BEESWIFT
ONLINE

Product Code:
BSHSEN

Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:


 Orange
BSHSEENOR


 Saturn Yellow
BSHSEENSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment comes with a hood

 Garment conforms to GO/RT 3279






BEESWIFT
ONLINE


Product Code:
BSSSEN


Available in Sizes:
S - 6XL


Unit of Measure:
Each


Available in Colours:

-  Orange
BSSSENOR
-  Saturn Yellow
BSSSENSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment conforms to GO/RT 3279

HI-VISIBILITY SWEATSHIRT

- Hi Vis sweatshirt
 - 280 gsm fleece fabric
 - 100% polyester
 - Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
 - Retro-reflective sew on tape
 - 2 band & brace
-
- Conforms to EN ISO 20471 Class 3 high visibility
 - RIS-3279-TOM - Railway use certified.



PULL ON HOODY SWEATSHIRT

- 280 gsm fleece fabric
 - 100% polyester
 - Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
 - Handwarmer pocket.
 - Retro-reflective sew on tape.
 - Two band & brace
-
- Conforms to EN ISO 20471 Class 3 high visibility
 - RIS-3279-TOM - Railway use certified.





BEESWIFT
ONLINE

Product Code:
BSSSH25

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange
BSSSH25OR
-  Saturn Yellow
BSSSH25SY

 Cat 2 - Intermediate Risk






BEESWIFT
ONLINE


Product Code:
BSZSSEN


Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:

-  Orange
BSZSSENOR
-  Saturn Yellow
BSZSENSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment conforms to GO/RT 3279

QUARTER ZIPPED SWEATSHIRT

- Hi Vis quarter zip sweatshirt.
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective sew on tape.
- 2 band & brace
- Conforms to EN ISO20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.



HIVIS TWO TONE SWEATSHIRT

- Hi Vis sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective tape
- 2 bands around chest and arms with shoulder accents
- Certification Code: BSSSEEXEC
- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.
- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment





BEESWIFT
ONLINE

Product Code:
HVTT020

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT020ORB
-  Saturn Yellow / Navy
HVTT020SYN







BEESWIFT
ONLINE

Product Code:
HVTT025

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT025ORB
-  Saturn Yellow / Navy
HVTT025SYN

HIVIS TWO TONE HOODY

- Hooded sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Handwarmer pockets.
- Retro-reflective tape
- 2 bands around chest and arms with shoulder accents
- Certification Code: BSHEXEC
- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment



BEESWIFT
ONLINE

Product Code:
BESOS200


Unit of Measure:
Each

Available in Colours:

-  White
BESOS200

OIL ONLY PADS 50CM X 40CM PACK 200

- Double sided coverstock
- High absorbency of up to 1L per pad
- High strength when saturated.
- Extreme low lint capabilities compared to normal meltblown absorbents
- Units in Pack:200
- Size:50cm x 40cm
- Absorbency 1L Per Pad
- Absorbs: Oils





BEESWIFT
ONLINE


Product Code:
BBICHG

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

Black
BBICHG

 Cat 1 - Minimal Risk

LETZ-U-GRIP HEEL GRIP

- LETZ -U-GRIP Heel Grips
- TPE Material
- Tungsten Spikes
- Cold Resistant to -40 degrees C
- Improves traction in slippery conditions.



SNOW AND ICE GRIPS

- LETZ-U-GRIP boot grips
- Improves traction in slippery conditions
- Increased stability
- Reduces slipping or falling
- Available in sizes 7-10
- Please don't wear whilst driving.



BEESWIFT
ONLINE


Product Code:
BBICT

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

Black
BBICT

 Cat 1 - Minimal Risk




BEESWIFT
ONLINE

Product Code:
BBICWS

Unit of Measure:
Bx 20

Available in Colours:

 Black
BBICWSN

 Cat 1 - Minimal Risk

LETZ-U-GRIP HEEL GRIP WEBBING EXTENSION STRAP



 **BEESWIFT**

CLICK GEL INSOLES

- High elastic E.V.A insole footbed with soft latex
- Shock absorption honeycomb heel
- Excellent comfort
- Offers cushioning and support for the feet over extended walking and standing time periods
- Protects the foot from impact with the ground and helps to lessen the stress on joints and ligaments in the foot
- Helps prevent injury
- Friction reducing top fabric
- Fits in most shoes with a removable insole



BEESWIFT
ONLINE

Product Code:
CF1000


Available in Sizes:
36 - 48

Unit of Measure:
Each

Available in Colours:

 Black
CF1000

 Cat 1 - Minimal Risk

 Non-Safety

 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
CFL

Available in Sizes:
90cm, 140cm

Unit of Measure:
Each

Available in Colours:

Black
 CFL

 Cat 1 - Minimal Risk

CLICK FLAT BOOT LACE

Flat boot lace 90cm in length



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
CRL140

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

Black
 CRL140

CLICK ROUND BOOT LACE 140CM

- Round boot lace
- 140cm in length
- Black



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BESGSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:

Black
BESGSK20

20L GENERAL PURPOSE SPILL KIT



BEESWIFT

20L OIL ONLY SPILL KIT



BEESWIFT
ONLINE

Product Code:
BESOSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:

White
BESOSK20

OIL & FUEL SPILL KIT 20LTR

- Suitable for oils, fuels, petroleum, petrol based solvents
- Fast acting absorbent pads and socks
- Absorbs up to 20 litres
- Conforms to BS7959
- Kit Contains:
 - 12 x Premier oil & fuel absorbent pads
 - 2 socks x 1.2m
 - 1 hazardous waste bag and tie



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CFRASTET


Available in Sizes:
28" - 48"


Unit of Measure:
Each


Available in Colours:


 Saturn Yellow
CFRASTETSY

 Garment is anti-static

 Cat 2 - Intermediate Risk

 Conforms to the correct EN Standards

 Garment conforms EN ISO 20471

 Garment is fire retardant

FIRE RETARDANT ANTI STATIC TROUSERS EN471

"TESLA" Fire retardant, anti static trousers.

- 320gsm Hi Vis flame retardant treated fabric with anti static grid
- YKK Brass zip fly
- Brass hook and bar waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- 2 Bands retro reflective tape to legs
- FR & AS logos embroidered to left hip
- Plain ankles
- Available in tall leg (T) option

- EN ISO 11612: 2008 A1, B1, C1
A - Limited Flame Spread
B - Convective Heat Resistance
C - Radiant Heat Resistance

- EN1149-5: 2008
Electrostatic Surface Resistivity

- EN ISO 20471
Class 1 high visibility



FIRE RETARDANT ANTI-STATIC TROUSERS

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116 : 2008 Index 1
- EN 1149-5:2008 EN 1149-3:2004
- Flame Retardant Anti static Hi Vis Trousers
- Elasticated Waist
- 2 side slits
- High frequency welded seams
- Press stud ankle adjustments
- Reflective bands on each leg



BEESWIFT
ONLINE

Product Code:
CFRLR52


Available in Sizes:
S - 4XL


Unit of Measure:
Each


Available in Colours:


 Saturn Yellow
CFRLR52SY

 Garment has anti static fabric

 Garment conforms To EN471

 Garment is fire retardant

 Garment is weather proof

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
CFRT

Available in Sizes:
30" - 48"


Unit of Measure:
Each


Available in Colours:

 Navy Blue
CFRTN

 Orange
CFRTOR

 Cat 2 - Intermediate Risk

 Garment is fire retardant

 Garment is suitable for
welding

FIRE RETARDANT TROUSERS

- 300 Gram cotton drill fabric with flame retardent treatment
 - Brass zip fly
 - Button waistband fastening
 - 7 Belt loops
 - Two vertical side seam access pockets
 - Plain backand hips
 - FR logo embroidered to left hip
-
- Conform to :-
EN ISO 11612 A1 B1 C1 - Protection against heat and flame
EN ISO 11611 CLASS 1 A1 - Protective clothing for use in welding



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CCCJLS

Available in Sizes:
XS - XXXL

Unit of Measure:
Each

Available in Colours:

 Black
CCCJLSBL

 White
CCCJLSW

CHEFS JACKET LONG SLEEVE

- 65% Polyester 35% Cotton
- Long sleeves
- Stud fastening



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
CCCJSS

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

-  Black
CCCJSSBL
-  White
CCCJSSW

CHEFS JACKET SHORT SLEEVE

- 65% Polyester 35% Cotton
- Short sleeves
- Stud fastening



Initial Soft Shell Jacket

- High Stretch water resistant, windproof and breathable fabric.
- Fleece lined with internal pockets and weatherguard front flaps.
- 3 zipped front pockets.
- Adjustable cuffs.
- Warm fleece lined collar.
- Cordura® tear resistant trim.
- Hip drawcord.



BEESWIFT
O N L I N E

Product Code:
IFSSJ

Unit of Measure:
Each

Available in Colours:

-  Navy Blue
IFSSJN





BEESWIFT
ONLINE

Product Code:
LSSJ

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

 Black
LSSJBL

 Navy Blue
LSSJN

 Cat 1 - Minimal Risk

LADIES SOFT SHELL JACKET

- High Stretch water resistant, windproof and breathable fabric
- Windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 3 zipped front pockets
- Adjustable cuffs
- Warm fleece lined collar
- Cordura® tear resistant trim on cuffs and bottom of garment
- Hip drawcord



BEESWIFT
ONLINE

Product Code:
PCJ9

Available in Sizes:
36" - 52"

Unit of Measure:
Each

Available in Colours:

 Navy Blue
PCJ9N

 Cat 1 - Minimal Risk

Heavyweight Drivers Jacket

- 9oz 65% polyester, 35% cotton
- Lay down collar
- Yoke back
- No. 5 plastic zip closure with 3 stud flap fastening
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elastication





BEESWIFT
ONLINE

Product Code:
PCJHW

Available in Sizes:
34" - 54"

Unit of Measure:
Each

Available in Colours:

 Navy Blue
PCJHWN

 Cat 1 - Minimal Risk

Super Click Drivers Jacket

- Poly Cotton
- Zip front with stud flap
- Cuffs with double two position press stud adjustment
- Elasticised waist band
- 2 Breast pockets with stud flap
- One breast pocket has pen divide
- 2 lower angled pockets



BEESWIFT
FOCUSED ON SAFETY

Product Code:
SFSJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Grey / Black
SFSJGYBL

 4 Way Stretchable Fabric

 CE Marked CAT 1

 UK CA Marked CAT 1

FLEX SOFTSHELL JACKET TWO-TONE

- 96% Polyester, 4% Spandex with TPU
- 320gsm fabric weight
- Medium weight Softshell Jacket
- High Stretch water repellent and windproof fabric
- Hard wearing fabric to elbows for great durability and garment life
- Flex stretchable fabric side panels to help fit and comfort.
- Full front zip closure
- Warming fleece lined snorkle collar
- Hi viz accents and tagging for style
- Soft touch zip pullers
- Two zipped front hip pockets
- One coloured zipped right breast pocket
- Two internal access pockets
- Adjustable cuff






BEESWIFT
ONLINE

Product Code:
SSJ

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:

 Black
SSJBL

 Navy Blue
SSJN

 Cat 1 - Minimal Risk

SOFT SHELL JACKET

- High Stretch water resistant, windproof and breathable fabric.
- Fleece lined with internal pockets and weatherguard front flaps.
- 3 zipped front pockets.
- Adjustable cuffs.
- Warm fleece lined collar.
- Cordura® tear resistant trim.
- Hip drawcord.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
SSJTT

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:

 Black/Grey
SSJTTBLGY

 Cat 1 - Minimal Risk

TWO TONE SOFT SHELL JACKET

- High Stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 2 zipped front hip pockets
- Right zipped breast pocket
- Adjustable cuffs
- Warm lined collar
- Hip drawcord



 **BEESWIFT**



BEESWIFT
ONLINE


Product Code:
BCYBL


Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 Blue
BCYB

 Cat 3 - High Risk

 Chemical Hazards

 Mechanical Handling

 Micro Organisms

2 COLOUR HEAVYWEIGHT GLOVE

- Heavy weight rubber glove.
- Withstands repeated rubbing and scuffing.
- Neoprene blended natural latex
- Offers sensitivity and comfort.
- Remain flexible and wearer friendly throughout the life of the product.
- Resistant to some chemicals and acids.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 0 - Puncture
- Level 0 - ISO 13997 Cut Resistance

- EN 374-5: 2016

- EN 374-1: 2016
- Chemical - Breakthrough Time
- Methanol (A) - More than 30 Mins (Level 2)
- Sulphuric Acid 96% (L) - More than 120 Mins (Level 4)
- Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)



LATEX THERMO-STAR FULLY DIPPED GLOVE

- 7G Brushed polyester heavyweight knitted liner with Latex coated to palm area.
- Double dip to fingers for added protection.
- Vented back
- Highly visible fleeee liner.
- Ideal for refrigeration, coldstore, and winter conditions.
- Thick latex coating for durability and grip.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance

- EN 511: 2006
- Level 1 - Convective Cold
- Level 4 - Contact Cold
- Level X - Water Permeability

- EN 407: 2004
- Level X - Burning Behaviour
- Level 2 - Contact Heat
- Level X - Convective heat
- Level X - Radiant heat
- Level X - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal




BEESWIFT
ONLINE

Product Code:
BF3


Available in Sizes:
8 - 11

Unit of Measure:
Each

Available in Colours:

 Orange
BF3OR

 Saturn Yellow
BF3SY

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE


Product Code:
EC8


Available in Sizes:
M - XL

Unit of Measure:
Bx 10

Available in Colours:

-  Green
EC8NG
-  Orange
EC8NOR

 Cat 2 - Intermediate Risk

 Mechanical Handling

ECONOMY GRIP GLOVE

- Economy multi-purpose glove.
- Natural rubber coated palm.
- Knitted area on back of glove aids breathability comfort.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



HOUSEHOLD HEAVY WEIGHT

- Heavy weight rubber glove.
- Manufactured from neoprene blended natural latex.
- Cotton flock lining.
- Resistant to selected chemicals and acids.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level 0 - ISO 13997 Cut Resistance

- EN 374-1: 2016 - TYPE C
Chemical - Breakthrough Time
Methanol (A) - More than 10 Mins (Level 1)
Sulphuric Acid 96% (L) - More than 120 Mins (Level 4)
Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)



BEESWIFT
ONLINE


Product Code:
HHBHW


Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

-  Black

 Cat 3 - High Risk

 Chemical Hazards

 Mechanical Handling

 Micro Organisms





BEESWIFT
ONLINE


Product Code:
LFCGGB

Available in Sizes:
L - XL

Unit of Measure:
Each

Available in Colours:

 Blue
LFCGGB

 Cat 2 - Intermediate Risk

 Minimal Risk

LATEX FULLY COATED GRIPPER GLOVE

- Fully coated Gripper glove.
- 100% interlock cotton liner
- Natural rubber latex coating - crinkle finish

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



MULTI-PURPOSE GLOVES

- Multi-purpose glove.
- Latex rubber coated palm.
- Knitted base construction to allow air passage and aid comfort.
- Excellent dexterity.
- Ideal for construction and steel handling.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
MP1

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

 Black
MP1BL

 Green
MP1G

 Orange
MP1OR

 Cat 2 - Intermediate Risk

 Mechanical Handling





BEESWIFT
ONLINE


Product Code:
MP4

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

Black
MP4BL

 Cat 2 - Intermediate Risk

 Mechanical Handling

MULTI PURPOSE LATEX POLY GLOVE

- Multi-purpose glove.
- Polyester knitted liner for comfort.
- Natural latex rubber coating to palm and fingers.
- Open back to help hand breath and limit moisture.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT

MULTI-PURPOSE FULLY COATED LATEX POLYESTER KNITTED GLOVE

- Multi-purpose fully coated latex glove
- Polyester knitted seamless shell for comfort.
- Excellent protection, comfort and grip with minimal perspiration

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
MP4FC

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

Black
MP4FC

 Cat 2 - Intermediate Risk

 Mechanical Handling



BEESWIFT



BEESWIFT
ONLINE

Product Code:
SBDT

Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:

-  Navy Blue
SBDTN
-  Olive Green
SBDTO
-  Saturn Yellow
SBDTSY

 Cat 1 - Minimal Risk

 Conforms to the correct
EN Standards

 Garment has a Fully
Elasticated Waistband

 Garment conforms to
EN343

SUPER B-DRI TROUSERS

- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles



 **BEESWIFT**

ANTI-MIST GOGGLE

- Polycarbonate lens.
- Direct vent.
- Soft pvc frame.
- Fits over most prescription glasses.
- Adjustable strap.

- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

Fields of use:
- 4 Large dust particles
- 9 Molten metal and hot solids




BEESWIFT
ONLINE

Product Code:
BBAMG

Unit of Measure:
Each

Available in Colours:

-  Clear
BBAMG

 Cat 2 - Intermediate Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBBS

Unit of Measure:
Each

Available in Colours:

 Clear
BBBS

 Cat 2 - Intermediate Risk

BOSTON SPECTACLES

- Wraparound clear visitors spectacle.
- Polycarbonate lens.
- Ventilated side arms.
- Low impact
- Width 157mm.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT

COMFORT FIT GOGGLES

- Wide vision goggle
- Blue tint pvc frame
- Indirect vent
- Wrap around style provides excellent panoramic vision
- Foam surround for extra comfort and improved seal
- Adjustable strap

- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Resistance to damage by fine particles
- N - Resistance to fogging

Fields of use:
- 3 Liquids
- 4 Large dust particles
- 9 Molten metal and hot solids




BEESWIFT
ONLINE

Product Code:
BBCFG

Unit of Measure:
Each

Available in Colours:

 Clear
BBCFG

 Cat 2 - Intermediate Risk



BEESWIFT




BEESWIFT
ONLINE

Product Code:
BBCG

Unit of Measure:
Each

Available in Colours:

 Clear
BBCG

 Cat 2 - Intermediate Risk

CHEMICAL GOGGLES

- Polycarbonate lens
 - PVC frame.
 - Comfortable.
 - Lightweight.
 - Indirect vents.
-
- Conform to EN166:
 - Optical Class:1
 - B - (Medium impact energy)
 - 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids



 **BEESWIFT**

COLORADO SAFETY SPECTACLES

- Wrap around single lens.
- Nylon frame.
- Polycarbonate lens.
- Adjustable side arms.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBCS


Unit of Measure:
Each

Available in Colours:

 Clear
BBCS

 Grey
BBCSS2GY

 Yellow
BBCSS2Y

 Cat 2 - Intermediate Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BBDS

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk

DIEGO SAFETY SPECTACLES

- Ultra lightweight.
- Polycarbonate curved lens and side shield.
- Fully adjustable nylon side arms.
- Low impact
- 5 Position temple ratchet.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



EVERSON SAFETY SPECTACLE

- Ultra lightweight
- Polycarbonate wrap around lens

- Conforms to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBES

Unit of Measure:
Each

Available in Colours:



Clear
BBES



Cat 2 - Intermediate Risk






BEESWIFT
ONLINE

Product Code:
BBFFWG

Unit of Measure:
Each

Available in Colours:

 Green
BBFFWG

 Cat 2 - Intermediate Risk

FLIP FRONT WELDING GOGGLES

- Green soft PVC frame.
- Green polycarbonate lens shade 5.
- 4 indirect vents.
- Black ABS lens holder.

• EN175 :1997

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 5 - 3,1 - UV Filter



 **BEESWIFT**

STANDARD FACE VISOR 7.5"

- To be used in conjunction with B-Brand Headgear system BBHG.
- Transparent Visor 8"

- Conform to EN166 (when worn with appropriate headgear):
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBFV7

Unit of Measure:
Each

Available in Colours:

 Clear
BBFV7

 Cat 2 - Intermediate Risk

 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBGPG

Unit of Measure:
Each

Available in Colours:

 Clear
BBGPG

 Cat 2 - Intermediate Risk

GENERAL PURPOSE GOGGLES

- Polycarbonate lens with PVC frame.
- Comfortable.
- Light weight.
- Direct vent.

- Conform to EN166:
- Optical Class:1
- B - (Medium impact energy)
- 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids



H50 ANTI-FOG ERGO TEMPLE SPECTACLES

- Ergonomic temple for comfort fit.
- Temple tip locking catch.
- Temple ratchet adjustment.
- Hard coated polycarbonate lens.
- Anti-fog and anti-scratch.
- Soft nose pad.

Ergonomic temple provides comfortable, self-adjusting and a more secure fit to the users head. The swaying ergo temple pieces will spread the pressure evenly across the users temple area.

Temple ratchet adjustment works closely with the ergo temple to help the user wearing the product with different pantoscopic angles, suitable for all head shapes.

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant



BEESWIFT
ONLINE

Product Code:
BBH50

Unit of Measure:
Each

Available in Colours:

 Clear
BBH50

 Smoke
BBH50S

 Yellow
BBH50Y







BEESWIFT
ONLINE

Product Code:
BBH60

Unit of Measure:
Each

Available in Colours:

-  Clear
BBH60
-  Smoke
BBH60S

H60 ERGO TEMPLE COVER SPECTACLES

- Ergonomic temple for comfort fit.
- Temple tip locking catch.
- Temple ratchet adjustment.
- Hard coated polycarbonate lens.
- Anti-fog and anti-scratch.
- Soft nose pad.
- OTG lenses gives good fit for prescription spectacle wearers

Ergonomic temple provides comfortable, self-adjusting and a more secure fit to the users head. The swaying ergo temple pieces will spread the pressure evenly across the users temple area.

Temple ratchet adjustment works closely with the ergo temple to help the user wearing the product with different pantoscopic angles, suitable for all head shapes.

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant



HEAD GEAR

Headgear carriage can be used with B-Brand Face Guards (sold separately).

- Fully adjustable
- Ratchet fastening.
- Soft nylon padded browguard.

•Conforms to EN 166 (When worn with appropriate visor)

- 3 = Liquids
- B = Medium Energy

Impact (120 m/s)

• Conforms to EN 1731 (When worn with appropriate visor)

- F =Low Energy

Impact (45m/s)

Compatible B-Brand Faceguards:

- BBFV7 - Standard Transparent Face Visor
- BBMV7 - Steel Mesh Visor
- BBMEFV8 - Metal Edge Face Visor




BEESWIFT
ONLINE

Product Code:
BBHG

Unit of Measure:
Each

Available in Colours:

-  Yellow

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
BBKS

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk

KANSAS ANTI-MIST SAFETY SPECTACLES

- Wrap around spectacle.
- Anti fog polycarbonate lens.
- Scratch resistant
- Adjustable side arms
- Low impact and 99.9% UV protected
- Nylon frame.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



BEESWIFT

METAL EDGE FACE VISOR 8"

To be used in conjunction with B-Brand Headgear system BBHG.

- Conforms to EN 166 (When worn with appropriate headgear)
- Optical Class:1
- B - (Medium impact energy)



BEESWIFT
ONLINE

Product Code:
BBMEFV8

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:



Clear
BBMEFV8



Cat 2 - Intermediate Risk



BEESWIFT




BEESWIFT
ONLINE

Product Code:
BBMV7

Unit of Measure:
Each

Available in Colours:

 Black
BBMV7

 Cat 2 - Intermediate Risk

MESH VISOR

Steel mesh visor suitable for slot fixing to B-Brand headgear.
To be used in conjunction with B-Brand Headgear system
BBHG.

- Conforms to EN 1731 (When worn with appropriate Headgear)
- S = Reinforced Solidity (12m/s)

can also be used with BBFK



NECK CORD

Neck cord for use with spectacles and safety glasses.



BEESWIFT
ONLINE

Product Code:
BBNC

Unit of Measure:
Each

Available in Colours:

 Blue
BBNC

 Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
BBNFG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Clear
BBNFG

 Cat 2 - Intermediate Risk

LOW PROFILE GOGGLES

- Comfortable
- Lightweight
- Polycarbonate lens
- Clear PVC frame
- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids
- 4 Large dust particles



NON VENT SG604N GOGGLE

- Polycarbonate lens
- PVC frame.
- Comfortable.
- Lightweight.
- CAT II
- Conform to EN166:
- Optical Class:1
- BT - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Fields of use: 3 Liquid splash

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines anti-fog performance with abrasion and chemical resistance.



BEESWIFT
O N L I N E

Product Code:
BBNVSG604N

Unit of Measure:
Each

Available in Colours:

 Green
BBNVSG604N








BEESWIFT
ONLINE

Product Code:
BBPG

Unit of Measure:
Each

Available in Colours:

-  Blue
BBPGBF
-  Orange
BBPGAF

 Cat 2 - Intermediate Risk

PREMIUM GOGGLES

- Wide vision lens.
- Unvented.
- Soft and flexible for extra comfort.
- Adjustable wide headband.
- Available in 2 frame colours.

- Conform to EN166:
- Optical Class:1
- B - (Medium impact energy)
- 2-1.2 - UV Filter

Fields of use:
- 9 Molten metal and hot solids



PORTLAND SAFETY SPECTACLES

- Wrap around spectacle.
- Adjustable side arms.
- Nylon frame.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBPS

Unit of Measure:
Each

Available in Colours:

-  Clear

 Cat 2 - Intermediate Risk






BEESWIFT
ONLINE

Product Code:
BBSC

Unit of Measure:
Each

Available in Colours:

 Black
BBSC

 Cat 1 - Minimal Risk

SPECTACLE CASE

- Wide opening PVC pouch with easy access
- Large ABS hook



B-BRAND SG31 GOGGLE

- Polycarbonate Lens
 - Ideal for wearing over spectacles
 - Complete Contoured Face Seal
 - Indirect Four Point Ventilation
-
- Conform to EN166:
 - Optical Class:1
 - BT - (Medium impact energy at extreme temperatures)

Fields of use:
- 3 Liquids
- 4 Large dust particles
- 9 Molten metal and hot solids



BEESWIFT
ONLINE

Product Code:
BBSG31

Unit of Measure:
Each

Available in Colours:

 Clear
BBSG31

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
BBSG604

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Clear
BBSG604

B-BRAND SG-604 GOGGLE

- Polycarbonate lens
- PVC frame.
- Comfortable.
- Lightweight.
- Indirect vents.

- CAT II
- Conform to EN166:
- Optical Class:1
- BT - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines anti-fog performance with abrasion and chemical resistance.



SEATTLE SAFETY SPECTACLES

- Wraparound clear cover spectacle.
- Polycarbonate lens.
- Ventilated side arms.
- Width 165mm.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBSS

Unit of Measure:
Each

Available in Colours:

 Clear

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
BBTXS

Unit of Measure:
Each

Available in Colours:

-  Clear
BBTXS
-  Grey
BBTXS2GY
-  Yellow
BBTXS2Y

TEXAS SAFETY SPECTACLE

- Lightweight spectacles with ultra soft nose bridge
- 10 Curve single Poly Carbonate lens
- Fully adjustable side arms with temple ratchet.
- Adjustable Neck Cord.

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



UTAH SAFETY SPECTACLES

- 8 Curve optically correct lens.
- Super tough GREY nylon frame.
- Fully adjustable side arms with temple ratchet.
- Low impact and 99.9% UV protected.
- Complete with unique neck clip and cord.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter




BEESWIFT
ONLINE

Product Code:
BBUTS

Unit of Measure:
Each

Available in Colours:

-  Clear / Blue
BBUTSBF
-  Clear / Grey
BBUTSGYF
-  Grey
BBUTSS2GY

 Cat 2 - Intermediate Risk






BEESWIFT
ONLINE

Product Code:
BBVS

Unit of Measure:
Each

Available in Colours:

-  Clear
BBVS
-  Gray
BBVSS2GY
-  Yellow
BBVSS2Y

 Cat 2 - Intermediate Risk

VEGAS SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate wrap around lens
- Low impact
- One piece side arm

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBWVG

Unit of Measure:
Each

Available in Colours:

-  Clear
BBWVG

 Cat 2 - Intermediate Risk

WIDE VISION GOGGLES

- 1mm Polycarbonate lens.
- Wide vision lens.
- Comfortable soft PVC frame.
- All round ventilation.
- Wide contoured face seal.
- Fits over spectacles.
- Comfortable wide head band.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBYS

Unit of Measure:
Each

Available in Colours:

-  Clear
BBYS
-  Grey
BBYSS2GY
-  Yellow
BBYSS2Y

 Cat 2 - Intermediate Risk

YALE SPECTACLES

- Ultra lightweight
- Wrap around design
- Contoured shape
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 5-2.5 - UV Filter



ANCONA SPECTACLE

- Ultra lightweight
- Polycarbonate wrap around lens
- Low impact
- One piece side arm

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
CTAS

Unit of Measure:
Each

Available in Colours:

-  Clear
CTAS
-  Grey
CTASS2GY
-  Yellow
CTASS2Y

 Cat 2 - Intermediate Risk






BEESWIFT
ONLINE


Product Code:
CTMS

Unit of Measure:
Each

Available in Colours:

 Clear
CTMS

 Cat 2 - Intermediate Risk

 Garment comes in a
Euroslot retail bag

TRADERS MILANO SPEC

- Wrap around protective eyewear
- Stylish design
- Metal frame and spring hinges
- Soft, comfortable nose bridge
- Low impact and 99.9% UV protected
- Individually packaged with Euro slot

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



 **BEESWIFT**

TRADERS ROMA SPEC

- Wrap around protective eyewear
- Black frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (Allows lens angle modification)
- Low impact and 99.9% UV protected
- Individually packaged with Euro slot

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



 **BEESWIFT**





BEESWIFT
ONLINE

Product Code:
CTRS


Unit of Measure:
Each

Available in Colours:

 Clear
CTRS

 Grey
CTRSS3GY

 Cat 2 - Intermediate Risk

 Garment comes in a
Euroslot retail bag



BEESWIFT
ONLINE

Product Code:
ZZ0010

Unit of Measure:
Each

Available in Colours:

- Clear
ZZ0010
- Grey
ZZ0010
- Yellow
ZZ0010

SAFETY SPECTACLE

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT
ONLINE

Product Code:
ZZ0020

Unit of Measure:
Each

Available in Colours:

- Clear
ZZ0020
- Grey
ZZ0020
- Yellow
ZZ0020

HIGH PERFORMANCE LENS SAFETY SPECTACLE

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord





BEESWIFT
ONLINE

Product Code:
ZZ0040

Unit of Measure:
Each

Available in Colours:

- Clear
ZZ0040
- Grey
ZZ0040
- Yellow
ZZ0040

SPORTS STYLE SAFETY SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



HIGH PERFORMANCE SPORTSTYLE SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord



BEESWIFT
ONLINE

Product Code:
ZZ0050

Unit of Measure:
Each

Available in Colours:

- Clear
ZZ0050
- Grey
ZZ0050
- Yellow
ZZ0050



BEESWIFT
ONLINE

Product Code:
ZZ0060

Unit of Measure:
Each

Available in Colours:

Clear
ZZ0060

SAFETY SPECTACLE

- Lightweight
- Adjustable/Flexible arms
- Polycarbonate lens (PC lens) with intergrated nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT

WRAP AROUND SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens) with intergrated nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT
ONLINE

Product Code:
ZZ0080

Unit of Measure:
Each

Available in Colours:

Clear
ZZ0080



BEESWIFT



BEESWIFT
ONLINE

Product Code:
ZZ0090

Unit of Measure:
Each

Available in Colours:

-  Clear
ZZ0090
-  Grey
ZZ0090
-  Yellow
ZZ0090

PERFORMANCE WRAP AROUND SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens) with intergrated nose bridge
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord



FIRE RETARDANT HI-VIS WAISTCOAT

- Flame retardant vest
- Hook and Loop front closure
- 100% polyester FR fabric
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- FR retro-reflective hi-vis tape
- FR threads
- EN ISO 14116
For brief contact with small igniting flames
- EN ISO 20471
Class 2 high visibility





BEESWIFT
ONLINE

Product Code:
CFRWCSY


Available in Sizes:
S - 4XL


Unit of Measure:
Each


Available in Colours:

-  Orange
CFRWCOR
-  Saturn Yellow
CFRWCSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN Standards

 Garment conforms EN ISO 20471

 Garment is fire retardant






BEESWIFT
ONLINE

Product Code:
7IN1

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



- Garment has 3M Scotchlite tape
- Garment has breathable fabric
- Cat 2 - Intermediate Risk
- Conforms to the correct EN standards
- Garment comes with a detachable hood
- Garments conforms to EN ISO 20471
- Garment has a pocket for easy ID access
- Garment has a mobile phone pocket
- Garment conforms to GO/RT 3279
- Garment is weather proof

ELSENER 7 IN 1 JACKET

- Highly versatile garment
 - Suitable for "All Seasons" use
 - Breathable outer shell
 - Removable hood
 - External phone pocket
 - D rings for attaching identity tags
 - Fleece lined collar on outer garment
 - Hook and loop adjustable cuffs
 - Hand warmer pockets
 - Inner jacket zipout sleeves
 - 3M Reflective tape
- Options :-
- 1, Outer jacket worn with inner jacket.
 - 2, Outer jacket only.
 - 3, Inner jacket only.
 - 4, Inner jacket only reversed.
 - 5, Outer jacket with bodywarmer (sleeves removed).
 - 6, Bodywarmer only.
 - 7, Bodywarmer only reversed.
- Conforms to EN ISO 20471 Class 3 High Visibility
 - Conforms to EN343 Class 3 Water Penetration
 - Class 3 Air Permeability
 - RIS-3279-TOM - Railway use Certified



DELTIC HI-VIS ORANGE FOUL WEATHER JACKET

- 75% Ripstop Polyester with a 25% PU Laminate
 - 210gsm fabric weight
 - Medium weight jacket.
 - Bird eye mesh liner allows for Level 4 breathability with an Ret of 9.55
 - Water penetration tested to hydrostatic pressure of 177,000 Pa
 - Concealed right breast pocket
 - Chest pocket with laminated water resistance zip
 - D ring hook for security or ID pass
 - Detachable concealed 3 panel fully adjustable hood
 - Full length zip for complete closures
 - Hi viz accents for added styling
 - External stud adjuster for cuff
 - Inside pocket for phone
 - Concealed zip pocket to storm flap
 - Double Studded snorkel fleece lined neck
 - Fully taped seams
 - Soft touch zip pulls on all zips
 - Internal wicking strip to reduce water ingress
 - Fleece lined zip cover at nape of neck.
 - Segmented tape to shoulders for additional visibility
 - Generous sizing to interact with other garments
 - 60mm segmented tape for greater visibility
- Jacket can be used in combination with the Interactive bodywarmer (BSD31)
 - EN ISO20471:2013 Class 3
 - RIS-3279-TOM Issue 2:2019 (Orange variations only)
 - EN343:2019 Class 4 Water Penetration
 - Class 4 Air Permeability



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSD21OR

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:



- CE Marked CAT 2
- Conforms to EN ISO 20471 for Hi Visibility
- Conforms to EN343 for Water Penetration and
- UK CA Marked CAT 2



BEESWIFT
FOCUSED ON SAFETY





Product Code:
BSDJTT

Available in Sizes:
S-6XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
BSDJTTORBL
-  Saturn Yellow / Navy
BSDJTTSYN

-  CE Marked CAT 2
-  Conforms to EN ISO 20471 for Hi Visibility
-  Conforms to EN343 for Water Penetration and
-  UK CA Marked CAT 2

DELTIC HI-VIS JACKET TWO-TONE

75% Ripstop Polyester with a 25% PU Laminate
210gsm fabric weight
Medium weight jacket.
Bird eye mesh liner enables the Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Segmented tape to shoulders for additional visibility
Hi viz accents for added styling
Detachable concealed 3 panel fully adjustable hood
Full length heavy duty YKK zip with stud sealed storm flap
Internal wicking strip to reduce water ingress
Double Studded snorkel with fleece lined neck
Soft touch zip pulls on all zips
Concealed right breast pocket
Left breast pocket with laminated water resistance zip
Concealed zip pocket to storm flap
Two lower pockets with stud sealed flaps
Two inside pockets
One internal phone pocket
Internal knitted cuffs
External stud adjusters to storm cuffs
D ring hook for security or ID pass
Contrast colour in areas that soil most
Generous sizing to interact with other garments

- Jacket can be used in combination with the Interactive bodywarmer (BSDBWTT)
- EN ISO20471:2013
Class 3
- RIS-3279-TOM Issue 2:2019 (Orange variations only)
- EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability



CARNOUSTIE JACKET

Interactive Breathable Jacket with detachable hood.

- EN ISO 20471 Class 3 High Visibility
- RIS-3279-TOM - Railway use certified.
- EN 343 - Class 3 Water Penetration Resistance
- EN 343 - Class 3 Water Vapour Resistance
- 100% polyester with PU coating.
- Concealed hood.
- Mesh lining.
- Two-way heavy duty zip front, double storm flap.
- 2 lower zipped hip pockets.
- Zipped breast pockets with flap.
- Hook and loop adjustable elasticated cuffs.
- Drawcord at hip.
- 3M Reflective tape

Fleece available separately - code: CARF





BEESWIFT
ONLINE



Product Code:
CAR

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:

-  Orange
CAROR
-  Saturn Yellow
CARSY

-  Garment has 3M Scotchlite tape
-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garment conforms To EN471
-  Fully interactive with another garment
-  Garment comes with a hood
-  Garment conforms to GO/RT 3279
-  Garment is weather proof





BEESWIFT
ONLINE

Product Code:
CTJENG


Available in Sizes:
S - 5XL


Unit of Measure:
Each


Available in Colours:


-  Orange
CTJENGOR
-  Saturn Yellow
CTJENGSY


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment comes with a hood

 Garment has welded or reinforced seams

 Garment is weather proof

CONSTRUCTOR JACKET

- PU coated polyester.
- Quilted lining with heavy weight (160gsm) polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 Lower pockets with flaps.
- Inside breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Reflective Material.

- Conforms to EN ISO 20471 Class 3 High Visibility
- RIS-3279-TOM Issue 2 (Orange Only)

- Conforms to EN 343
- Class 3 Water Penetration
- Class 1 Air Permeability



 **BEESWIFT**

FLEECE LINED TRAFFIC JACKET

High Visibility Foulweather Jacket

- PU coated polyester.
- Fleece lined.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 x Lower pockets with flaps.
- Right hand chest pocket with flap.
- Inside breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Retro-Reflective Tape.

- EN ISO20471:2013 Class 3.
- EN343:2003 + A1:2007 Class 3. 1.



BEESWIFT
ONLINE


Product Code:
CTJFL

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:

-  Orange
CTJFLOR
-  Orange / Black
CTJFLTORBL
-  Orange / Navy
CTJFLTORN
-  Saturn Yellow
CTJFLSY
-  Saturn Yellow / Navy
S

 Cat 2 - Intermediate Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
ET40

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
ET41OR
-  Saturn Yellow / Navy
ET40SY

-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garments conforms to EN ISO 20471

ETON HI-VIZ SOFT SHELL JACKET

- Hi-Vis "Soft shell" Jacket.
 - Windproof.
 - Fleece backed, breathable fabric.
 - 2 hand warmer front pockets.
 - Adjustable cuffs.
 - 6 cm retro-reflective tape.
 - Retro-reflective piping.
 - Spiral wound front zip to neck.
 - Hip draw cord.
 - Lightweight, stylish & comfortable.
- Conforms to EN ISO 20471 Class 3 high visibility



ETON BREATHABLE EN471 JACKET

- Breathable PU coated fabric.
 - Waterproof jacket fully taped seams.
 - Zip front closure to neck.
 - Hook and loop fastening storm flap.
 - Adjustable cuffs.
 - 6cm retro reflective tape.
 - Retro reflective piping.
 - 2 zip fastening front pockets.
 - Concealed hood.
 - Hip draw cord.
- EN ISO 20471
Class 3 high visibility
 - EN 343
Class 3 resistance to water penetration
Class 3 air permeability
 - RIS-3279-TOM - Railway use certified





BEESWIFT
ONLINE

Product Code:
ET45

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:

-  Orange
ET46OR
-  Saturn Yellow
ET45SY

-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garments conforms to EN ISO 20471
-  Garment comes with a hood
-  Garment conforms to GO/RT 3279
-  Garment has welded or reinforced seams
-  Garment is weather proof





BEESWIFT
ONLINE

Product Code:
HVTT040

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT040ORB
-  Saturn Yellow / Navy
HVTT040SYN

HIVIS TWO TONE SOFTSHELL

- Hi Vis two tone "Soft Shell" Jacket.
 - Lightweight & comfortable.
 - Windproof.
 - Fleece backed, breathable fabric.
 - Full length front zip to neck.
 - 2 Angled zipped hip pockets.
 - Zipped right breast pocket.
 - Retro-reflective tape.
 - Certification Code: SSTT
 - Conforms to EN ISO 20471 Class 3 high visibility
 - RIS-3279-TOM - Railway use certified
-
- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
 - Improves the washing durability on stitched tape
 - Improved breathability by using segmented, heat applied tape
 - Produces a modern, comfortable garment



Initial Constructor Traffic Jacket

- EN471 Class 3.
- PU coated polyester.
- Quilted lining with heavy weight (160gsm) polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 Lower pockets with flaps.
- In side breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Reflective Material.




BEESWIFT
ONLINE


Product Code:
IFCTJENG

Unit of Measure:
Each

Available in Colours:

-  Saturn Yellow
IFCTJENGSY

 Garment conforms To
EN471

 Garment is weather proof






BEESWIFT
ONLINE

Product Code:
JJ

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:

-  Orange
JJOR
-  Saturn Yellow
JJSY

-  Garment has breathable fabric
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garment comes with a detachable hood
-  Garments conforms to EN ISO 20471
-  Garment has a pocket for easy ID access
-  Garment conforms to GO/RT 3279
-  Garment is weather proof

JUBILEE JACKET

- Detachable hood with drawcord.
- Two-way heavy duty zip front with storm flap.
- Two lower front patch pockets with hook and loop fastening flap.
- ID card 'D' ring.
- Drawcord at hip.
- Internal mesh lining with mobile phone pocket.
- Two roomy 'Poachers' pockets at lower front.
- Deep Left breast zipped security pocket under front flap.
- Knitted storm cuffs.
- Internal wicking strip.
- Fully taped seams.
- Retro-Reflective tape.

- EN ISO 20471
Class 3 high visibility

- EN 343
Class 3 Water Penetration
Class 3 Air Permeability

- RIS-3279-TOM - Railway use certified.



LADIES EXECUTIVE HI-VIZ JACKET

- Tailored fit.
- Fully breathable with grey mesh lining
- Concealed hood in collar, hook and loop closure.
- Heavy duty two way front zip to neck with studded storm flap.
- Zipped security pocket.
- Part elasticated waist.
- Angled hip pockets with stud closure flaps & reflective piping.
- Internal right breast smartphone pocket.
- Internal left breast pocket with pen holder.
- Wicking strip.
- Zipped access for badging.
- Storm cuffs with hook and loop adjustment.
- Retro - reflective tape.

- EN ISO20471 Class 3
- EN 343:2003 + A1:2007 Class 3. 3.



BEESWIFT
ONLINE

Product Code:
LBD30

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

-  Saturn Yellow
LBD30

-  Cat 2 - Intermediate Risk




BEESWIFT
ONLINE

Product Code:
LBD35

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:



- Garment has breathable fabric
- Cat 2 - Intermediate Risk
- Conforms to the correct EN standards
- Garments conforms to EN ISO 20471
- Garment has a Heavy-Duty Zip Fastening
- Garment comes with a hood
- Garment has a mobile phone pocket
- Garment conforms to GO/RT 3279
- Garment Possesses Weather Resistant
- Garment is weather proof

LADIES EXECUTIVE HI-VIZ JACKET

- Tailored fit.
 - Fully breathable with grey mesh lining
 - Concealed hood in collar, hook and loop closure.
 - Heavy duty two way front zip to neck with studded storm flap.
 - Zipped security pocket.
 - Part elasticated waist.
 - Angled hip pockets with stud closure flaps & reflective piping.
 - Internal right breast smartphone pocket.
 - Internal left breast pocket with pen holder.
 - Wicking strip.
 - Zipped access for badging.
 - Storm cuffs with hook and loop adjustment.
 - Retro - reflective tape.
- EN ISO20471 Class 3
 - EN 343:2003 + A1:2007 Class 3. 3.
 - RIS-3279-TOM - Railway use certified.



BSEEN PU JACKET

- Breathable fabric.
 - Polyester with PU coating.
 - Concealed hood.
 - Full zip front with double storm flap.
 - Self double yoke back.
 - Lower pockets with flap.
 - Elasticated storm cuffs.
 - Stitched and welded seams.
 - Reflective material.
- EN ISO20471 Class 3 High Visibility
 - EN343
Class 3 Resistance to Water Penetration
Class 1 Air Permeability




BEESWIFT
ONLINE

Product Code:
PUJ

Available in Sizes:
S-5XL

Unit of Measure:
Each

Available in Colours:



- Garment has breathable fabric
- Cat 2 - Intermediate Risk
- Conforms to the correct EN standards
- Garments conforms to EN ISO 20471
- Garment comes with a hood
- Garment has welded or reinforced seams
- Garment is weather proof



BEESWIFT
ONLINE







Product Code:
PULJ471

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
PULJ471SY

-  Garment has breathable fabric
-  Conforms to the correct EN standards
-  Garment conforms To EN471
-  Garment comes with a hood
-  Garment has welded or reinforced seams
-  Garment is weather proof
-  Cat 2 - Intermediate Risk

BREATHABLE LINED JACKET

- Breathable fabric.
 - Polyester with PU coating.
 - Concealed hood.
 - Full zip front with double storm flap.
 - Nylon/Polyester quilt lining.
 - Self double yoke back.
 - Lower pockets with flap.
 - Elasticated storm cuffs.
 - Stitched and welded seams.
 - Retro - reflective tape.
- Conforms to EN ISO 20471 Class 3 High Visibility
 - Conforms to EN343 Class 3 Water Penetration Class 1 Air Permeability



RAILSPEC JACKET

- 280gsm 80-20 Polyester cotton.
 - Teflon coated for improved soil release.
 - Durable hard wearing whilst remaining soft and comfortable.
 - Retro reflective tape.
 - Two breast pockets with flaps.
 - Two hip pockets.
- EN ISO20471 2013 Class 3 High Visibility
 - RIS-3279-TOM - Railway use certified.




BEESWIFT
ONLINE

Product Code:
RSJ

Available in Sizes:
38" - 56"

Unit of Measure:
Each

Available in Colours:

 Orange
RSJ

-  Garment has 3M Scotchlit tape
-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN standards
-  Garments conforms to EN ISO 20471
-  Garment comes in a Euroslot retail bag
-  Garment conforms to GO/RT 3279
-  Garment has welded or reinforced seams





BEESWIFT
ONLINE


Product Code:
SS20471


Available in Sizes:
S - 4XL


Unit of Measure:
Each


Available in Colours:

 Saturn Yellow
SS20471SY

 Garment has breathable fabric

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment Possesses Weather Resistant

SOFT SHELL LIGHTWEIGHT HI VIZ JACKET

- Hi Vis "Soft Shell" Jacket.
 - Lightweight & comfortable.
 - Windproof.
 - Fleece backed, breathable fabric.
 - Full length front zip to neck.
 - 2 Angled zipped hip pockets.
 - Zipped right breast pocket.
 - Plain cuffs.
 - Plain hem.
 - Retro-reflective tape.
- Conforms to EN ISO 20471 Class 3 high visibility



SOFT SHELL JKT HV ORANGE EN20471 GORT3279

- Hi Vis "Soft Shell" Jacket.
 - Lightweight & comfortable.
 - Windproof.
 - Fleece backed, breathable fabric.
 - Full length front zip to neck.
 - 2 Angled zipped hip pockets.
 - Zipped right breast pocket.
 - Plain cuffs.
 - Plain hem.
 - Retro-reflective tape.
- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified



BEESWIFT
ONLINE


Product Code:
SS20471OR


Available in Sizes:
S-5XL


Unit of Measure:
Each


Available in Colours:

 Orange
SS20471OR

 Garment has breathable fabric

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment Possesses Weather Resistant






BEESWIFT
ONLINE

Product Code:
TJ8

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Cat 2 - Intermediate Risk

Conforms to the correct EN standards

Garment conforms To EN471

Garment comes in a Euroslot retail bag

Fully interactive with another garment

Taped Seams

Garment is weather proof

LIGHTWEIGHT EN471 JACKET

- PVC coated 150D polyester.
- Concealed hood.
- Two-way heavy duty zip front with studded storm flap.
- 2 Lower pockets with flaps.
- Knitted storm cuffs.
- Fully taped seams.
- Retro Reflective Tape.

- EN ISO20471 Class 3 High Visibility

- EN 343
Class 3 Resistance to Water Penetration
Class 1 Air Permeability



4 IN 1 JACKET & BODYWARMER

- Outer Jacket -
- Conforms to EN ISO20471 Class 3 High Visibility
 - Conforms to EN 343
Class 3 Water Penetration
Class 1 Air Permeability
 - Heavyweight PU coated polyester.
 - Nylon lining.
 - Concealed hood.
 - Two-way heavy weight zip with storm flap.
 - 2 Lower hip pockets with flaps.
 - Knitted storm cuffs.
 - Fully taped seams.
- Inner Bodywarmer -
- EN ISO20471 Class 2 High Visibility
 - PU coating to hi-vis side.
 - Reversible bodywarmer 'zipout'.
 - Knitted collar.
 - Heavy duty zip.
 - Navy polycotton diamond quilt on reverse.
 - 2 patch pockets on quilted side.
 - Fully taped seams.
 - Reflective Material.




BEESWIFT
ONLINE

Product Code:
TJFS

Available in Sizes:
XS - XXXXL

Unit of Measure:
Each

Available in Colours:



Cat 2 - Intermediate Risk

Conforms to the correct EN standards

Garments conforms to EN ISO 20471

Garment comes with a hood

Garment has welded or reinforced seams

Garment is weather proof





BEESWIFT
ONLINE


Product Code:
TJSTTENG


Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:


-  Orange / Navy
TJSTTENGORN
-  Saturn Yellow / Navy
TJSTTENGSYN


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment has a Heavy-Duty Zip Fastening

 Garment comes with a hood

 Garment is weather proof

TWO TONE TRAFFIC JACKET

- Heavyweight PU coated polyester.
- Quilted lining with polyester filling.
- Concealed hood.
- Two-way heavy duty zip front.
- 2 lower pockets.
- 1 inside pocket.
- Knitted storm cuffs.
- Fully taped seams.
- Retro-Reflective Tape.

- EN ISO 20471
Class 3 High Visibility

- EN 343
Class 3 resistance to Water Penetration
Class 1 Air Permeability



TOUCH SCREEN KNITTED GLOVE

Blue knitted polyester/cotton seamless liner
 Touch screen compatible
 PVC dots on palm area for added grip
 Warm and comfortable fit
 EN388: 2016 - 2 X 4 X A
 EN511: 2006 - X 1 0



BEESWIFT
ONLINE

Product Code:
BF10

Available in Sizes:
XS - XXL

Unit of Measure:
Bx 10

Available in Colours:

-  Blue
BF10



BEESWIFT
ONLINE

Product Code:
PVCFCKWN

Available in Sizes:
07 - 10

Unit of Measure:
Bx 10

Available in Colours:

 Red
PVCFCKWNR

 Cat 2 - Intermediate Risk

 Mechanical Handling

PVC FULLY COATED KNITTED WRIST

- Fully coated pvc glove.
- Stockinette liner.
- Elasticated cuff.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



 **BEESWIFT**

PVC GAUNTLET 11"

- PVC Gauntlet.
- 11" (28cm) overall length.
- Liquid proof.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
PVCNR11


Available in Sizes:
11"

Unit of Measure:
Bx 10

Available in Colours:

 Red
PVCNR11

 Cat 2 - Intermediate Risk

 Mechanical Handling

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
PVCNR14


Available in Sizes:
14"

Unit of Measure:
Bx 10

Available in Colours:

 Red
PVCNR14

 Cat 2 - Intermediate Risk

 Mechanical Handling

PVC GAUNTLET 14"

- PVC Gauntlet.
- 14" (36cm) overall length.
- Liquid proof.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



 **BEESWIFT**

PVC GAUNTLET 16"

- PVC Gauntlet.
- 16" (40cm) overall length.
- Liquid proof.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
PVCNR16

Available in Sizes:
16"

Unit of Measure:
Bx 10

Available in Colours:

 Red
PVCNR16

 Cat 2 - Intermediate Risk

 Mechanical Handling

 **BEESWIFT**



BEESWIFT
ONLINE


Product Code:
PVCNR18


Available in Sizes:
18"

Unit of Measure:
Bx 10

Available in Colours:

 Red
PVCNR18

 Cat 2 - Intermediate Risk

 Mechanical Handling

PVC GAUNTLET 18"

- PVC Gauntlet.
- 18" (46cm) overall length.
- Liquid proof.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



 **BEESWIFT**

FLEECE SNOOD

- Polyester Suprafleece for extra warmth.
- Breathable fabric.
- Seam free for comfort.
- Machine washable/non iron.
- Multi-purpose use.



BEESWIFT
ONLINE

Product Code:
FSB

Unit of Measure:
Each

Available in Colours:

 Black
FSB

 **BEESWIFT**





BEESWIFT
ONLINE

Product Code:
THBVC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

-  Black
THBVCBL
-  Orange
THBVCOR

 Cat 1 - Minimal Risk

BALACLAVA HOOK AND LOOP THINSULATE LINED

- 100% Acrylic material
- Offers excellent insulation
- 3M C40 premium Thinsulate
- Ideal for winter use
- Comes with Hook & Loop flaps for attaching to helmet harnesses
- Earpieces open to aid hearing
- One size only



BEESWIFT
ONLINE

Product Code:
THLJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

-  Blue
THLJ
-  White
THLJW

THERMAL LONG JOHN

Thermal long John Trousers

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material
- Heat seal labelling for irritation-free fit
- Essential later for cold temperatures

Ideal for;
Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports





BEESWIFT
ONLINE

Product Code:
THVLS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

-  Blue
THVLS
-  White
THVLSW

LONG SLEEVE THERMAL VEST

Long Sleeved Thermal vest

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Short sleeved thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material

Ideal for;

Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports





BEESWIFT
ONLINE

Product Code:
THVSS

Available in Sizes:
S- XXXL

Unit of Measure:
Each

Available in Colours:

-  Blue
THVSS
-  White
THVSSW

SHORT SLEEVE THERMAL VEST

Short Sleeved Thermal vest


Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Short sleeved thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material

Ideal for;

Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports



 Cat 1 - Minimal Risk



BEESWIFT
FOCUSED ON SAFETY

Product Code:
SFBW

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Gray / Black
SFBWGYBL

 CE Marked CAT 1

 UK CA Marked CAT 1

FLEX WORKWEAR GILET TWO-TONE

65% Polyester with 35% Cotton canvas fabric
260gsm fabric weight
Medium weight bodywarmer
Soft handle, robust polycotton bodywarmer fabric
Flex stretchable fabric side panels to help fit and comfort
100% polyester diamond patterned lining and taffeta quilting
Metal Zip front with plastic teeth
Warming fleece lined snorkle collar
Hi viz accents and tagging for style
Soft touch zip pullers
Left breast hook and loop closure phone pocket and pen holder
Right breast hook and loop pocket with additional coloured zip pocket.
Four lower hip zipped pockets with front and side access
Internal hook and loop closure pocket



FLEX

CLICK ACRYLIC V-NECK SWEATER

- 100% Acrylic material
- V-Neck collar
- Military Style Security Sweater
- Thick material for added warmth




BEESWIFT
ONLINE

Product Code:
ACSV


Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Black
ACSVBL

 Navy Blue
ACSVN

 Cat 1 - Minimal Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CLPCS

Available in Sizes:
XXS - 4XL

Unit of Measure:
Each

Available in Colours:

-  Black
CLPCSBL
-  Bottle Green
CLPCSBG
-  Grey
CLPCSGY
-  Navy Blue
CLPCSN
-  Red
CLPCSRE
-  Royal Blue
CLPCSR

 Cat 1 - Minimal Risk

CLICK POLYCOTTON SWEATSHIRT

- 300gsm Polycotton fleece inner
- 65% polyester, 35% cotton
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband



HOODED SWEATSHIRT

- 300gsm 65% / 35% polycotton fleece inner
- Hood with draw cord
- Front pouch pocket with hidden mobile phone pocket
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband



BEESWIFT
ONLINE

Product Code:
CLPCSH

Available in Sizes:
S - 3XL


Unit of Measure:
Each

Available in Colours:

-  Black
CLPCSHBL
-  Navy Blue
CLPCSHN

 Cat 1 - Minimal Risk

 Garment has a hood

 Garment has a mobile phone pocket




BEESWIFT
ONLINE

Product Code:
CLQZSS

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:

 Black
CLQZSSBL

 Navy Blue
CLQZSSN

 Cat 1 - Minimal Risk

QUARTER ZIP SWEATSHIRT

- 280gsm 70% cotton, 30% polyester fleece
- Brushed on the inside
- Quarter length zip
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CLVPCS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

 Navy Blue
CLVPCS

 Cat 1 - Minimal Risk

CLICK V-NECK SWEATSHIRT

- 300gms 65/35% Polycotton fleece inner
- V-Neck collar
- Ribbed cuffs
- Ribbed waistband



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CPPCS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

 Black
CPPCSBL

 Navy Blue
CPPCSN

 Cat 1 - Minimal Risk

CLICK PREMIUM SWEAT SHIRT

- 65% Cotton, 35% Polyester
- Heavy 365gsm fabric
- Fashionable drop shoulder style
- Cover seamed neck, shoulders armholes and waistband
- High quality ribbed cuffs and waistband



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BF1

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 Black/Grey
BF1

 Cat 2 - Intermediate Risk

NITRILE PU MIX COATED GLOVE

- Knitted nylon/lycra glove
- Nitrile/water based PU palm and finger coating.
- Breathable, Soft and tactile finish

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
EC7N

Available in Sizes:
S-XL

Unit of Measure:
Bx 10

Available in Colours:

 Grey
EC7NGY

 Cat 2 - Intermediate Risk

 Mechanical Handling

NITRILE P/C POLYESTER GREY

- 35% polyester + 65% Nitrile
- Nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and engineering applications

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



NITRILE FULLY COATED POLYESTER

- 20% polyester + 80% Nitrile
- Heavy duty nitrile fully dipped fingers and palm
- Lightweight for maximum dexterity
- The extended dipping process produces a uniformly thick coverage of nitrile; ideal for the most demanding of applications
- Liquid proof.
- Provides wearer with a combination of durability and comfort

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
NDGFCBL

Available in Sizes:
S-XL

Unit of Measure:
Each

Available in Colours:

 Black
NDGFC

 Cat 2 - Intermediate Risk

 Mechanical Handling



BEESWIFT
ONLINE

Product Code:
NDGPF50NB

Available in Sizes:
S-M

Unit of Measure:
Bx 1Th

Available in Colours:



NITRILE DISPOSIBLE GLOVE POWDER FREE

- Powder Free blue textured Nitrile Gloves
- CE category III
- CE class I examination glove
- Excellent elasticity
- Suitable for applications which are visible to the public catering, beauty and body art sectors.
- Dual labelling. Fulfilling medical requirements in the tattoo and piercing sector
- Skin friendly: free from phthalates/ softeners and allergenic latex proteins
- Tested and certified according to 1935/2004 - suitable for food contact
- AQL 1.5

Chemical - Breakthrough Time
 Formaldehyde 37% (T) - More than 480 Mins (Level 6)
 Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)
 Hydrogen Peroxide 30% (P) - More than 30 Mins (Level 2)

- EN420: 2003 +A1:2009
- EN ISO 374-1: 2016
- EN ISO 374-5: 2016
- EN 455: 2000



NITRILE FOAM NYLON GLOVE

- 100% Nylon seamless shell with nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and light engineering.
- Ideal for dry or slightly oily applications.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
NFNG

Available in Sizes:
M - XXL

Unit of Measure:
Each

Available in Colours:



Cat 2 - Intermediate Risk

Mechanical Handling





BEESWIFT
ONLINE

Product Code:
NG

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Cat 3 - High Risk

Chemical Hazards

Mechanical Handling

NITRILE GAUNTLET FLOCKED LINED

- Nitrile glove
- Flocklined
- Overall length 31.5cm
- A high level of resistance to abrasion, solvents and animal fats.
- Embossed pattern to palm
- Silicon and wax free

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level X - Tear Resistance
- Level 1 - Puncture
- Level X - ISO 13997 Cut Resistance

- EN374-3:2016
- n-Heptane (J) - More than 480 Mins (Level 6)
- Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)
- Sulphuric Acid 96% (L) - More than 60 Mins (Level 3)



NITRILE GREEN 18"

- Unsupported nitrile glove.
- Overall Length 45cm
- A high level of resistance to abrasion, solvents and animal fats.
- Pebble finish to palm
- Silicon and wax free

- EN ISO 374-1: 2016: Type B
- Chemical - Breakthrough Time
- Methanol (A) - More than 60 Mins (Level 3)
- Toluene (F) - More than 10 Mins (Level 1)
- n-Heptane (J) - More than 480 Mins (Level 6)
- Sulphuric Acid 96% (L) - More than 240 Mins (Level 5)
- Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 0 - Tear Resistance
- Level 2 - Puncture
- Level X - ISO 13997 Blade Cut

- EN ISO 374-5:2016
- Protection Against Bacteria and Fungi - Pass
- Protection Against Viruses - Not Tested



BEESWIFT
ONLINE

Product Code:
NG18

Available in Sizes:
L - XL

Unit of Measure:
Each

Available in Colours:



Cat 3 - High Risk

Chemical Hazards

Mechanical Handling



BEESWIFT
ONLINE

Product Code:
NKWFCHW

Available in Sizes:
L - XL

Unit of Measure:
Each

Available in Colours:

 Blue
NKWFCHW

 Cat 2 - Intermediate Risk

 Mechanical Handling

NITRILE FULLY COATED KNITWRIST HEAVY WEIGHT

- Excellent protection for heavy duty applications.
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



NITRILE KNITTED WRIST FULLY COATED HEAVY WEIGHT

- Excellent protection for heavy duty applications.
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
NKWFCHWN

Available in Sizes:
09-10

Unit of Measure:
Bx 10

Available in Colours:

 Blue
NKWFCHWN

 Cat 2 - Intermediate Risk

 Mechanical Handling





BEESWIFT
ONLINE

Product Code:
NKWFCLWN

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:

 Yellow
NKWFCLWN

 Cat 2 - Intermediate Risk

 Mechanical Handling

NITRILE K/W F/C L/W YELLOW 10

- Good flexibility and comfort.
- Resists abrasion, cuts and punctures.
- General purpose handling in many industrial sectors.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



NITRILE K/W P/C L/W YELLOW 08

- Good flexibility and comfort.
- Resists abrasion, cuts and punctures.
- General purpose handling in many industrial sectors.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
NKWPCLWN

Unit of Measure:
Bx 10

Available in Colours:

 Yellow
NKWPCLWN

 Cat 2 - Intermediate Risk

 Mechanical Handling





BEESWIFT
ONLINE

Product Code:
NSCFCHWN

Available in Sizes:
09-10

Unit of Measure:
Bx 10

Available in Colours:

 Blue
NSCFCHWN

 Cat 2 - Intermediate Risk

 Mechanical Handling

NITRILE SAFETY CUFF FULLY COATED HEAVY WEIGHT

- Excellent protection for heavy duty applications.
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
NSG

Available in Sizes:
07 - 10

Unit of Measure:
Each

Available in Colours:

 Black
NSGBL

 Cat 2 - Intermediate Risk

 Mechanical Handling

NITE STAR GLOVE BLACK MEDIUM (08)

- 100% Nylon seamless shell.
- Nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and engineering applications

- EN388: 2003
- Level 3 - Abrasion
- Level 1 - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture






BEESWIFT
ONLINE

Product Code:
CLCPSN


Available in Sizes:
30" - 46"

Unit of Measure:
Each

Available in Colours:

 Black
CLCPSBL

 Navy Blue
CLCPSN

 Garment has a mobile
phone pocket

Cargo Pocket Shorts

- 100% Cotton
- Zip fastening with button closure
- 2 Hip pockets and side mobile phone pocket
- 2 Patch pockets on leg with button fastening
- 1 Rear pocket.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
GMPS

Available in Sizes:
30 - 48

Unit of Measure:
Each

Available in Colours:

 Navy Blue
GMPSN

 Cat 1 - Minimal Risk

GRANTHAM MULTI-PURPOSE POCKET SHORTS

- 98% cotton / 2% Lycra stretch fabric
- YKK zip fastening with metal button waistband attachment
- 7 belt loops
- Triple stitching to main seams
- 2 front hip pockets
- 2 front detachable tool (nail) pouches
- 1 multi cargo pocket to thigh, metal stud fastening, including mobile phone pocket
- 1 rear patch pocket with hook and loop fastening
- 1 Cordura rule pocket



 **BEESWIFT**




BEESWIFT
ONLINE


Product Code:
NBDC


Available in Sizes:
S - 4XL


Unit of Measure:
Each

Available in Colours:

-  Orange
NBDCOR
-  Saturn Yellow
NBDCSY

 Cat 1 - Minimal Risk

 Garment has welded or reinforced seams

 Garment comes with a hood

NYLON B-DRI COVERALL

- Lightweight with PVC coating to reverse
- Concealed hood
- Plastic front zip with storm flap
- Studded cuffs and ankles
- Fully taped seams



BEESWIFT
ONLINE

Product Code:
SBDC

Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:

-  Navy Blue
SBDCN
-  Olive Green
SBDCO
-  Saturn Yellow
SBDCSY

 Cat 1 - Minimal Risk

 Conforms to the correct EN Standards

 Garment comes with a hood

 Garment conforms to EN343

 BDri Welded Re-inforced Seams

SUPER B-DRI COVERALLS

- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated wind cuffs
- Studded ankles
- Stitched and welded seams





BEESWIFT
ONLINE

Product Code:
BG218GYM

Unit of Measure:
Each

Available in Colours:



Grey
BG218GYM

BAGBASE TWO-TONE DIGITAL MESSENGER BAG

BagBase Two Tone Digital Messenger
Material: 600D polyester.
Grab handle.
Adjustable shoulder strap with pad.
Padded laptop compartment compatible up to 15.6".
Internal organiser section.
Rear zip pocket.
Tear out label.



BagBase

QD70 GREEN HOLDALL

- Material 420D
- Webbing Handles and detachable/adjustable padded shoulder strap
- Pocket with zip at each end
- Capacity 32 litres
- Dimensions: 53 x 32 x 26 cm



BEESWIFT
ONLINE

Product Code:
QD70

Unit of Measure:
Each

Available in Colours:



Green
QD70G



Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
QD80

Unit of Measure:
Each

Available in Colours:

 Black
QD80BL

 Cat 1 - Minimal Risk

QD80 BLACK HOLDALL

- 420D Polyester
- Detachable adjustable shoulder strap with pad
- Zippered end pockets
- 74 Litre
- Wet Pocket
- Dimensions 75 X 35 X 30 CM



BEESWIFT
ONLINE

Product Code:
CFRLR3456

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
CFRLR3456SY

 Cat 2 - Intermediate Risk

FIRE RETARDANT ANTI-STATIC PADDED JACKET

- 50% Polyamide, 50% polyurethane, 170 g/m²
- FR quilted cotton lining with polyester padding
- Microflex flame-retardant Hi-Viz winter rain jacket
- High frequency welded seams
- Zipper under storm flap with press studs
- Sleeves with adjustable press stud
- Hood with drawstring, hidden in collar
- Drawstring at waist. With reflective tape
- 2 patch pockets
- Inside pocket

EN343 3 1 2003 + A1 2007
EN471 3 2 2003 + A1 2007
EN ISO 14116 2008 OUTER INDEX 1 INNER INDEX 3
EN1149-5 2008 EN1149-3 2004





BEESWIFT
ONLINE



Product Code:
CFRLR55

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
CFRLR55SY

-  Garment has anti static fabric
-  Cat 2 - Intermediate Risk
-  Garment conforms To EN471
-  Garment is fire retardant
-  Garment is weather proof

FIRE RETARDANT ANTI-STATIC JACKET

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116 : 2008 Index 1
- EN 1149-5:2008 EN 1149-3:2004
- Flame retardant Anti Static Hi Vis
- High frequency welded seams
- Fixed hood with drawstring
- Concealed stud front zip fastening
- Adjustable press stud on sleeves
- 2 Lower Patch pockets



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CFRPKJ





Available in Sizes:
S - 7XL

Unit of Measure:
Each

Available in Colours:

 Orange
CFRPKJOR

 Saturn Yellow
CFRPKJSY

-  Cat 2 - Intermediate Risk
-  Conforms to the correct EN Standards
-  Garment conforms EN ISO 20471
-  Garment is fire retardant

FIRE RETARDANT HI-VIS JERKIN

- 100% Polyester Flame Retardant long sleeve jerkin.
- Retro-Reflective tape.
- Hook and loop front fastening
- Conforms to EN ISO 20471 Class 3 high visibility
- EN ISO 14116.
- Do not wear next to skin.
- Must be worn over Index 2 or 3 garments.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
AT

Available in Sizes:
12MM x 2M

Unit of Measure:
Each

Available in Colours:

 White
AT

 Cat 1 - Minimal Risk

APRON COTTON TIES 12MM X 2M

Tan colored Strong cotton tie, used to secure the neck and back of multiple aprons.

Can be used in conjunction with
CPA42-10
CPA48-10
PAHWBL42-10
PAHWW42-10
PAHWW48-10
PALWW48-10
RAB42



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
ATR

Unit of Measure:
Each

Available in Colours:

 Brown
ATR

 Cat 1 - Minimal Risk

APRON COTTON TIE ROLL 1/2"X50M

Tan colored Strong cotton tie, used to secure the neck and back of multiple aprons.

Can be used in conjunction with
CPA42-10
CPA48-10
PAHWBL42-10
PAHWW42-10
PAHWW48-10
PALWW48-10
RAB42



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
CCCBA34X40

Available in Sizes:
34X40

Unit of Measure:
Each

Available in Colours:

- Black
CCCABAL
- Black/White
CCCABALW
- White
CCCBAW

CHEFS BIB APRON

- 65% Polyester , 35% Cotton
- Anti-Tangle ties
- 28" wide x 40" high



BEESWIFT

CHEFS BUTCHERS BIB APRON

- 100% Polyester
- Anti-Tangle ties
- Men's and women's sizes



BEESWIFT
O N L I N E

Product Code:
CCCBSBANW34X40

Available in Sizes:
34x40

Unit of Measure:
Each

Available in Colours:

- Navy / White



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
CCCHA29X22

Available in Sizes:
29x22

Unit of Measure:
Each

Available in Colours:



Black

CHEFS HALF APRON

- 65% Polyester 35% Cotton
- Anti-Tangle ties
- 29" wide x 22" high
- Front pocket



CHEFS WAIST APRON BL 36X29

- Chefs Waist Apron
- 65% Polyester 35% Cotton
 - Anti-Tangle ties
 - 36" wide x 29" high



BEESWIFT
O N L I N E

Product Code:
CCCWABL36X29

Available in Sizes:
36x29

Unit of Measure:
Each

Available in Colours:



Black
CCCWABL36X29





BEESWIFT
ONLINE

Product Code:
CPA42-10

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

 Clear
CPA42-10

 Cat 1 - Minimal Risk

CLEAR PVC APRON 42" X 36" PACK OF 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR



BEESWIFT

CLEAR PVC APRON 48"X36"PACK 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR



BEESWIFT
ONLINE

Product Code:
CPA48-10

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

 Clear
CPA48-10

 Cat 1 - Minimal Risk



BEESWIFT



BEESWIFT
ONLINE

Product Code:
DA42

Available in Sizes:
42x27

Unit of Measure:
Bx 1Th

Available in Colours:

 Blue
DAB42DP

 White
DA42DP

 Cat 1 - Minimal Risk

DISPOSABLE APRON

- White colour
- Halter neck and ties around the waist
- Bacteria and fluid penetration resistant
- Aprons measure 42" x 27" (107x69mm) approx.



PVC APRON H-W 42"X36"PK 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR



BEESWIFT
ONLINE

Product Code:
PAHW

Unit of Measure:
Bx 10

Available in Colours:

 Black
PAHW

 White
PAHW

 Cat 1 - Minimal Risk






BEESWIFT
ONLINE

Product Code:
PALW

Unit of Measure:
Bx 10

Available in Colours:

 White
PALW

 Cat 1 - Minimal Risk

PVC APRON L-W 48"X36"PK 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR



BEESWIFT
ONLINE

Product Code:
PNA

Available in Sizes:
48" x 36"

Unit of Measure:
Bx 10

Available in Colours:


 Blue
PNADB

 Green
PNAG

 Red
PNARE

 White
PNAW

 Yellow
PNAY

 Cat 1 - Minimal Risk

NYPLAX APRON 10 PACK

48" X 36" with self halter neck and ties.

Made from Nyplax which is a PVC/Nylon amalgam.

Good tensile strength.

Resistant to animal fats and minor chemicals (cleaning agents). NOT ACIDS AND TOXIC CHEMICALS.





BEESWIFT
ONLINE

Product Code:
RAB42

Available in Sizes:
42" x 36"

Unit of Measure:
Each

Available in Colours:

 Black
RAB42

 Cat 1 - Minimal Risk

RUBBER APRON 42" X 36"

- 42" long by 36" wide
 - Eyeleted
 - The apron design is bib front style with metal eyelets & hemmed all round
 - Minimal Risk Apron
- Apron ties not included.



BEESWIFT
ONLINE

Product Code:
CDBS

Available in Sizes:
34" - 56"


Unit of Measure:
Each

Available in Colours:

 Navy Blue
CDBSN

 White
CDBSW

 Cat 1 - Minimal Risk

 Garment has a Reinforced
Elasticated Waist

CLICK COTTON DRILL BOILERSUIT

- Pre-shrunk 100% cotton (250gsm)
- Concealed stud front
- 1 breast pocket with stud flap
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket






BEESWIFT
ONLINE

Product Code:
CPC

Available in Sizes:
36" - 54"

Unit of Measure:
Each


Available in Colours:

 Black
CPCBL

 Navy Blue
CPCN

 Red
CPCRE

 Cat 1 - Minimal Risk

 Garment has a Reinforced
Elasticated Waist

CLICK PREMIUM BOILERSUIT

- Unique Stretch-plus design for enhanced comfort
- Elasticated back design allows garment to move with you as you work
- Hardwearing 250gsm 65/35 polycotton fabric
- Internal kneepad pockets
- Concealed nylon zipped front
- 2 x breast pockets with unique design
- 2 x hook and loop hip pockets
- 2 x thigh pockets
- 2 x rear pockets
- 1 x left sleeve pocket
- Under arm ventilation system



Click Boilersuit

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
- Concealed stud front
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elastication



BEESWIFT
ONLINE

Product Code:
PCBS

Available in Sizes:
32" - 58"

Unit of Measure:
Each

Available in Colours:

 Navy Blue
PCBSN

 Orange
PCBSOR

 Red
PCBSRE

 Royal Blue
PCBSR

 Spruce Green
PCBSS

 White
PCBSW

 Cat 1 - Minimal Risk

 Garment has a Fully
Elasticated Waistband





BEESWIFT
ONLINE


Product Code:
PCBSHCAR


Available in Sizes:
36" - 54"


Unit of Measure:
Each

Available in Colours:

 Royal Blue
PCBSHCAR

 Cat 1 - Minimal Risk

 Garment has a hood

 Garment has a Reinforced
Elasticated Waist

Super Click Hooded Boilersuit

- 65% polyester, 35% cotton
- Concealed zip front.
- Hood with drawcord.
- 2 zip breast pockets.
- Reinforced elasticated waist.
- Double pen pocket on sleeve.
- 2 swing hip pockets with side access.
- 2 rear pockets, one with hook and loop flap.
- 1 rule pocket.
- 1 hammer pocket.
- Elasticated cuffs and ankles.



Super Click Heavyweight Boilersuit

- 65% polyester, 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook and loop fastening
- Internal Knee pad pockets
- 1 rule pocket
- 1 hammer loop



BEESWIFT
ONLINE

Product Code:
PCBSHW

Available in Sizes:
36" - 54"

Unit of Measure:
Each

Available in Colours:


 Black
PCBSHWBL


 Navy Blue
PCBSHWN

 Orange
PCBSHWOR

 Red
PCBSHWRE

 Royal Blue
PCBSHWR

 Cat 1 - Minimal Risk

 Garment has a Reinforced
Elasticated Waist





BEESWIFT
ONLINE

Product Code:
QBS

Available in Sizes:
36" - 52"

Unit of Measure:
Each

Available in Colours:



Navy Blue
QBSN

Cat 1 - Minimal Risk

Garment has a Reinforced Elasticated Waist

CLICK QUILTED BOILERSUIT

- 65% polyester, 35% cotton
- Quilt Lined
- Concealed two way zip front
- 2 breast pockets
- Reinforced elasticated waist
- 2 swing pockets with side access
- 2 rear pockets, one with hook and loop flap
- 1 rule pocket



CANADIAN CHROME HIGH QUALITY GLOVE

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Natural leather thumb & first finger.
- Cotton drill back.
- Natural leather knuckle strip..
- Rubberized cuff.
- Lined palm & fingers.
- Minimal Risk.



BEESWIFT
ONLINE

Product Code:
CANCHQ

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:



White
CANCHQN

Cat 1 - Minimal Risk

Minimal Risk





BEESWIFT
ONLINE

Product Code:
CANCHQHV

Available in Sizes:
11

Unit of Measure:
Bx 10

Available in Colours:

 Saturn Yellow
CANCHQHVN

 Cat 2 - Intermediate Risk

 Mechanical Handling

 Minimal Risk

CANADIAN HIGH QUALITY HIGH VIZ RIGGER GLOVE

- Grey split leather B-Flex Hi Vis rigger glove.
- Saturn yellow polyester backing and safety cuff.
- Retro reflective tape to knuckle strip.
- Generous hand size.
- Fleece lining for warmth and comfort.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
CANCHQP

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:

 White
CANCHQPN

 Cat 2 - Intermediate Risk

 Mechanical Handling

CANADIAN HIGH QUALITY RED RIGGER GLOVE

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Heavyweight cotton backing and safety cuff.
- Vein patch.
- Good fitting large size with fleecy lined palm and thumb-face for added comfort.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level A - ISO 13997 Cut Resistance





BEESWIFT
ONLINE

Product Code:
CANCSP

Available in Sizes:
10

Unit of Measure:
Each

Available in Colours:

White
CANCSP

Cat 2 - Intermediate Risk

Mechanical Handling

CANADIAN HIGH QUALITY RIGGER GLOVE

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Safety cuff fabric
- Superior performance and durability.
- Generously sized.
- Comfortable fleece lined palm and thumb-face.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



CANADIAN DOUBLE PALM HIGH QUALITY RIGGER GLOVE

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance
- Heavy duty double palm rigger style glove.
- Generous hand size.
- Robust yet supple.
- Part fleece lined.
- Cotton drill back.
- Knuckle strap.
- Pasted cuff with vein patch.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
CANDPP

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:

White
CANDPPN

Cat 2 - Intermediate Risk

Mechanical Handling

Minimal Risk



BEESWIFT
ONLINE

Product Code:
CANYHSP

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:

 Yellow
CANYHSPN

 Cat 2 - Intermediate Risk

 Mechanical Handling

 Minimal Risk

CANADIAN YELLOW HIDE RIGGER GLOVE

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Canadian pattern yellow grain leather glove.
- Cotton drill back and pasted safety cuff.
- Large hand size with fleece lining.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



MICRO FIBRE SLIPPER

- Dual Density PU
- Microfibre upper
- Removable belt
- 200 Joule steel toe cap
- Shock absorber heel
- Slip resistant
- Machine washable 40°C
- Anti-Bacterial lining and insole
- Conforms to EN ISO 20345: 2011 SB A E SRC



BEESWIFT
ONLINE

Product Code:
CF842


Available in Sizes:
03 - 12

Unit of Measure:
Each

Available in Colours:

 White
CF842

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Machine Washable 40°C

 Shock Absorber Heel

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SB A E SRC





BEESWIFT
ONLINE


Product Code:
CF843


Available in Sizes:
03 - 12


Unit of Measure:
Each

Available in Colours:

 Black
CF843

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Machine Washable 40°C

 Shock Absorber Heel

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SB A E SRC

MICRO FIBRE SLIPPER

- Dual Density PU
- Microfibre upper
- Removable belt
- 200 Joule steel toe cap
- Shock absorber heel
- Slip resistant
- Machine washable 40°C
- Anti-Bacterial lining and insole
- Conforms to EN ISO 20345: 2011 SB A E SRC



B-COOL POLO SHIRT

- 150gsm Polyester
- Wicking treatment
- Moisture absorbing
- Anti-Perspiring



BEESWIFT
ONLINE


Product Code:
BCPKS

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:

 Navy Blue
BCPKSN

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE


Product Code:
CLPKS

Available in Sizes:
XS - 5XL

Unit of Measure:
Each

Available in Colours:

-  Black
CLPKSBL
-  Bottle Green
CLPKSBG
-  Burgundy
CLPKSBU
-  Grey
CLPKSGY
-  Navy Blue
CLPKSN
-  Red
CLPKSRE
-  Royal Blue
CLPKSR
-  White
CLPKSW

 Cat 1 - Minimal Risk

CLICK POLO SHIRT

- 200gms 65/35% polycotton
- 3 Buttons
- Cuffed sleeves
- Side vents
- Drop needle collar



 **BEESWIFT**

CLICK PREMIUM PK SHIRT

- 50% Cotton, 50% Polyester
- 260gsm heavy knit pique Polo Shirt
- High natural cotton content for wearer comfort
- 3 matching button placket
- Cuffed Sleeves
- Taped Neck



 **BEESWIFT**





BEESWIFT
ONLINE


Product Code:
CPPKS

Available in Sizes:
S -4XL

Unit of Measure:
Each

Available in Colours:

-  Black
CPPKSBL
-  Navy Blue
CPPKSN
-  Royal Blue
CPPKSR

 Cat 1 - Minimal Risk



BEESWIFT
ONLINE

Product Code:
IW027

Unit of Measure:
Each

Available in Colours:



Royal Blue
IW027

Initial Polo Shirt

- 200gms 65/35% polycotton
- 3 Buttons
- Cuffed sleeves
- Side vents.



Initial

CLICK 4 D-RING BOOT

- 4 D-Ring Chukka Boot
- Dual density PU
- 200 Joule steel toe cap
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC



BEESWIFT
ONLINE

Product Code:
CDDCBL

Available in Sizes:
4 - 12

Unit of Measure:
Each

Available in Colours:



Black
CDDCBL

- Anti Slip Sole
- Anti Static Sole
- Cat 2 - Intermediate Risk
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- 200 Joule Steel Toecap
- Conforms to EN ISO 20345 S1 SRC



BEESWIFT
ONLINE

Product Code:
CDDCMS

Available in Sizes:
4 - 12

Unit of Measure:
Each

Available in Colours:

Black
CDDCMSBL

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Conforms to EN ISO 20345
S1P SRC

CLICK 4 D-RING MIDSOLE BOOT

- 4 D-ring boot
- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE

Product Code:
CDDSCCMS

Available in Sizes:
4 - 13

Unit of Measure:
Each

Available in Colours:

Black
CDDSCCMSBL

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Conforms to EN ISO 20345
S1P SRC

CLICK 4 D-RING BOOT WITH SCUFF CAP

- 4 'D' Ring Boot with Scuff Cap
- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Scuff cap
- Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT
ONLINE










Product Code:
CDDTBBL

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

 Black
CDDTBBL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1P SRC

CLICK TRAINER BOOT

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE










Product Code:
CF11BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CF11BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S3 SRC

CLICK DUAL DENSITY SITE BOOT S3

- 4 'D' Ring Boot with scuff cap
- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Water resistant upper
- Anti-static
- Oil resistant sole
- Slip resistant
- Conforms to EN ISO 20345:2011 S3 SRC





BEESWIFT
ONLINE








Product Code:
CF14

Available in Sizes:
35/02 - 41/07

Unit of Measure:
Each

Available in Colours:

 Black
CF14BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap

LADIES CHUKKA BOOT

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



CLICK D/D DEALER BOOT

- Black dealer boot
- Dual density PU
- 200 Joule steel toe cap
- Shock absorber heel
- Steel Midsole protection
- Anti-static
- Oil resistant sole
- Slip resistant
- Smooth leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE










Product Code:
CF16BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CF16

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  S1P SRC
- Conforms to EN ISO 20345 S1P SRC





BEESWIFT
ONLINE

Product Code:
CF2

Available in Sizes:
6 - 13


Unit of Measure:
Each

Available in Colours:


 Black
CF2BL

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 S1P SRC
Conforms to EN ISO 20345
S1P SRC

CLICK SMOOTH LEATHER 6 INCH BOOT

- Smooth leather 6 inch boot
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- TPU heel support
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE

Product Code:
CF35

Available in Sizes:
03-13

Unit of Measure:
Each


Available in Colours:


 Black/Blue
CF35B

 Black/Orange
CF35


 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Composite Midsole

 200 Joule Composite Toe
Cap

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 S3 SRC
Conforms to EN ISO 20345
S3 SRC

HIKER S3 COMPOSITE

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable orange mesh lining
- Comfortable, shock absorbing insole
- Composite Toe
- Composite midsole
- Water resistant
- Very lightweight
- Conforms to EN ISO 20345:2011
- S3 SRC





BEESWIFT
ONLINE










Product Code:
CF4

Available in Sizes:
6 - 13

Unit of Measure:
Each

Available in Colours:

Black
CF4BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1P SRC

CLICK LEATHER MID CUT MIDSOLE BOOT

- Black smooth leather mid cut boot
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms To EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE











Product Code:
CF50BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:

Black
CF50BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Water Resistant
-  Conforms to EN ISO 20345
S3 SRC

NON METALLIC CHUKKA BOOT

- Dual density PU
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant
- Slip resistant
- Water resistant leather upper
- Conforms to ENISO 20345:2011 S3 SRC





BEESWIFT
ONLINE











Product Code:
CF55BL

Available in Sizes:
04-12

Unit of Measure:
Each

Available in Colours:

 Black
CF55BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  Conforms to EN ISO 20345
S3 SRC

D/D CHUKKA S3

4 D-ring boot
 Dual Density PU
 200 Joule steel toe cap
 Steel midsole protection
 Shock absorber heel
 Anti-static
 Oil resistant sole
 Water resistant leather upper with grey stitching
 Contrast grey mesh lining
 Conforms to EN ISO 20345:2011 S3 SRC



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
CF56

Available in Sizes:
03-13

Unit of Measure:
Each

Available in Colours:

 Black
CF56BL

STEEL TOE CAP ANKLE BOOT

- Black Action Waxy Leather upper
- Dual Density PU black/grey Sole
- 200 Joule Steel Toe Cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Water repellent upper
- Slip resistant

EN ISO 20345:2011 S3 SRC



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CF5BL

Available in Sizes:
6 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CF5BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Heat Resistant Sole 300c
-  Leather Upper
-  Metatarsal Impact Protection
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant

CLICK METATARSAL BOOT S3

- 4 'D' Ring Boot.
- PU/Rubber
- 200 Joule steel toe cap
- Metatarsal impact protection
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 M SRC



6 EYELET PUR BOOT S3

- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Conforms to EN ISO 20345:2011 S3 SRC HRO



BEESWIFT
ONLINE











Product Code:
CF60

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CF60BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Heat Resistant Sole 300c
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant





BEESWIFT
ONLINE

Product Code:
CF62

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:

- Black
CF62BL
- Anti Slip Sole
- Anti Static Sole
- Breathable Upper
- Heat Resistant Sole 300c
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- Steel Midsole
- 200 Joule Steel Toecap
- Water Resistant
- Conforms to EN ISO 20345
S3 SRC HRO

PU RUBBER S3 BOOT

- PU/RUBBER
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Full grain water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC HRO



NON METALLIC S3 PUR BOOT

- PU/RUBBER
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Conforms to EN ISO 20345:2011 S3 SRC HRO



BEESWIFT
ONLINE

Product Code:
CF65BL

Available in Sizes:
3 - 13

Unit of Measure:
Each

Available in Colours:

- Black
CF65BL
- Anti Slip Sole
- Anti Static Sole
- Cat 2 - Intermediate Risk
- Composite Midsole
- 200 Joule Composite Toe Cap
- Heat Resistant Sole 300c
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- Water Resistant



BEESWIFT
ONLINE

Product Code:
CF66

Available in Sizes:
03 - 13

Unit of Measure:
Pair

Available in Colours:

 Black
CF66BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Heat Resistant Sole
-  Heat Resistant Sole 300c
-  Leather Upper
-  Metatarsal Impact Protection
-  Shock Absorber Heel
-  Water Resistant

CLICK TRADERS TRENCHER BOOT

Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot. Extreme impact protection

- PU/RUBBER
- Non metallic
- 200 Joule composite toe cap
- Composite Reinforced midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Heat resistant sole unit to 300°C
- Slip resistant
- Water resistant leather upper
- Waterproof membrane lining
- Breathable Thinsulate membrane lining
- Full length foam fabric footbed for excellent comfort
- Conforms to EN ISO 20345:2011 S3 WR M SRC HRO



CLICK TRENCHER PLUS SIDE ZIP BOOT

Internal metatarsal boot made with poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot. Extreme impact protection.

- Black full grain water resistant leather upper
- YKK H/Duty side zip for easy on/off action
- Padded collar
- Waterproof membrane lining
- Breathable thinsulate insulated mesh lining
- Full length foam fabric foot bed for excellent comfort
- Poron XRD internal M-Guard metatarsal impact protection
- Heel support
- Ankle protection
- TPU protective scuff cap
- Polyurethane/rubber injected sole
- Heat resistant outsole to 300 degrees Celsius HRO
- Anti-static
- ESD
- Non Metallic
- 200 Joule composite toe cap
- Reinforced midsole
- Shock absorber heel
- SRC slip resistance
- Winter grip compound within the outsole for enhanced slip resistance
- Conforms to EN 20345:2011 S3 M HRO WR SRC



BEESWIFT
ONLINE











Product Code:
CF67BL

Available in Sizes:
03-14

Unit of Measure:
Pair

Available in Colours:

 Black
CF67BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Heat Resistant Sole 300c
-  Leather Upper
-  Metatarsal Impact Protection
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel



BEESWIFT
ONLINE

Product Code:
CF68

Available in Sizes:
06-12

Unit of Measure:
Pair

Available in Colours:

Nubuck
CF68NB

- Anti Slip Sole
- Anti Static Sole
- Cat 2 - Intermediate Risk
- Composite Midsole
- 200 Joule Composite Toe Cap
- Heat Resistant Sole
- Heat Resistant Sole 300c
- Leather Upper
- Metatarsal Impact Protection
- Shock Absorber Heel
- Water Resistant

CLICK WATERPROOF SIDE ZIP BOOT

Lightweight S3 composite side zip boot with Poron XRD extreme impact metatarsal protection
Poron XRD technology is designed for comfort and to carry out the same tasks as a normal less flexible external metatarsal boot

- Nubuck top grain leather upper
- YKK heavy duty side zip for easy on/off action
- Breathable thinsulate CI cold insulating mesh lining
- Waterproof membrane lining
- Quality comfortable PU insole
- Poron XRD internal M-Guard
- EVA/Rubber cemented HRO heat resistant outsole
- Anti-static
- 200 joule composite toe cap
- Kevlar midsole
- Shock absorber heel
- TPU protective scuff cap
- SRC rated slip resistance
- Conforms to EN 20345:2011 S3 WR M CI HRO SRC



BEESWIFT

MICRO-FIBRE BOOT S2

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CF85

Available in Sizes:
03 - 12

Unit of Measure:
Each

Available in Colours:

White
CF852

- Anti Slip Sole
- Anti Static Sole
- Cat 2 - Intermediate Risk
- Machine Washable 40°C
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- 200 Joule Steel Toecap
- Water Resistant
- Conforms to EN ISO 20345 S2 SRC




BEESWIFT
ONLINE

Product Code:
CF9M

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CF9MBL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  Leather Upper
-  Metatarsal Impact Protection
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  200 Joule Steel Toecap
-  Water Resistant
-  Metatarsal protection: 100J impact energy

INTERNAL METATARSAL BOOT

Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

- Dual Density PU
- 200 Joule steel toe cap
- Composite midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 M SRC



 **BEESWIFT**

CLICK TRADERS S3 6 INCH BOOT

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC



 **BEESWIFT**




BEESWIFT
ONLINE










Product Code:
CTF20

Available in Sizes:
6 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CTF20BL

-  Anti Slip Sole
-  Anti Static Sole
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  Conforms to EN ISO 20345 S3 SRC
-  Cat 2 - Intermediate Risk



BEESWIFT
ONLINE


Product Code:
CTF24


Available in Sizes:
6 - 13

Unit of Measure:
Each

Available in Colours:


 Black
CTF24BL

 3M Thinsulate Lined

 Anti Slip Sole

 Anti Static Sole

 Breathable Upper

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Water Resistant

CLICK TRADERS S3 THINSULATE BOOT

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC



CLICK TRADERS S3 THINSULATE BOOT

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Conforms to EN ISO 20345:2011 S3 WR SRC



BEESWIFT
ONLINE

Product Code:
CTF25


Available in Sizes:
06 - 13

Unit of Measure:
Each


Available in Colours:

 Nubuck
CTF25NB

 3M Thinsulate Lined

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Water Resistant



BEESWIFT
ONLINE

Product Code:
CTF30


Available in Sizes:
6 - 12

Unit of Measure:
Each


Available in Colours:

 Black
CTF30BL


 Anti Slip Sole

 Anti Static Sole

 Breathable Upper

 Cat 2 - Intermediate Risk

 Leather Upper


 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Water Resistant

 Conforms to EN ISO 20345
S3 SRC

CLICK S3 HIKER BOOT

- Dual density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC



BEESWIFT
ONLINE

Product Code:
CTF32

Available in Sizes:
06 - 11


Unit of Measure:
Each

Available in Colours:

 Black
CTF32BL

 Nubuck
CTF33NB

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SBP GRA

CLICK SBP CHUKKA BOOT

- Dual density Eva/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Slip resistant
- Conforms to EN ISO 20345:20011 SBP SRA





BEESWIFT
ONLINE

Product Code:
CTF42

Available in Sizes:
5 - 13

Unit of Measure:
Each

Available in Colours:

-  Brown
CTF42BR
-  Anti Slip Sole
-  Anti Static Sole
-  Heat Resistant Sole 300c
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  Conforms to EN ISO 20345
S3 SRC
-  Cat 2 - Intermediate Risk

CLICK S3 PUR DEALER BOOT

- Brown dealer boot.
- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC HRO



CLICK GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welting
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC













BEESWIFT
ONLINE

Product Code:
GWB

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

-  Brown
GWBBR
-  Nubuck
GWBNB
-  Anti Slip Sole
-  Cat 2 - Intermediate Risk
-  Heat Resistant Sole 300c
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
SBP SRC





BEESWIFT
ONLINE

Product Code:
GWBMSBL


Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:


 Black
GWBMSBL

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Heat Resistant Sole 300c

 Leather Upper

 Fuel Oil Resistant Sole

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SBP SRC

CLICK GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welled
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC



BEESWIFT
ONLINE

Product Code:
GWBMSBL


Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

 Black
GWBMSBL

 Anti Slip Sole


 Cat 2 - Intermediate Risk

 Heat Resistant Sole 300c

 Leather Upper

 Fuel Oil Resistant Sole

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SBP SRC

GOODYEAR WELT BOOT WITH SCUFF CAP

- 200 Joule steel toe cap
- Steel midsole protection
- Robust TPU scuff cap and heel kick off
- Heat resistant to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC





BEESWIFT
ONLINE

Product Code:
SB

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

- Black
SBBL
- Brown
SBBR

- Anti Slip Sole
- Anti Static Sole
- Heat Resistant Sole 300c
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- Steel Midsole
- 200 Joule Steel Toecap
- Water Resistant
- Conforms to EN ISO 20345
S3 SRC HRO

SHERPA DUAL DENSITY 6 INCH BOOT

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2012 S3 SRC HRO



BEESWIFT
ONLINE

Product Code:
SCB

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

- Black
SCBBL

- Anti Slip Sole
- Anti Static Sole
- Heat Resistant Sole 300c
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- Steel Midsole
- 200 Joule Steel Toecap
- Water Resistant
- Conforms to EN ISO 20345
S3 SRC HRO

SHERPA DUAL DENSITY PU/RUBBER MID CUT BOOT

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2012 S3 SRC HRO





BEESWIFT
ONLINE


Product Code:
SDB

Available in Sizes:
06 - 12

Unit of Measure:
Each

Available in Colours:


 Brown
SDB

 Anti Slip Sole

 Anti Static Sole

 Heat Resistant Sole 300c

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Water Resistant

 Conforms to EN ISO 20345
S3 SRC HRO

SHERPA DEALER BOOT

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to ENISO 20345:2012 S3 SRC HRO



BEESWIFT
ONLINE

Product Code:
TB

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

 Black
TBBL


 Brown
TBBR

 Anti Slip Sole

 Anti Static Sole

 Breathable Upper

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Water Resistant

CLICK TRADERS TRAXION BOOT

Traxion Xtra Grip Boot has been designed to ensure maximum safety and protection: this shoe is aggressive and sturdy on the ground, but lightweight and comfortable on the foot.

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 SRC





BEESWIFT
O N L I N E

Product Code:
IFPCTAB

Unit of Measure:
Each

Available in Colours:

 Navy Blue
IFPCTABN

TABBARD NAVY LARGE C/W INITIAL EMBROIDERY

- Poly cotton tabard
- Front pouch pocket
- Tab side fastening



Tabbard

- 65% polyester, 35% cotton
- Front pouch pocket
- Tab side fastening



BEESWIFT
O N L I N E

Product Code:
PCTAB

Available in Sizes:
S - XXXL


Unit of Measure:
Each

Available in Colours:

 Black
PCTABBL

 Navy Blue
PCTABN

 Royal Blue
PCTABR

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
CCFBT


Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:


 Navy Blue
CCFBTN

 Garment has 3M Thinsulate Lining

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garment has a Heavy-Duty Zip Fastening

 Garment has Knee Pad Pockets

COLDSTAR FREEZER BIB TROUSERS

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- Knee pad pouch pockets
- 3 Patch pockets
- Heavy duty zip front.
- Zip & stud legs for ease of fitting
- 2" Reflective leg bands
- Conforms to EN342.



 **BEESWIFT**

COLDSTAR FREEZER COVERALL

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- Knee pad pouch pockets
- 3 patch pockets
- Heavy duty zip & fly front
- 2" Reflective body band
- 2" Reflective leg bands
- Conforms to EN342



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CCFC


Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:


 Navy Blue
CCFCN

 Garment has 3M Thinsulate Lining

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garment has a Heavy-Duty Zip Fastening

 Garment has Knee Pad Pockets





BEESWIFT
ONLINE


Product Code:
CCFH

Unit of Measure:
Each

Available in Colours:

 Navy Blue

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garment Conforms to EN342

COLDSTAR FREEZER HOOD

- Hood with drawcord
- Stud fastening to coverall, jacket or long coat
- Conforms to EN342



BEESWIFT
ONLINE

Product Code:
CCFJ


Available in Sizes:
S - XXXL


Unit of Measure:
Each

Available in Colours:


 Navy Blue
CCFJN

 Garment has 3M Thinsulate Lining

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garment Conforms to EN342

 Garment has a Heavy-Duty Zip Fastening

COLDSTAR FREEZER JACKET

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- 3 patch pockets
- Heavy duty zip & fly front.
- Hook and loop throat tab collar closure
- Zipped Sleeve pocket
- 2" Reflective body band.
- Conforms to EN342






BEESWIFT
ONLINE

Product Code:
ZLFA30

Unit of Measure:
Each

Available in Colours:

 White
ZLFA30

LOOSE FIBRE ABSORBENT 30 LTR

- Conforms to British Standard 476 Part 7 Class 2, 1987 (Modified Version)
- Highly absorbent, fire retardant compound
- Non toxic
- Environmentally friendly
- Cost effective against granule type absorbents



B-BRAND Y TYPE CHIN STRAP

- 4 point Chinstrap
- Easy to Connect to helmet
- Chin Cup
- Fits BBSHRP Helmet




BEESWIFT
ONLINE

Product Code:
BBSHYCSN

Unit of Measure:
Bx 10

Available in Colours:

 Black
BBSHYCSN

 Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
COT

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

- Black
COTBLK
- Navy Blue
COTN

CLIP ON TIE

Navy clip on tie. Ideal for use in the public and security sector.



BEESWIFT
O N L I N E

Product Code:
RT50H

Unit of Measure:
100Mtr

Available in Colours:

- Grey
RT50H

REFLECTIVE TAPE 50MM X 100MTR HEAT APPLY






BEESWIFT
O N L I N E

Product Code:
ZZMSP

Unit of Measure:
Bx 10

Available in Colours:

 Black
ZZMSP

MICROFIBRE SPECTACLE POUCH

Black microfibre bag for storing all types of spectacles.



CLICK ACTION WORK TROUSERS

- Poly Cotton.
- Zip fly.
- 7 zipped, multi-sized pockets
- Double seat and knee patches.
- Available in regular, short (S) and tall fit (T)



BEESWIFT
O N L I N E

Product Code:
AWT

Available in Sizes:
30" - 48" Small, Regular &
Tall Leg Available


Unit of Measure:
Each

Available in Colours:

 Black
AWTBL

 Grey
AWTGY

 Navy Blue
AWTN

 Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
CCCT

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

-  Black
CCCTBL
-  Black/White
CCCTBLW

CHEFS TROUSERS

- 65% Polyester 35% Cotton
- Elasticated waist with drawcord



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
CCCTSC

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

-  Navy / White
CCCTSCNW

CHEFS TROUSERS SMALL CHECK

- 65% Polyester 35% Cotton
- Elasticated waist with drawcord



BEESWIFT



BEESWIFT
ONLINE


Product Code:
CPMPT


Available in Sizes:
30" - 46" (Available in Tall
leg)

Unit of Measure:
Each

Available in Colours:

-  Black
CPMPTBL
-  Navy Blue
CPMPTN

 Cat 1 - Minimal Risk

 Garment has Knee Pad
Pockets

CLICK PREMIUM MULTI PURPOSE TROUSERS

- Rugged heavyweight polyester cotton fabric
- Multi-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
- Hard wearing 'Duratex' kneepad pockets and hip linings
- All main seams are triple stitched for maximum strength
- Available in Regular and Tall fit (T)
- Also available in Navy Reg & Tall fit



CLICK TRADERS NEWARK TROUSERS

- 320gsm 65% Polyester / 35% Cotton
- Cargo trousers with triple stitched seams
- 2 Side pockets and ticket pocket
- Metal zip fly
- Reinforced back pockets with flaps and velco fastening
- 2 Large thigh pockets with flaps and special pockets
- Internal knee pad pockets
- Can be used in conjunction with B-Brand folding knee pads (sold seperatley)





BEESWIFT
ONLINE

Product Code:
CTRANT

Available in Sizes:
30" - 48"

Unit of Measure:
Each

Available in Colours:

-  Black
CTRANTBL
-  Navy Blue
CTRANTN

 Cat 1 - Minimal Risk

 Garment has Knee Pad
Pockets





BEESWIFT
ONLINE

Product Code:
FLJBCGY

Available in Sizes:
S - 3XL

Unit of Measure:
Each

Available in Colours:

 Grey
FLJBCGY

 Cat 1 - Minimal Risk

GREY FLEECE JOGGING BOTTOM

- Fleece jogging bottom
- 50% polyester 50% cotton fleece to inside - 320gsm
- Elasticated waist and ankles
- 2 side hip pockets with zip fastening
- 1 rear pocket and 1 tool pocket
- Knee pad pocket



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
KMPT


Available in Sizes:
28 - 48 (Tall options
available)


Unit of Measure:
Each

Available in Colours:

 Black
KMPTBL

 Cat 1 - Minimal Risk

 Garment has Knee Pad
Pockets

 Garment has a mobile
phone pocket

KINGTON MULTI PURPOSE POCKET TROUSERS

- 98% cotton / 2% Lycra stretch fabric
- YKK Zip fastening with metal button waistband attachment
- 7 belt loops
- Triple stitching to main seams
- 2 front hip pockets
- 2 detachable tool (nail) pouches
- 1 multi cargo pocket to thigh, hook and loop fastening, including mobile phone pocket
- 2 rear patch pockets with hook and loop fastening
- Cordura knee pad pockets
- 1 Cordura rule pockets
- Cordura heel reinforcement



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
LPCTHW

Available in Sizes:
24 - 48

Unit of Measure:
Each

Available in Colours:

 Navy Blue
LPCTHWN

 Cat 1 - Minimal Risk

Ladies Polycotton Trousers

- Poly Cotton
- Zip fly with hook/bar and button fastening
- Belt loops
- Part elastic waist band
- 2 swing hip pockets
- 2 cargo pockets
- 1 rear pockets with hook and loop flap
- Internal knee pad pockets



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
PCCT

Available in Sizes:
30" - 50"

Unit of Measure:
Each

Available in Colours:

 Black
PCCTBL

 Navy Blue
PCCTN

 Olive Green
PCCTO

Combat Trousers

- Poly Cotton
- Zip fly and belt loops
- Adjustable clips
- 2 front pockets with button flap
- 2 lower pleated pockets with button flap
- 2 rear pockets with button flap
- Drawcord ankles



 **BEESWIFT**



BEESWIFT
ONLINE


Product Code:
PCNT27

Available in Sizes:
30" - 48" (Tall Leg
Available)

Unit of Measure:
Each

Available in Colours:

 Navy Blue
PCNT27N

 Cat 1 - Minimal Risk

Poly Cotton Nylon Patch Trousers

- 250gsm 65/35 Polyester cotton trouser
- 7 Belt loops
- Sewn front seams
- Heavy duty outer leg reinforcement fabric from thigh to bottom leg
- 2 hip pockets
- Available in regular and tall fit (T)
- 100% Polyester cordura patch

THESE GARMENTS ARE NOT HI VISIBILITY
They meet no recognised standards.



BEESWIFT
ONLINE

Product Code:
PCTHW

Available in Sizes:
30" - 52" (Small & Tall Leg
Available)

Unit of Measure:
Each

Available in Colours:


 Black
PCTHWBL

 Bottle Green
PCTHWBG

 Navy Blue
PCTHWN

 Royal Blue
PCTHWR

 Cat 1 - Minimal Risk

 Garment has Knee Pad
Pockets

Super Click Drivers Trousers

- 235gsm Poly Cotton
- Zip fly with hook/bar and button fastening
- Belt loops
- 2 Swing hip pockets
- 2 Cargo pockets
- 2 Rear pockets with stud flap
- Sewn in crease
- Knee pad pockets
- Available in tall fit (T) and short (S)





BEESWIFT
FOCUSED ON SAFETY

Product Code:
SFT

Available in Sizes:
28-52

Unit of Measure:
Each

Available in Colours:

-  Black/Grey
SFTBLGY
-  Grey / Black
SFTGYBL

 4 Way Stretchable Fabric

 CE Marked CAT 1

 UK CA Marked CAT 1

FLEX WORKWEAR TROUSER TWO-TONE

- 89% Nylon with 11% Spandex outer fabric
- 225gsm Fabric weight
- Medium weight trouser
- Four way stretch fabric
- Flex stretch fabric allows for a comfortable and functional fit
- Cordura on heel for harder wearing
- Cordura fabric to knees
- Knee pad pouch pockets
- YKK heavy duty zip
- Heavy duty button fastener
- Half elasticated waist for added comfort
- Five loop belt waistband
- D ring for security or ID tag
- Hi viz accents and bartacks for added styling
- Tapered leg for comfort and styling
- Two angled hip pockets
- Multipurpose pocket to right thigh
- Stationary pocket to left thigh
- Two rear pockets
- Available in regular, short and tall leg fit



FLEX



BEESWIFT
ONLINE


Product Code:
SMPT


Available in Sizes:
30" - 50" (Available in Tall leg)

Unit of Measure:
Each

Available in Colours:

-  Black
SMPTBL
-  Navy Blue
SMPTN

 Cat 1 - Minimal Risk

 Garment has Knee Pad Pockets

SHAWBURY MULTI PURPOSE TROUSER

- 250gsm Polycotton twill fabric
- Multi pocket design with tool pouches
- Tuck away holster pockets
- 1 rear pocket with hook and loop flap
- Hammer loop
- External knee pad pouches
- Reinforced knees
- Side elastic on waist for comfort and ease of fitting
- 30cm gusset at ankles with zip closure
- Available in regular and tall fit (T)



BEESWIFT



BEESWIFT
ONLINE

Product Code:
BPKEXECLSOR

Available in Sizes:
S-6XL

Unit of Measure:
Each

Available in Colours:

 Orange
BPKEXECLSOR

 Cat 2 - Intermediate Risk

HIVIZ EXECUTIVE LONG SLEEVE POLO

- 100% polyester "Bird Eye" fabric.
- 3 Button placket.
- Grey trim to collar and cuffs.
- Mesh underarms.
- Retro-reflective Dynamic stripe tape
- UV Protection
- SCOTCHGARD Moisture Management
- Anti-Bacterial
- Insect Repellent
- Conforms to EN ISO20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.
- Conforms to EN 13758-2 (40+ UV Protection)



BEESWIFT
ONLINE

Product Code:
BPKSEN

Available in Sizes:
XS - 5L

Unit of Measure:
Each

Available in Colours:

 Orange
BPKSENOR

 Red
BPKSENRE

 Saturn Yellow
BPKSENSY

 Cat 2 - Intermediate Risk

POLO SHIRT SHORT SLEEVED

- 100% polyester "Bird Eye" fabric.
- 3 Button placket.
- Grey trim to collar and cuffs.
- Retro-Reflective tape.
- Short Sleeve
- Conforms to EN ISO20471 Class 2 high visibility





BEESWIFT
ONLINE

Product Code:
BPKLSLEN

Available in Sizes:
S - 8XL

Unit of Measure:
Each

Available in Colours:

 Orange
BPKLSLENOR

 Red
BPKLSLENRE

 Saturn Yellow
BPKLSLENSY

 Cat 2 - Intermediate Risk

POLO SHIRT LONG SLEEVED

- 100% polyester "Bird Eye" fabric.
 - 3 Button placket.
 - Grey trim to collar and cuffs.
 - Retro-Reflective tape.
 - Long Sleeved.
- Conforms to EN ISO20471 Class 3 high visibility



BEESWIFT
ONLINE


Product Code:
HVTT010

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

 Orange / Black
HVTT010ORB

 Saturn Yellow / Navy
HVTT010SYN

HIVIS TWO TONE POLO SHIRT SHORT SLEEVE

- 100% polyester "Bird Eye" fabric.
- 3 Button placket.
- Retro-Reflective tape.
- Certification Code: BPKTTSS
- Conforms to EN ISO20471 Class 2 high visibility
- RIS-3279-TOM - Railway use certified.

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment





BEESWIFT
ONLINE

Product Code:
HVTT015

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT015ORB
-  Saturn Yellow / Navy
HVTT015SYN

HIVIS TWO TONE POLO SHIRT LONG SLEEVE

- 100% polyester "Bird Eye" fabric.
- 3 Button placket.
- Retro-Reflective tape.
- Certification Code: BPKTTLS
- Conforms to EN ISO20471 Class 3 high visibility
- RIS-3279-TOM - Railway use certified.

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment



BEESWIFT

LADIES HIVIZ S/S POLO



BEESWIFT
ONLINE

Product Code:
LPK20

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

-  Saturn Yellow
LPK20SY

 Cat 2 - Intermediate Risk



BEESWIFT



BEESWIFT
O N L I N E


Product Code:
LPK22

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
LPK22SY

 Cat 2 - Intermediate Risk

LADIES HIVIZ L/S POLO



 **BEESWIFT**




BEESWIFT
O N L I N E

Product Code:
LPK26

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

 Orange
LPK26OR

 Cat 2 - Intermediate Risk

LADIES HIVIZ S/S POLO



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
LPK28

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:

 Orange
LPK28OR

 Cat 2 - Intermediate Risk

LADIES HIVIZ L/S POLO



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
BBBEPOD

Unit of Measure:
Each


Available in Colours:

 Yellow
BBBEPOD

 Cat 2 - Intermediate Risk

SPARE PODS PACK FOR BANDED EAR PLUG (BBBEP)

- Pack of replacement Ear Pods for use with the Beeswift Banded Ear Plug Chassis (BBBEP).
- Extremely Light.
- Comfortable to wear.
- Soft absorbent foam caps.
- Bag of 10 pairs of spare pods.
- Conforms to EN352-2:2002
- SNR 21dB, H=24, M=16, L=14



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BBED

Unit of Measure:
Each

Available in Colours:



Red



Cat 3 - High Risk

ECONOMY EAR DEFENDERS

- Economy Ear Defender
- Lightweight robust design
- Adjustable headband
- Conforms to EN352-1:2002
- SNR 27.6dB, H=29.2, M=25.4, L=17.9



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BBFED

Unit of Measure:
Each

Available in Colours:



Yellow



Cat 3 - High Risk

FOLDING EAR DEFENDER

- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups
- Conforms to EN352-1:2002
- SNR 30.4dB, H=33.0, M=27.8, L=21.3



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
BBSED

Unit of Measure:
Each

Available in Colours:

 Blue
BBSED

 Cat 2 - Intermediate Risk

SUPERIOR EAR DEFENDERS

- Superior Ear Defender
- Padded adjustable headband
- Conforms to EN352-1:2002
- SNR 27.6dB, H=30.4, M=24.9, L=17.7



 **BEESWIFT**

BALACLAVA

- Acrylic material
- Offers good insulation
- Ideal for winter use.
- Available in a 3M Lines Thinsulate version (THBBL)



BEESWIFT
ONLINE

Product Code:
B

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:

 Black
B

 Cat 1 - Minimal Risk

 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
CCCSC

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:

- Black
CCCSCBL
- Black/White
CCCSCBLW
- White
CCCSCW

CHEFS SKULL CAP

- 100% Cotton
- Comfortable fit



BEESWIFT

CHEF'S TALL HAT

- 100% Cotton
- Traditional Floret design
- Comfortable fit



BEESWIFT
O N L I N E

Product Code:
CCCTH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

- White
CCCTHW



BEESWIFT



BEESWIFT
ONLINE

Product Code:
THB

Unit of Measure:
Each

Available in Colours:

 Black
THBBL

 Garment has 3M
Thinsulate Lining
 Cat 1 - Minimal Risk

THINSULATE BALACLAVA

- Acrylic material
- Offers good insulation
- Ideal for winter use
- 3M Lined Thinsulate



 **BEESWIFT**

THINSULATE HAT

- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Ideal for winter use
- Made from 3M Thinsulate
- Available as a non Thinsulate version (WHBL)




BEESWIFT
ONLINE

Product Code:
THH

Unit of Measure:
Each

Available in Colours:

 Black
THHBL

 Navy Blue
THHN

 Garment has 3M
Thinsulate Lining
 Cat 1 - Minimal Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
TW

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:

 White

 Cat 1 - Minimal Risk

TRILBY HAT

- Disposable white Trilby hat
- Smart lightweight nylon mesh
 - Offers good head coverage
 - Good for achieving hygiene standards
 - Washable
 - Large - 59cm



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
WHBL

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:

 Black
WHBL

 Cat 1 - Minimal Risk

WATCH BEENIE HAT

- Microfibre technology traps air to keep the wearer warm
- Effective when wet and dries quickly
- Ideal for winter use



 **BEESWIFT**




BEESWIFT
O N L I N E

Product Code:
WHOR

Unit of Measure:
Each

Available in Colours:

 Orange
WHOR

 Cat 1 - Minimal Risk

WINTER HAT

- 100% soft touch acrylic.
- Double layer knit.
- Cuffed design for optimal decoration



BEESWIFT
O N L I N E

Product Code:
CDDSMS


Available in Sizes:
03 - 13


Unit of Measure:
Each

Available in Colours:

 Black
CDDSMS

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 S1P SRC
Conforms to EN ISO 20345
S1P SRC

ECONOMY SHOE S1P

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT
ONLINE

Product Code:
CDDSTS

Available in Sizes:
6 - 12

Unit of Measure:
Each

Available in Colours:

 Black

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1 SRC

CLICK SMOOTH LEATHER TIE SHOE

- Dual Density PU
- 200 Joule steel toe cap
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



TRAINER SHOE

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC




BEESWIFT
ONLINE










Product Code:
CDDTB

Available in Sizes:
3 - 13

Unit of Measure:
Each

Available in Colours:

 Black
CDDTB

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1P SRC



BEESWIFT
ONLINE

Product Code:
CF12

Available in Sizes:
(35)02 - (41)07

Unit of Measure:
Each

Available in Colours:

 Black
CF12BL


 Anti Slip Sole

 Anti Static Sole


 Leather Upper

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
S1P SRC

 Cat 2 - Intermediate Risk

LADIES SLIP ON SHOE

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
ONLINE

Product Code:
CF13

Available in Sizes:
35/02 - 41/07


Unit of Measure:
Each

Available in Colours:

 Black
CF13BL

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Leather Upper

 Shock Absorber Heel

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
S1P SRC

LADIES TIE SHOE

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT
ONLINE

Product Code:
CF17

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:

Black/Blue
CF17

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Conforms to EN ISO 20345
S1P SRC

MESH ACTIVE TRAINER SHOE

- Dual Density PU scuff cap trainer
- Blue sandwich mesh lining
- Blue contrast trim
- 2 eyelets, 3 woven loop lace fixings
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Mesh, suede and leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CF18

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:

Black
CF18

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

Composite Midsole

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

200 Joule Steel Toecap

Conforms to EN ISO 20345
S1P SRC

SNEAKER TRAINER

- Nubuck leather sneaker trainer
- Dual Density PU Sole
- Orange sandwich mesh lining
- Orange contrast eyelet
- 200 Joule steel toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT



BEESWIFT
ONLINE


Product Code:
CF19


Available in Sizes:
03-12

Unit of Measure:
Each


Available in Colours:


 Black/Orange
CF19

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Composite Midsole

 200 Joule Composite Toe
Cap

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Conforms to EN ISO 20345
S1P SRC

ACTION TRAINER NON METALLIC

- Black Action Nubuck/ Mesh upper
- Black sandwich mesh lining with orange mesh heel
- Black/orange EVA/rubber sole
- 4 x black plastic eyelets
- 200 joule composite toe cap
- Composite Midsole
- Shock absorber heel
- Oil resistant sole
- Conforms to EN ISO 20345:2011 S1P SRC
- Sizes EU 36(3) - 47(12)



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CF26

Available in Sizes:
03-12


Unit of Measure:
Each


Available in Colours:


 Black/Grey
CF26


 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk

 Composite Midsole

 200 Joule Composite Toe
Cap

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Water Resistant

 Conforms to EN ISO 20345
S3 SRC

TRAINER S3 NON METALLIC

- Black Action Mesh Upper with grey/silver stripes
- Grey EVA/Black rubber sole
- 3 woven black/grey lace loop fixings and 1 plastic grey eyelet
- Comfort insole
- Click branding
- Metal free
- Composite toe cap
- Reinforced midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC



 **BEESWIFT**



BEESWIFT
ONLINE










Product Code:
CF27

Available in Sizes:
04-12

Unit of Measure:
Each

Available in Colours:

 Black
CF27

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Water Resistant
-  Conforms to EN ISO 20345 S3 SRC

TRAINER S3 NON METALLIC

- Black Full Grain leather /Mesh Upper
- Black PU/Grey PU sole
- Grey contrast stitching
- 3 woven black/orange lace loop fixings and 1 plastic orange eyelet
- Comfort insole
- Click branding
- Metal free
- Composite toe
- Reinforced Midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC



TRAINER S3 COMPOSITE

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable orange mesh lining
- Comfortable, shock absorbing insole
- Composite Toe
- Composite midsole
- Water resistant
- Very lightweight
- Conforms to EN ISO 20345:2011
- S3 SRC



BEESWIFT
ONLINE










Product Code:
CF29

Available in Sizes:
04-13

Unit of Measure:
Each

Available in Colours:

 Black
CF29

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Water Resistant
-  Conforms to EN ISO 20345 S3 SRC






BEESWIFT
ONLINE

Product Code:
CF29B


Unit of Measure:
Each

Available in Colours:


 Black/Blue
CF29B


 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk


 Composite Midsole

 200 Joule Composite Toe Cap

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Water Resistant

 Conforms to EN ISO 20345
S3 SRC

TRAINER S3 COMPOSITE BLK/B/GY 03 (36)

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable blue mesh lining
- Comfortable, shock absorbing insole
- Composite Toe
- Composite midsole
- Water resistant
- Very lightweight
- Conforms to EN ISO 20345:2011
- S3 SRC



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CF52BL

Available in Sizes:
03 - 13


Unit of Measure:
Each

Available in Colours:


 Black


 Anti Slip Sole


 Anti Static Sole

 Cat 2 - Intermediate Risk

 Composite Midsole

 200 Joule Composite Toe Cap

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Conforms to EN ISO 20345
S1P SRC

COMPOSITE SHOE S1P

- Dual Density PU
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



 **BEESWIFT**



BEESWIFT
ONLINE











Product Code:
CF53BL

Available in Sizes:
04-12

Unit of Measure:
Each

Available in Colours:

 Black
CF53BL

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Water Resistant
-  Conforms to EN ISO 20345
S3 SRC

D/D SHOE S3

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Water resistant leather upper with grey stitching
- Contrast grey mesh lining
- Conforms to EN ISO 20345: S3 SRC



CLICK DOUBLE DENSITY TRAINER SHOE SBP

- EVA/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC




BEESWIFT
ONLINE









Product Code:
CF7BL

Available in Sizes:
3 - 12

Unit of Measure:
Each

Available in Colours:

 Black

-  Anti Slip Sole
-  Cat 2 - Intermediate Risk
-  Leather Upper
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Steel Midsole
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1P SRA



BEESWIFT
ONLINE

Product Code:
CF82


Available in Sizes:
03 - 13


Unit of Measure:
Each


Available in Colours:


 Black
CF823

 White
CF822

 Anti Slip Sole

 Anti Static Sole

 Cat 2 - Intermediate Risk


 Machine Washable 40°C

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 200 Joule Steel Toecap

 Water Resistant

 Conforms to EN ISO 20345
S2 SRC

MICRO-FIBRE TIE SHOE S2

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Oil resistant sole
- Slip Resistant
- Washable to 40°C
- Water resistant upper
- EN ISO 20345 S2 SRC



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CF83

Available in Sizes:
03 - 13

Unit of Measure:
Each


Available in Colours:

 Black
CF833


 White
CF832

 Anti Slip Sole

 Anti Static Sole


 Cat 2 - Intermediate Risk

 Machine Washable 40°C

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 200 Joule Steel Toecap

 Water Resistant

 Conforms to EN ISO 20345
S2 SRC

MICRO-FIBRE SLIP ON SHOE S2

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CF862


Available in Sizes:
04-07

Unit of Measure:
Each

Available in Colours:

 Black
CF862

 Anti Slip Sole


 200 Joule Composite Toe Cap

 Non Metallic Midsole

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 Conforms to EN ISO 20345
S1P SRC

 Cat 2 - Intermediate Risk

MICRO FIBRE LADIES TRAINER

- Black Microfibre upper
- Light blue sandwich mesh lining
- Black/Light blue EVA/rubber sole
- 200 Joule Composite toe cap
- Composite Midsole
- Shock absorber heel
- Oil resistant sole
- Anti slip sole
- Conforms to EN ISO 20345:2011 S1P SRC
- Sizes EU 36(3) - 42(8)



CLICK FLAT SHOE LACE

Flat shoe lace 70cm in length



BEESWIFT
ONLINE

Product Code:
CFL70

Available in Sizes:
70cm

Unit of Measure:
Each

Available in Colours:

 Black
CFL

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
CTF59

Available in Sizes:
3 - 13

Unit of Measure:
Each

Available in Colours:

 Gray
CTF59

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Composite Midsole
-  200 Joule Composite Toe Cap
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  Conforms to EN ISO 20345
S1P SRC

CLICK NON METALLIC TRAINER SHOE

- Dual density PU
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Breathable mesh lining
- Conforms to EN ISO 20345: 2011 S1P SRC




BEESWIFT
ONLINE




Product Code:
SW2010

Available in Sizes:
5 - 12

Unit of Measure:
Each

Available in Colours:

 Black
SW2010

-  Anti Slip Sole
-  Anti Static Sole
-  Cat 2 - Intermediate Risk
-  Fuel Oil Resistant Sole
-  Shock Absorber Heel
-  200 Joule Steel Toecap
-  Conforms to EN ISO 20345
S1 SRC

MANAGERS SHOE S1

- 200 joule steel toe cap
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC






BEESWIFT
ONLINE


Product Code:
SW2011

Available in Sizes:
5 - 12


Unit of Measure:
Each

Available in Colours:


 Black
SW2011

 Anti Slip Sole

 Anti Static Sole


 Cat 2 - Intermediate Risk

 Leather Upper

 Fuel Oil Resistant Sole

 Shock Absorber Heel

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
S1 SRC

BROGUE SHOE S1

- Mono Density PU
- 200 joule steel toe cap
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
SBDBB

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:


 Navy Blue
SBDBBN

 Olive Green
SBDBBO

 Yellow
SBDBBSY

 Cat 1 - Minimal Risk

 Conforms to the correct
EN Standards

 Garment conforms to
EN343

 BDri Welded Re-inforced
Seams

SUPER B-DRI BIB & BRACE

- Polyester with PU coating
- Adjustable elasticated braces with quick release buckles
- Internal bib pocket with zipped entry
- Side waist expansion for easy "on-off"
- 25cm zips at ankles with hook and loop tab closure
- Stitched and welded seams



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CSK01

Available in Sizes:
3/6 - 9/12

Unit of Measure:
Each

Available in Colours:

 Grey
CSK01

 Cat 1 - Minimal Risk

WORK SOCK

- Medium length sock

MATERIAL:

- 70% cotton
- 17% nylon
- 10% silica gel
- 3% lycra
- Machine washable
- Stretch fit for extra comfort and to prevent socks from slipping.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
MODS

Unit of Measure:
Each

Available in Colours:

 Navy Blue
MODS

 Cat 1 - Minimal Risk

COMBAT SOCKS

- One Size fits size 6 - 12
- Warm and durable
- Rib knit construction
- Manufactured to a high quality

- 60% Wool
- 40% Nylon

- Priced per Pair



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
SBS

Available in Sizes:
9.5 - 11

Unit of Measure:
Each

Available in Colours:

 Navy Blue
SBSN

 White
SBSW

 Cat 1 - Minimal Risk

SEA BOOT SOCKS

- Good insulation
- Heavyweight material
- 54% Wool
- 21% Polyester
- 15% Acrylic
- 1% Elastine
- 9% Viscose
- UK Size 6-8



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
TS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Black
TS

 Cat 1 - Minimal Risk

THERMAL TERRY SOCKS

- 20% polyester +80% cotton
- Sold as a pair
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Colour black
- Also available in longer length (TSLL)



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
TSSL

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:

 Black
TSSL

 Cat 1 - Minimal Risk

THERMAL TERRY SOCK LONG LENGTH

- Sold as a pair
- 80% cotton 20% polyester
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Colour black



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
CDBB

Available in Sizes:
32" - 48"

Unit of Measure:
Each

Available in Colours:

 Navy Blue
CDBBN

 White
CDBBW

 Cat 1 - Minimal Risk

COTTON DRILL BIB AND BRACE

- Pre-shrunk cotton drill fabric
- Concealed button fly
- Bib pocket and pouch pocket
- Open side hip access
- 1 rear pocket
- 1 rulepocket
- Braces with clips



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
EC10

Available in Sizes:
S - XL

Unit of Measure:
Bx 10

Available in Colours:

 Red
EC10N

 Cat 2 - Intermediate Risk

 Mechanical Handling

PU COATED 3 FINGERLESS GLOVE

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist

- EN388
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



 **BEESWIFT**

PU COATED GLOVE BLACK

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
EC9N


Available in Sizes:
S-XL

Unit of Measure:
Bx 10

Available in Colours:

 Black
EC9NBL

 Cat 2 - Intermediate Risk

 Mechanical Handling

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
PUG

Available in Sizes:
S - XL

Unit of Measure:
Each


Available in Colours:

 Black
PUGBL

 Grey
PUGGY

 White
PUGW

 Cat 2 - Intermediate Risk

 Mechanical Handling

PU COATED GLOVES

- Nylon Glove.
- Polyurethane palm coated.
- Machine Knitted.
- Integral elasticated wrist.
- Ideal for handling light components.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



NYLON B-DRI JACKET

- Lightweight nylon with PVC coating on inside
- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Fully taped seams



BEESWIFT
ONLINE

Product Code:
NBDJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:


 Navy Blue
NBDJN


 Olive Green
NBDJO

 Saturn Yellow
NBDJSY

 Cat 1 - Minimal Risk

 BDri Fully Interactive

 Garment has welded or reinforced seams

 Garment comes with a hood





BEESWIFT
ONLINE

Product Code:
SBDJ

Available in Sizes:
S - XXXL


Unit of Measure:
Each


Available in Colours:


-  Navy Blue
SBDJN
-  Olive Green
SBDJO
-  Saturn Yellow
SBDJSY

 Cat 1 - Minimal Risk

 Conforms to the correct
EN Standards

 Garment has welded or
reinforced seams

 Garment comes with a
hood

 Garment conforms to
EN343

SUPER B-DRI JACKET

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
SJN


Available in Sizes:
S - XXXL


Unit of Measure:
Each

Available in Colours:

-  Black
SJBL
-  Navy Blue
SJN

 Cat 1 - Minimal Risk

 Garment comes with a
hood

 Garment conforms to
EN343

SPRINGFIELD JACKET

- Breathable fabric
- Tsoft soft feel fabric
- Robust tensile strength
- Excellent water shedding characteristics
- Hi viz piping
- Concealed hood
- Lightweight
- Fabric Conforms to EN343 Class 3 Water Penetration
- Fabric Conforms to EN343 Class 2 Breathability



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
LEG


Available in Sizes:
S - XL

Unit of Measure:
Bx 1Th

Available in Colours:

 White
LEG

 Cat 1 - Minimal Risk

 Conforms to the correct EN Standards

LATEX EXAMINATION GLOVES

- Disposable gloves
- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- MINIMAL RISK.



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
LEGP


Available in Sizes:
S - XL

Unit of Measure:
Bx 1Th

Available in Colours:

 White
LEGP

 Cat 1 - Minimal Risk

 Conforms to the correct EN Standards

LATEX EXAMINATION GLOVES POWDER FREE

- Disposable gloves.
- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- Powder free
- MINIMAL RISK.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
NDGPF30

Available in Sizes:
S-XL

Unit of Measure:
Bx 1Th

Available in Colours:



NITRILE DISP GLOVE POWDER FREE

- Powder Free blue textured Nitrile Gloves
- CE category III
- CE class I examination glove
- Excellent elasticity
- Suitable for applications which are visible to the public catering, beauty and body art sectors.
- Dual labelling. Fulfilling medical requirements in the tattoo and piercing sector
- Skin friendly: free from phthalates/ softeners and allergenic latex proteins
- 3 mil

Chemical - Breakthrough Time
Formaldehyde 37% (T) - More than 480 Mins (Level 6)
Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)
Hydrogen Peroxide 30% (P) - More than 30 Mins (Level 2)

- EN420: 2003 +A1:2009
- EN ISO 374-1: 2016
- EN ISO 374-5: 2016
- EN 455: 2000



NITRILE DISPOSABLE GLOVE POWDER FREE MINIMAL RISK

- Powder free nitrile disposable gloves
- 100% nitrile butadiene rubber
- Light blue colour
- Ambidextrous
- Easy to pull on beaded cuff
- MINIMAL RISK PRODUCT
- AQL 1.5



BEESWIFT
ONLINE

Product Code:
NDGPFBE

Available in Sizes:
S-XL

Unit of Measure:
Bx 1Th

Available in Colours:





BEESWIFT
ONLINE

Product Code:
VDG


Available in Sizes:
S - XL


Unit of Measure:
Bx 1Th

Available in Colours:

 Blue
VDGB

 Clear
VDG

 Conforms to the correct EN standards

 Cat 1 - Minimal Risk

VINYL EXAMINATION GLOVES

- Pre powdered vinyl disposable gloves
- 100% synthetic PVC
- Contains no latex / protein
- Ambidextrous
- Easy to pull on beaded cuff
- MINIMAL RISK PRODUCT



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
VDGPF

Available in Sizes:
S - XL

Unit of Measure:
Bx 1Th

Available in Colours:

 Blue
VDGPFB

 Clear
VDGPF

 Cat 1 - Minimal Risk

VINYL GLOVES POWDER FREE

- Powder free vinyl disposable gloves
- 100% synthetic PVC.
- Contains no Latex / Protein.
- Ambidextrous.
- Easy to pull on beaded cuff.
- MINIMAL RISK PRODUCT.



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BD900

Available in Sizes:
S-3XL

Unit of Measure:
Each

Available in Colours:

 Orange / Navy
BD900ORN

 Saturn Yellow / Navy
BD900SYN

 Cat 2 - Intermediate Risk

TWO TONE HIVIZ THERMAL WATERPROOF COVERALL

Two Tone Quilted Coverall suitable for freezer or cold storage use

- 300 Denier outer fabrics with sewn on tape.
- Heavyweight 100% polyester with PU coating.
- Two-way heavy duty YKK zip, with stud fastened storm flap.
- 2 Front stud fastened pockets.
- 2 leg cargo pockets with stud fastening.
- Security and phone pockets.
- Rear hem access for ease of logo applications.
- Concealed Hood.
- Retro-reflective tape.

• Conforms to EN ISO 20471 - Class 3.

• Conforms to EN 343 - Class 3 1.

• Conforms to EN 342 - Icler 0.474
Air Permeability - Class 2



BSEEN PU COVERALL

- Breathable fabric
- Polyester with PU coating.
- Hood with drawcord.
- Zip front with stud flap.
- Elasticated storm cuffs.
- Studded ankles.
- Stitched and welded seams.
- Retro reflective tape.

• Conforms to EN ISO 20471 Class 3 High Visibility
• Conforms to EN343
Class 3 Water Penetration
Class 1 Air Permeability



BEESWIFT
ONLINE


Product Code:
PUC


Available in Sizes:
S-4XL


Unit of Measure:
Each


Available in Colours:


 Orange
PUCOR


 Garment has breathable fabric


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment comes with a hood

 Garment has welded or reinforced seams

 Garment is weather proof





BEESWIFT
ONLINE

Product Code:
RSC

Available in Sizes:
36" - 56"

Unit of Measure:
Each

Available in Colours:



3M Garment has 3M Scotchlite tape

CAT II Cat 2 - Intermediate Risk

CE Conforms to the correct EN standards

Euroslot Garment comes in a Euroslot retail bag

Knee Pad Garment has pockets for knee pad access

GO/RT 3279 Garment conforms to GO/RT 3279

Welded Garment has welded or reinforced seams

RAILSPEC COVERALL

- 270gsm
- 80-20 polyester cotton
- Teflon treatment for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Double sewn seams for extra strength
- 2 cargo pockets
- Knee pad pockets
- 3M retro reflective tape

- Conforms to ISO 20471 Class 3 High Visibility
- RIS-3279-TOM - Railway use certified.




BEESWIFT
ONLINE

Product Code:
TS8

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



CAT II Cat 2 - Intermediate Risk

CE Conforms to the correct EN standards

EN471 Garment conforms To EN471

Euroslot Garment comes in a Euroslot retail bag

Interactive Fully interactive with another garment

Welded Garment has welded or reinforced seams

Weather Proof Garment is weather proof

LIGHTWEIGHT EN471 EN343 SUIT

JACKET.(TJ8)

- PVC coated 150D polyester.
- Concealed hood.
- Two-way heavy duty zip front with studded storm flap.
- 2 Lower pockets with flaps.
- Knitted storm cuffs.
- Fully taped seams.
- Retro Reflective Tape.
- EN ISO20471 Class 3 High Visibility
- EN 343 Class 3 Resistance to Water Penetration, Class 1 Air Permeability

TROUSERS.(TT8)

- PVC coated 150D polyester.
- Elasticated waist.
- 2 position stud adjustment to legs.
- 2 Side pockets with storm flaps.
- Fully taped seams.
- Retro Reflective Tape.
- EN ISO 20471 Class 1 high visibility
- EN343 Class 3 resistance to water penetration, Class 1 breathability





BEESWIFT
ONLINE

Product Code:
NBDS



Available in Sizes:
S - 5XL


Unit of Measure:
Each


Available in Colours:

-  Navy Blue
NBDSN
-  Orange
NBDSOR
-  Saturn Yellow
NBDSY

 Cat 1 - Minimal Risk

 Garment has a Fully
Elasticated Waistband
 BDri Fully Interactive

 Garment has welded or
reinforced seams

 Garment comes with a
hood

NYLON B-DRI WEATHERPROOF SUIT

Jacket and Trouser Pack

Jacket:

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams

Trousers:

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams

Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord.

Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle.



FIRE RETARDANT ANTI-STATIC BIB

- Flame retardant, anti static, hi visibility bib and brace
- High frequency welded seams
- Elasticated shoulder straps with buckles
- Press stud adjustments by the ankles

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116: 2008 INDEX 1
- EN 1149-5 : 2008 EN1149-3 : 2004

Product Code:
CFRLR59

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:

-  Saturn Yellow
CFRLR59SY

 Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
BSCNTSEN


Available in Sizes:
S - 5XL


Unit of Measure:
Each


Available in Colours:


 Orange
BSCNTSEOR

 Saturn Yellow
BSCNTSESY

 Garment has 3M Scotchlite tape

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garment conforms To EN471

CREW NECK T-SHIRT

- High visibility tee shirt
- 100% Bird Eye Polyester fabric
- Reflective tape
- Left breast pocket

• Conforms to EN ISO 20471 Class 2



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
HVTT001

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

 Orange / Black
HVTT001ORBL

 Saturn Yellow / Navy
HVTT001SYN

HIVIS TWO TONE SHORT SLEEVE T SHIRT

- Two Tone High visibility short sleeve t-shirt
- 100% Bird Eye Polyester fabric
- Reflective tape
- Certification Code: BSCNT01
- Conforms to EN ISO 20471 Class 2

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment



 **BEESWIFT**




BEESWIFT
O N L I N E

Product Code:
HVTT005

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVTT005ORB
-  Saturn Yellow / Navy
HVTT005SYN

HIVIS TWO TONE LONG SLEEVE T SHIRT

- Two Tone High visibility long sleeve t-shirt
- 100% Bird Eye Polyester fabric
- Reflective tape
- Certification Code: BSCNT05
- Conforms to EN ISO 20471 Class 3

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape
- Improved breathability by using segmented, heat applied tape
- Produces a modern, comfortable garment




BEESWIFT
O N L I N E

Product Code:
BBVHPH

Unit of Measure:
Each

Available in Colours:

-  White
BBVHPH

 Cat 1 - Minimal Risk

REPLACEMENT PLASTIC HARNESS

Replacement plastic harness for b-brand vented helmets.






BEESWIFT
ONLINE

Product Code:
BBVHRH

Unit of Measure:
Each

Available in Colours:

 Black
BBVHRH

 Cat 1 - Minimal Risk

REPLACEMENT RATCHET HARNESS

Replacement ratchet harness for b-brand vented helmets.



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
EN28

Available in Sizes:
XS-5XL

Unit of Measure:
Each

Available in Colours:

 Navy / Royal
EN28NR

 Cat 1 - Minimal Risk

ENDEAVOUR FLEECE

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



 **BEESWIFT**




BEESWIFT
ONLINE

Product Code:
EN29

Unit of Measure:
Each

Available in Colours:

 Black
EN29

 Cat 1 - Minimal Risk

ENDEAVOUR FLEECE BLACK L

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



ENDEAVOUR FLEECE

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



BEESWIFT
ONLINE

Product Code:
EN30

Available in Sizes:
S-3XL

Unit of Measure:
Each

Available in Colours:

 Grey
EN30GY

 Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
FLJ

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:

 Black
FLJBL

 Navy Blue
FLJN

 Cat 1 - Minimal Risk

STANDARD FLEECE JACKET

- 280gsm polyester
- Chunky zip front fastening
- Drawcord waist
- Two zipped side pockets



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BD108


Available in Sizes:
S-5XXXL


Unit of Measure:
Each

Available in Colours:


 Orange
BD108OR

 Saturn Yellow
BD108SY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment has a pocket for easy ID access

HI VIZ ID VEST EN20471

- Hi Visibility Vest with Id Pocket to left breast
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces

- EN ISO 20471
Class 2 high visibility (sizes M - 5XL)
Class 1 high visibility (sizes XS - S)

ID Pocket dimensions - 12 x 10.5cm



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BWC


Available in Sizes:
S-4XL

Unit of Measure:
Bx 100

Available in Colours:

-  Orange
BWCOR
-  Saturn Yellow
BWCSY

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

BSEEN EN ISO 20471 VEST ORANGE (BULK PACK)

- Bulk pack
- Hi visibility waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
Class 2 high visibility





BEESWIFT
ONLINE

Product Code:
HVMWEXEC


Available in Sizes:
XS-4XL


Unit of Measure:
Each


Available in Colours:

-  Orange
HVMWEXECOR
-  Saturn Yellow
HVMWEXESY

 Cat 2 - Intermediate Risk

 Garments conforms to EN ISO 20471

 Garment has a pocket for easy ID access

 Garment has a mobile phone pocket

EXECUTIVE MESH WAISTCOAT

- Polyester Stretchy mesh fabric
- Hook and loop front fastening
- EN ISO 20471
Class 2 high visibility (S+)
Class 1 high visibility (XS)






BEESWIFT
ONLINE

Product Code:
HVMWOR

Available in Sizes:
XS-5XL

Unit of Measure:
Each

Available in Colours:

-  Orange
HVMWOR
-  Saturn Yellow
HVMWSY

 Cat 2 - Intermediate Risk

 Garments conforms to EN
ISO 20471

HIVIS MESH VEST

- Polyester Stretchy mesh fabric
- Hook and loop front fastening
- EN ISO 20471
- Class 2 high visibility (S+)
- Class 1 high visibility (XS)



TWO TONE EXECUTIVE WAISTCOAT

- Orange/Saturn Yellow Hi Vis superior waistcoat
- 100% Polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook and loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocket
- Retro-reflective tape
- Covered mesh back panel
- EN ISO 20471
- XS - Class 1 high visibility
- S-7XL - Class 2 high visibility



BEESWIFT
ONLINE

Product Code:
HVWC2T

Available in Sizes:
XS-7XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Saturn Yellow
HVWC2TORSY
-  Saturn Yellow / Orange
HVWC2TSYOR





BEESWIFT
ONLINE

Product Code:
HVWCTT

Available in Sizes:
XS-6XL

Unit of Measure:
Each

Available in Colours:

-  Orange / Black
HVWCTTORBL
-  Orange / Grey
HVWCTTORGY
-  Orange / Navy
HVWCTTORN
-  Orange / Saturn Yellow
HVWCTTORSY
-  Red/Black
HVWCTTREBL
-  Red/Grey
HVWCTTREGY
-  Saturn Yellow/Black
HVWCTTSYBL
-  Saturn Yellow/Grey
HVWCTTSYGY
-  Saturn Yellow / Navy
HVWCTTSYN
-  Saturn Yellow/Purple
HVWCTTSYPU
-  Saturn Yellow/Red
HVWCTTSYRE
-  Saturn Yellow / Royal
HVWCTTSYRXS

TWO TONE EXECUTIVE WAISTCOAT

- Red Hi Vis executive waistcoat
 - 100% Polyester
 - Front zip fastening
 - Two large front pockets with flaps
 - Mobile phone pocket with hook and loop fastening flap
 - Radio loop
 - Pen & pencil pockets
 - Transparent ID pouch pocket
 - Retro-reflective tape
 - Covered mesh back panel
- EN ISO 20471
Class 1 high visibility



RAILSPEC VEST (POLYESTER)

- Hi Vis "Railspec" vest
 - 100% polyester fabric
 - Quick release to shoulders and sides
 - All hook and loop closure
 - Retro reflective tape
- EN ISO 20471
Class 2 high visibility
 - RIS-3279-TOM - Railway use certified



BEESWIFT
ONLINE

Product Code:
RSV02P


Available in Sizes:
M - XXXXXXL


Unit of Measure:
Each


Available in Colours:

-  Orange
RSV02P

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment conforms to GO/RT 3279



BEESWIFT
ONLINE

Product Code:
WCENG


Available in Sizes:
S - 7XL


Unit of Measure:
Each

Available in Colours:

-  Orange
WCENGOR
-  Red
WCENGRE
-  Saturn Yellow
WCENG

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

HI VIZ WAISTCOAT FULL APP. G

- Hi visibility waistcoat
 - 100% polyester
 - Hook and loop fastening
 - Retro-reflective tape
 - 2 x body bands
 - 2 x braces
- EN ISO 20471
 - Class 2 high visibility
 - High visibility Red fades to Orange after Xenon



 **BEESWIFT**

EXECUTIVE HI VIZ WAISTCOAT

- Red hi vis executive waistcoat
 - 100% Polyester
 - Front zip fastening
 - Retro reflective hi vis bands and braces
 - Two large front pockets with flaps
 - Mobile phone pocket with hook and loop fastening flap
 - Pen & pencil pockets
 - Radio loop
 - Transparent ID pouch pocket
 - Covered mesh back panel
- EN ISO 20471
 - Class 2 high visibility
 - High visibility Red fades to Orange after exposure to Xenon



BEESWIFT
ONLINE

Product Code:
WCENGEXEC


Available in Sizes:
M - 5XL


Unit of Measure:
Each


Available in Colours:


-  Orange
WCENGEXECOR
-  Red
WCENGEXECE
-  Saturn Yellow
WCENGEXEC


 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 Garment has a pocket for easy ID access

 Garment has a mobile phone pocket

 Garment comes with a radio loop

 **BEESWIFT**



BEESWIFT
ONLINE


Product Code:
WCENGSH


Available in Sizes:
L - XXL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
WCENGSH

 Cat 2 - Intermediate Risk

 Garment conforms To
EN471

SHORT WAISTCOAT APP G

- Hi visibility short length waistcoat
 - 100% polyester
 - Hook and loop fastening
 - Retro-reflective tape
 - 2 x body bands
 - 2 x braces
- EN ISO 20471
Class 1 high visibility



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
WCENGZY


Available in Sizes:
M - 6XL

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
WCENGZY

 Cat 2 - Intermediate Risk

 Garments conforms to EN
ISO 20471

HI VIZ WAISTCOAT ZIP FASTENED

- Hi visibility waistcoat
 - 100% polyester
 - Zip fastening
 - Retro-reflective tape
 - 2 x body bands
 - 2 x braces
- EN ISO 20471 Class 2 high visibility



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
BSGG001

Available in Sizes:
L

Unit of Measure:
Pair

Available in Colours:

 Black
BSGG001

BEESWIFT GRIPPER GLOVE



 **BEESWIFT**

LONG SLEEVE JERKIN

- 100% polyester.
 - Hook and loop fastening.
 - Reflective material.
- Conforms to EN ISO 20471 Class 3 high visibility




BEESWIFT
O N L I N E


Product Code:
PKJENG

Available in Sizes:
S - 6XL


Unit of Measure:
Each


Available in Colours:

 Orange
PKJENGOR

 Saturn Yellow
PKJENG

 Cat 2 - Intermediate Risk

 Conforms to the correct EN standards

 Garments conforms to EN ISO 20471

 **BEESWIFT**







BEESWIFT
ONLINE

Product Code:
PCWC

Available in Sizes:
28" - 60"

Unit of Measure:
Each

Available in Colours:

-  Navy Blue
PCWCN
-  Royal Blue
PCWCR
-  Spruce Green
PCWCS
-  White
PCWCW

Poly Cotton Warehouse Coat

- 65% polyester, 35% cotton
- Concealed stud front
- 1 breast pocket with pen divide
- 2 lower pockets
- Rear vents



BEESWIFT
ONLINE

Product Code:
EC11

Available in Sizes:
M & XL

Unit of Measure:
Bx 10

Available in Colours:

-  White
EC11

 Cat 1 - Minimal Risk

POLYESTER KNITTED LINER GLOVE

- 15 gauge seamless machine knitted polyester glove
- Minimal risk
- Excellent dexterity and comfort
- Recommended for general handling, inspection and assembly of components
- Can also be used as a thermal liner glove






BEESWIFT
ONLINE

Product Code:
IFWCENG

Unit of Measure:
Each

Available in Colours:

 Saturn Yellow
IFWCENGSY

 Garment conforms To
EN471

Initial High Visibility Vest

- EN471 Class 2.
- 100% polyester.
- Hook and loop fastening.
- Reflective material.



 **BEESWIFT**

DISPOSABLE OVERSHOE

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring




BEESWIFT
ONLINE

Product Code:
DOSB16

Unit of Measure:
Bx 2th

Available in Colours:

 Blue
DOSB

 Cat 1 - Minimal Risk

 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
BESCSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:

Clear
BESCSK20

CHEMICAL SPILL KIT 20L

- Absorbs acids, caustics and strong chemicals.
- Fast acting sorbent pads and socks.
- Fine-fibre finish for minimal linting.
- Bonded and perforated for strength and economy.
- Handy, resealable, clip-top bag.

Kit Includes:

- 12 x double weight chemical absorbent pads
- 2 x 120cm chemical socks
- 1 x disposal bag and tie

