





O Dubai United Arab emirates DOS DDP Building A2 - 101 Auto Zone

TURBO PETROL 2023.

+971 56 283 5700


- info@landmotorsuae.com
- www.landmotorsuae.com



**9** +971 56 283 5700

www.landmotorsuae.com

info@landmotorsuae.com





- **9** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com





- **O** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com





- **O** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com



**O** +971 56 283 5700

www.landmotorsuae.com

info@landmotorsuae.com













- **O** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com













- **O** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com









- **9** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com











- **O** +971 56 283 5700
- www.landmotorsuae.com
- info@landmotorsuae.com
- sales@landmotorsuae.com

**C5 AIRCROSS PRODUCT** MODEL GEN. 2023 **MODEL YEAR** June 2022 GCC **DESTINATION** F0 **DESTINATION CODE** Mid-Size SUV **BODY** 1.6L Turbo ENGINE 4x2 **DRIVEN WHEELS** LHD CONFIGURATION DOOR 5 (2/3) **SEATING CAP.** Petrol **FUEL TYPE** Rennes, France **PLANT** 

## Citroen C5 Aircross 1.6L Turbo Petrol 2023.

CHANICAL / POWERT	<u>TRAIN</u>	LIVE PACK	Feel Pack	<u>Shine</u>
Engine,	• 1.6L Turbo 4-cylinder, Euro 5	standard	standard	standard
Auto Transmission,	6 speed Automatic with sports mode & paddle shifts	standard	standard	standard
Brakes,	4-wheel Antilock Brake System	standard	standard	standard
ESC,	stability traction control system	standard	standard	standard
Front Suspension,	Independent wheels, Pseudo-Mac Pherson axle	standard	standard	standard
Rear Suspension,	Semi-independent wheels, twist beam axle	standard	standard	standard
Suspension with progressive hydraulic cushions		standard	standard	standard
Electronic Parking brake	•	standard	standard	standard
Brakes,	4-wheel Antilock Brake System	standard	standard	standard
Brakes,	Front Ventted Disc & Rear Disc	standard	standard	standard
Spare tire	• 17" spare wheel	standard	standard	standard
17" Tire size,	• 215/65 R17	standard		
18" Tire size,	• 235/55 R18		standard	standard
Advanced Grip Control,	5 grip modes + Hill Assist Descent Control (HADC)		Opional	standard
	ECHANICAL / POWER  Engine, Auto Transmission, Brakes, ESC, Front Suspension, Suspension with progressive hydraulic cushions Electronic Parking brake Brakes, Brakes, Spare tire 17" Tire size, 18" Tire size,	Auto Transmission,  Brakes,  ESC,  Front Suspension,  Rear Suspension,  Suspension with progressive hydraulic cushions Electronic Parking brake  Brakes,  Brakes,  Brakes,  Spare tire  17" Tire size,  18" Tire size,  PSCS CSC 4-wheel Antilock Brake System  4-wheel Antilock Brake System  Semi-independent wheels, Escudo-Mac Pherson axle  Semi-independent wheels, twist beam axle  4-wheel Antilock Brake System  Front Ventted Disc & Rear Disc  17" spare wheel  215/6s R17  235/55 R18	Engine,  1.6L Turbo 4-cylinder, Euro 5  standard  Auto Transmission,  6 speed Automatic with sports mode & paddle shifts  standard  ESACE,  4	Engine,  1.6L Turbo 4-cylinder, Euro 5 standard

## **EXTERIOR**

	Light system	•	LED Daytime running lamps (DRL) with LED indicators	standard	standard	standard
	Fog lamps	٠	Rear	standard	standard	standard
	Fog lamps	٠	Front (with cornering function)	standard	standard	standard
	Rear lamp	٠	LED (with 3D effect) combination type	standard	standard	standard
	Front Fascia	٠	Chrome lining with logo	standard	standard	standard
	Front Fascia	٠	Glossy black grille	_	_ /	standard
	New LED Vision + LED day-time running lights with LED Indicator	٠		standard	standard	standard
	Rear window	٠	tinted rear side window	standard	standard	standard
	Door handles	٠	body colored, with front (driver & Passenger) passive entry feature	_	standard	standard
	New Bodycolor Front & Rear Bumpers + Glossy Black Front grill +	٠				
	Glossy Black Front skid plate			standard	- /	_
	New Bodycolor Front & Rear Bumpers + Glossy Black Front grill +	٠				
	Painted Glossy Alloy skid plate + Chromed false Exhaut pipes			_	standard	standard
	Door side protection,	٠	Chrome lining (with Colour pack option for Feel & Shine only)		standard	standard
	Outside Rear View Mirror,	•	electric, heated body colored, with LED indicators	standard	_	_
/ -	Outside Rear View Mirror,	•	Perla Nera Black Shell	standard	_	standard
	Outside Rear View Mirror,	٠	Electrically foldable & adjustable with blindspot system	_		
	Outside Rear View Mirror	٠	Electrically foldable & adjustable with blindspot system, with kerb pudd	le_	standard	
			light &memory function	_ //	_	standard
	Roof rails,	•	Silver (colour pack, optional)	_ //	standard	standard
	Chrome Exhaust Pipes	٠		_ /	standard	standard
	Panoramic sunroof,	٠	opening glass roof with electric interior blind	_/	standard	standard
	Roof,	٠	Nera Black diamond	4	_	standard
	17" Alloy wheels,	•	(ELLIPSE - painted), 215/65 R17	standard	_	_
	18" Alloy wheels,	٠	Diamond cut, (SWIRL), 235/55 R18	_	standard	standard
	Rear bumper,	٠	Dual chrome exhaust tips	_	standard	standard
	Rear bumper,	٠	Shiny black	_	12	standard
	Dual-tone Exterior,	٠	Perla Nera-Black	_	_	standard

INTEDIOD		LIVE PACK	Feel Pack	Shine
<u>INTERIOR</u>		<u> </u>	<u>- 00.1 00.0</u>	<u> </u>
Steering Wheel,	grained leather	standard	standard	
Steering Wheel,	nappa leather		-	standard
Steering Wheel Control,	phone + audio + cruise control	standard	standard	standard
Steering adjustment,	manual tilt & telescopic	standard	standard	standard
Shift knob,	Chrome satin steel with manual mode	standard	standard	standard
Glovebox,	flocked + ventilated	standard	standard	standard
Central locking,	with child safety locking switch	standard	standard	standard
Power window system,	door side, one touch auto-up down, anti-pinch, waterproof	standard	standard	standard
Inside Rear View Mirror	•	standard	_	_
Inside Rear View Mirror,	Electro-chromatic, auto-dimming	_	standard	standard
Cabin lighting,	• LED	_	standard	standard
Seat type,	Sylica Grey Cloth	standard	_	_
• fog	• OXFT	_	standard	_
Seat type,	Nappa Leather	_	_	standard
Door trim type,	Mistral black	standard	standard	standard
Door sills,	Stainless steel Citroën embossed sill scuff plates	_	_	standard
Driver seat function,	manual, 6-way, slide, recline, lift	standard	standard	standard
Driver seat function,	Electrically Adjustable: Back / Lenght / Height	_	_	standard
Driver seat function,	Driver Adjustment with memory	_	_	standard
Driver seat function,	Manual Lumbar Support Adjustement	standard	standard	standard
Driver Seat function,	Electrical & Pneumatical Lumbar adjustment with Memory		_	standard
Passenger seat function,	manual, 6-way, slide, recline, lift	standard	standard	standard
Rear seats,	Individual seats + Sliding + 5 inclining positions	standard	standard	standard
Head restrains,	front (2) & rear (3), adjustable up/down	standard	standard	standard
Cup holders,	2 front & 2 rear	standard	standard	standard
Foot pedals,	• Alloy	_	_	standard
Floor mats,	Front & rear, grey inserts	_	standard	standard
Ashtray,	front detachable	Accsessory	Accsessory	Accsessory

	<del></del>	LIVE PACK	Feel Pack	Snine
Cluster,	Analogic with colour matrix	standard	_	_
Cluster	, 12.3" Digital instrument cluster	standard	standard	standard
A/C,	Automatic, Dual zone with sensitive controls	standard	standard	standard
A/C vents,	Front & Rear	standard	standard	standard
Cruise Control	, with speed limiter & Memory Settings	standard	standard	standard
Auto-light system,	Auto headlamps with follow-me home	standard	standard	standard
Sun visors,	with vanity mirror	standard	_	_
Sun visors,	with vanity mirror + Lights	_	standard	standard
Parking Assist System,	Rear parking sensor (4)	standard	_	_
Parking Assist System,	Rear & Front parking sensors (8)	Optional		
Parking Assist System,	Rear & Front Parking Sensors + Rear View Camera	_	standard	standar
Parking Assist System,	Rear Sensors + Front Sensors + Rearview Camera + 360° Park Assist			Optiona
Wired Connectivity,	USB, AUX	standard	standard	standar
Bluetooth Connectivity	Phone connectivity & Audio Streaming	standard	standard	standar
Infotainment system,	8" Capacitive touchscreen, radio, mp3, mirrorlink	standard	standard	_
Infotainment system,	New 10-inch Touchscreen with Citroën Connect Nav / Voice Recognition / Mirror	_	_	standar
Audio System,	6 speakers	standard	standard	standar
Keyless Entry - Push Start	Passive Entry & Push Start System	_	standard	standar
Multipoint Massage,	Driver & Passenger + heated function	_	_	standar
Wireless phone charging		_	standard	standar
Hands Free Tailgate,	power boot opening with foot sensor	_	standard	standar
Outside Rear View Mirror,	Electric heated and folding, with LED indicator and Blind Spot Monitoring Indicator	or _	standard	standar
Electrical connectivity feature,	12V, 2 sockets, center console & boot	standard	standard	standar

LIVE PACK Feel Pack Shine SAFETY • , 2, Front, Driver & Passenger, Passenger airbag manual on-off switch · SRS Airbag, 4, · Front & Side, Driver & Passenge, Passenger airbag manual on-off switch standard standard Seat belt & non-auto headlights Seat belt, Front 3 point with pre-tensioners, load limiters, height adjustment · Seat belt, Rear · 3 point with pre-tensioners, load limiters ISOFIX, · 3, front & rear sides · Child proof safety, · auto door lock system standard • LED Electronic parking brake. with hill assist · Hard braking auto hazard lights Tyre Pressure Monitoring System Coffee break alert . , Alert when highway drive time exceeds 2h (65km/h) · Blindspot monitoring system Safety Pack+, Speed limit recognition & recommendation, Active safety brake, Active lane keep standard · First aid & warning triangle kit Accesseory Accesseor

O +971 56 283 5700

www.landmotorsuae.com

LIVE PACK Feel Pack

info@landmotorsuae.comsales@landmotorsuae.com

**CONVENIENCE & TECHNOLOGY** 

CHNICAL SPECIFICATION	<u>NS</u>	LIVE PACK	Feel Pack	<u>Shine</u>
• Engine	•		1.6L Turbo	
Displacement (cc)	• (cc)		1,598	
Bore (mm)	• (mm)		77	
Stroke (mm)	• (mm)		86	
Power (hp)	• (hp)	165	hp @ 6,000 rpm (121.4 k	:w)
Torque (Nm)	• (Nm)		240 Nm @ 1,400 rpm	
Transmission	•	6-sp	eed automatic transmiss	ion
Suspension, front	• front	Indepen	dent - Pseudo-Mac Phers	on axle
Suspension, rear	• rear	Semi-i	independent - Twist bean	n axle
Brakes, front	• front		Vented disc	
Brakes, rear	• rear		Disc rotor	
Brakes, parking	Parking		Electronic switch	
Minimum turning radius (m)	• (m)		10.67	
Wheel		17"	18"	18"
Tyres		215/65 R17	235/55 R18	235/55 R18
REFORMANCE FIGURES				
	All the second second	LIVE PACK	<u>Feel Pack</u>	<u>Shine</u>
Acceleration	0.400 km /h	9.9 s	9.9 s	9.9 s
	• 0-100 km/h	201 km/h	201 km/h	201 km/h
Maximum speed	• (km/h)	18.9	18.9	18.9
Fuel consumption Highway	• (km/l)	11.2	11.2	11.2
Fuel consumption Urban	• (km/l)			
Fuel consumption Combined	• (km/l)	14.1 ~ 700 km	14.1 ~ 700 km	14.1 ~ 700 km
Average Fuel Autonomy	• (km)			
• CO <sub>2</sub> emissions	• (g/km)	179	179	179
		Euro 5	Euro 5	Euro 5
• Emission classification  MENSIONS & CAPACITIES				
MENSIONS & CAPACITIES		LIVE PACK	Feel Pack	Shine
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  • Wheelbase		LIVE PACK	Feel Pack	<u>Shine</u> 2,730
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  • Wheelbase • Overall length	:	LIVE PACK 2,730 4,500	Feel Pack 2,730 4,500	<u>Shine</u> 2,730 4,500
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width,	without mirrors / with mirrors	2,730 4,500 1,859 / 2,099	Feel Pack 2,730 4,500 1,859 / 2,099	<u>Shine</u> 2,730 4,500 1,859/2,099
ENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Owerall length Body width, Overall height	:	2,730 4,500 1,654 / 2,099 1,654 (1,695)	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695)	<u>Shine</u> 2,730  4,500  1,859/2,099 1,654(1,695)
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width	without mirrors / with mirrors	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601	<u>Shine</u> 2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601
ENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width	without mirrors / with mirrors	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630	<u>Shine</u> 2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630
ENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Owerall length Body width, Overall height Front track width Minimum ground clearance	without mirrors / with mirrors (with roof rails)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630 230	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230
ENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Owerall length Body width, Owerall height Front track width Rear track width Minimum ground clearance Approach angle	without mirrors / with mirrors     (with roof rails)     .     degrees)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Rear track width Minimum ground clearance Approach angle Departure angle	without mirrors / with mirrors (with roof rails)   degrees degrees degrees)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27°	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27*	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room,	without mirrors / with mirrors     (with roof rails)     .     degrees)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20°
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle	without mirrors / with mirrors (with roof rails)   degrees degrees degrees)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27°	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27*	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27°
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase  Owerall length  Body width,  Overall height  Front track width  Minimum ground clearance  Approach angle  Departure angle  Head room,	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630 230 20° 27° 935	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630 230 20° 27° 935	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Owerall length Body width, Owerall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle Head room, Head room,	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27* 935 872	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872
MENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase  Overall length  Body width,  Overall height  Front track width  Rear track width  Minimum ground clearance  Approach angle  Departure angle  Head room,  Head room,	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear front	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493
MENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, Knee room,	without mirrors / with mirrors (with roof rails)  degrees) degrees) front rear front rear	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630 230 20° 27° 935 872 1,493 1,484	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484
MENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, KNACITIES	without mirrors / with mirrors (with roof rails)  degrees) degrees) degrees) front rear rear rear	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27* 935 872 1,493 1,484 129	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27* 935 872 1,493 1,484 129	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129
MENSIONS & CAPACITIES  dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Knee room, Knee room, Cargo volume	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear rear (dm³) ( rear seats up - rear seats down	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484 129
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, KNECTIES Cargo volume Fuel tank capacity	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear rear (dm³) ( rear seats up - rear seats down	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484 129	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,484 129	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129
MENSIONS & CAPACITIES  dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Rear track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Knee room, Knee room, Cargo volume	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear rear (dm³) ( rear seats up - rear seats down	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484 129
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, KNEE room, KNEE room, KNEE room, KNEE room, KNEE room, KNEE stating capacity	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear rear (dm³) ( rear seats up - rear seats down	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,493 1,484 129	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,661 1,630 230 20° 27° 935 872 1,484 129	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129
IENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, Knee room, FACITIES Cargo volume Fuel tank capacity Seating capacity	without mirrors / with mirrors (with roof rails)  degrees) degrees) front rear front rear (dm³) ( rear seats up - rear seats down (L) (front/rear)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27' 935 872 1,493 1,494 129 580 - 720 53 L 5 (2 / 3)	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27* 935 872 1,493 1,484 129  580 - 720 53 L 5 (2 / 3)	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129  580 - 720 53 L 5 (2 / 3)
dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Khoulder room, Shoulder room, Khee room, VACITIES Cargo volume Fuel tank capacity Seating capacity  Kerb Weight	without mirrors / with mirrors (with roof rails)  degrees) (degrees) front rear rear (dm³) ( rear seats up - rear seats down (L) (front/rear)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129  ) 580 - 720 53 L 5 (2 / 3)	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,660 1,630 230 20° 27° 935 872 1,493 1,484 129  580 - 720 531 5 (2 / 3)	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,6610 1,630 230 20° 27° 935 872 1,493 1,484 129  580 - 720 53 L 5 (2 / 3)
MENSIONS & CAPACITIES dimensions in mm unless otherwise stated.  Wheelbase Overall length Body width, Overall height Front track width Minimum ground clearance Approach angle Departure angle Head room, Head room, Shoulder room, Shoulder room, KNACTIES Cargo volume Fuel tank capacity Seating capacity	without mirrors / with mirrors (with roof rails)  degrees) degrees) front rear front rear (dm³) ( rear seats up - rear seats down (L) (front/rear)	2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27' 935 872 1,493 1,494 129 580 - 720 53 L 5 (2 / 3)	Feel Pack  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27* 935 872 1,493 1,484 129  580 - 720 53 L 5 (2 / 3)	Shine  2,730 4,500 1,859 / 2,099 1,654 (1,695) 1,601 1,630 230 20° 27° 935 872 1,493 1,484 129  580 - 720 53 L 5 (2 / 3)

Photos shown are for illustration purposes only. Specifications may change without prior notice +971 56 283 5700 info@landmotorsuae.com

• www.landmotorsuae.com

info@landmotorsuae.com sales@landmotorsuae.com