Printing date 04/01/2022 Reviewed on 12/03/2021

#### 1 Identification

- · Product identifier
- · Trade name: Wella Professionals Ultimate Repair Conditioner
- · Article number: 315003001701
- · Application of the substance / the mixture Hair care products
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

- · Information department: Wella SDS Info Team
- · Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

#### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrititation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

US

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

(Contd. of page 1)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textbf{\textit{Description:}} \ \textit{Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous	components:	
8012-95-1	Paraffin oils	>2.5-<10%
112-02-7	cetrimonium chloride	≥1-≤2.5%
1310-73-2	sodium hydroxide	≥0.5-<2%

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	1.000000000	enen ernerunger enenneum	
	· PAC-1:		
	36653-82-4	1-Hexadecanol	1.6 mg/m³
	110-27-0	isopropyl myristate	81 mg/m³
Ī	68439-49-6	Ceteareth-20	3.8 mg/m³
		(Co	ontd. on page 3)

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

116 00 =		(Contd. of page
	cetrimonium chloride	1.1 mg/m <sup>3</sup>
	sodium hydroxide	0.5 mg/m <sup>3</sup>
	2-phenoxyethanol	1.5 ppm
	isopropyl alcohol	400 ppm
	2,6,10,15,19,23-hexamethyltetracosane	0.69 ppm
	Oleic Acid	220 mg/m
139-33-3	Disodium EDTA	11 mg/m³
532-32-1	sodium benzoate	61 mg/m³
60-00-4	edetic acid	4.1 mg/m <sup>-</sup>
PAC-2:		
36653-82-4	1-Hexadecanol	18 mg/m³
110-27-0	isopropyl myristate	900 mg/m³
68439-49-6	Ceteareth-20	42 mg/m <sup>3</sup>
112-02-7	cetrimonium chloride	12 mg/m³
1310-73-2	sodium hydroxide	5 mg/m <sup>3</sup>
122-99-6	2-phenoxyethanol	16 ppm
67-63-0	isopropyl alcohol	2000* ppm
111-01-3	2,6,10,15,19,23-hexamethyltetracosane	7.6 ppm
112-80-1	Oleic Acid	2,400 mg/m
139-33-3	Disodium EDTA	120 mg/m³
532-32-1	sodium benzoate	680 mg/m³
60-00-4	edetic acid	45 mg/m³
· PAC-3:		
36653-82-4	1-Hexadecanol	$110 \text{ mg/m}^3$
110-27-0	isopropyl myristate	$5,400 \text{ mg/m}^3$
68439-49-6	Ceteareth-20	$250 \text{ mg/m}^3$
112-02-7	cetrimonium chloride	70 mg/m³
1310-73-2	sodium hydroxide	$50 \text{ mg/m}^3$
122-99-6	2-phenoxyethanol	97 ppm
67-63-0	isopropyl alcohol	12000** ppn
111-01-3	2,6,10,15,19,23-hexamethyltetracosane	46 ppm
112-80-1	Oleic Acid	15,000 mg/m
139-33-3	Disodium EDTA	730 mg/m³
532-32-1	sodium benzoate	810 mg/m <sup>3</sup>
60-00-4	edetic acid	200 mg/m <sup>3</sup>

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 8012-95-1 Paraffin oils

PEL Long-term value: 5 mg/m<sup>3</sup>

REL Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

oil mist

TLV L

#### 1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m<sup>3</sup>

TLV Ceiling limit value: 2 mg/m<sup>3</sup>

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

· Eye protection:

Tightly sealed goggles

(Contd. of page 4)

Information on basic physical and a	homical proporties	
Information on basic physical and c General Information	nemwa properues	
Appearance:		
Form:	Viscous	
Color:	White	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	3.8-4.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	1.6 %	
Water:	74.3 %	
VOC content:	0.69 %	
	6.9 g/l / 0.06 lb/gal	
Solids content:	16.6 %	

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Acute to	aicity.		
· LD/LC5	· LD/LC50 values that are relevant for classification:		
8012-95	-1 Pare	affin oils	
Oral LD50 >5,000 mg/kg (rat) (bw)			
Dermal	<i>LD50</i>	>2,000 mg/kg (rabbit) (bw)	
112-02-	7 cetrin	nonium chloride	
		450 mg/kg (rat) (bw (OECD 401))	
Dermal	<i>LD50</i>	528 mg/kg (rabbit) (bw (OECD 402))	
1310-73	-2 sodi	ium hydroxide	
Oral	<i>LD50</i>	mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 isopropyl alcohol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

· Sara	(Con	td. of pag
· Section 355 (	extremely hazardous substances):	
None of the in	gredients is listed.	
· Section 313 (	Specific toxic chemical listings):	
	henoxyethanol	
67-63-0 iso <sub>1</sub>	propyl alcohol	
· TSCA (Toxic	Substances Control Act):	
*	water, distilled, conductivity or of similar purity	ACTIV
	1-Hexadecanol	ACTIV
110-27-0	isopropyl myristate	ACTIV
	Paraffin oils	ACTIV
	Ceteareth-20	ACTIV
112-02-7	cetrimonium chloride	ACTIV
1310-73-2	sodium hydroxide	ACTIV
	2-phenoxyethanol	ACTIV
111-03-5	Glyceryl Oleate	ACTIV
67-63-0	isopropyl alcohol	ACTIV
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	ACTIV
17301-53-0	docosyltrimethylammonium chloride	ACTIV
68554-54-1	Siloxanes and Silicones, di-Me, polymers with 3-[(2-aminoethyl)amino]propyl silsesquioxanes, hydroxy-terminated	ACTIV
58-95-7	α-tocopheryl acetate	ACTIV
26161-33-1	POLYQUATERNIUM-37	ACTIV
111-01-3	2,6,10,15,19,23-hexamethyltetracosane	ACTIV
112-80-1	Oleic Acid	ACTIV
139-33-3	Disodium EDTA	ACTIV
65497-29-2	Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride	ACTIV
77-92-9	citric acid	ACTIV
24938-91-8	Trideceth-9	ACTIV
71-00-1	histidine	ACTIV
532-32-1	sodium benzoate	ACTIV
1338-43-8	Sorbitan, mono-(9Z)-9-octadecenoate	ACTIV
10191-41-0	Tocopherol	ACTIV
60-00-4	edetic acid	ACTIV
	Propylparaben	ACTIV
8002-43-5	Lecithins	ACTIV
137-66-6	6-O-palmitoylascorbic acid	ACTIV
· Hazardous A	ir Pollutants	
None of the in	gredients is listed.	
· Proposition 6	5	
· Chemicals kn	own to cause cancer:	
None of the in	gredients is listed.	

Printing date 04/01/2022 Reviewed on 12/03/2021

Trade name: Wella Professionals Ultimate Repair Conditioner

(Contd. of page 8)

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

#### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

67-63-0 isopropyl alcohol

A4

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 04/01/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

Printing date 04/01/2022 Reviewed on 12/03/2021

#### Trade name: Wella Professionals Ultimate Repair Conditioner

 $VOC: Volatile\ Organic\ Compounds\ (USA,\ EU)$ 

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrititation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

(Contd. of page 9)

TIC