Printing date 11/10/2016

Reviewed on 11/10/2016

1 Identification

- · Product identifier
- Trade name: Sebastian Twisted Elastic Treatment for Curls
- · Article number: 90959857
- · Application of the substance / the mixture Hair care products
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: The Wella Corporation, Woodland Hills, CA 91367
- · Information department: Coty SDS Info Team
- Emergency telephone number: CHEMTREC Emergency number: +1-703-741-5500 CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

 Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).
 Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE \bigcirc Fire = 0REACTIVITY \bigcirc Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

56-81-5 glycerol

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)

1.0%

US

Printing date 11/10/2016

Reviewed on 11/10/2016

(Contd. of page 1)

SebdstimmEwisted Elastic Treatment for Curls

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
56-81-5	glycerol	45 mg/m3
112-02-7	cetrimonium chloride	1.1 mg/m3
57-55-6	Methyl glycol	30 mg/m3
· PAC-2:		
56-81-5	glycerol	180 mg/m3
112-02-7	cetrimonium chloride	12 mg/m3
57-55-6	Methyl glycol	1,300 mg/m3
· PAC-3:		
56-81-5	glycerol	1,100 mg/m3
112-02-7	cetrimonium chloride	70 mg/m3
57-55-6	Methyl glycol	7,900 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 11/10/2016

Reviewed on 11/10/2016

Sebdstimmæwisted Elastic Treatment for Curls

(Contd. of page 2)

Additional information about desig	n of technical systems. No further data, see item 7
	n of technical systems: No further data; see item 7.
· Control parameters	
• Components with limit values that r	require monitoring at the workplace:
56-81-5 glycerol	
PEL Long-term value: 15* 5** mg/ mist; *total dust **respirable j	
TLV TLV withdrawn-insufficient da	
• Additional information: The lists the	at were valid during the creation were used as basis.
· Exposure controls	
· Personal protective equipment:	
• General protective and hygienic me	
	or handling chemicals should be followed.
 Breathing equipment: Not required. Protection of hands: 	
	neable and resistant to the product/ the substance/ the preparation.
	ation to the glove material can be given for the product/ the preparatio
the chemical mixture.	anon io me giore material can be gron for me product me preparano
	n consideration of the penetration times, rates of diffusion and t
degradation	
· Material of gloves	
	does not only depend on the material, but also on further marks of qual
and varies from manufacturer to m	nanufacturer. As the product is a preparation of several substances, t
resistance of the glove material can	not be calculated in advance and has therefore to be checked prior to t
	nor be curculated in durance and has therefore to be checked prior to t
application.	
application. • Penetration time of glove material	
application. • Penetration time of glove material The exact break through time has to	
application. • Penetration time of glove material The exact break through time has to observed.	b be found out by the manufacturer of the protective gloves and has to
application. • Penetration time of glove material The exact break through time has to	o be found out by the manufacturer of the protective gloves and has to
application. • Penetration time of glove material The exact break through time has to observed.	o be found out by the manufacturer of the protective gloves and has to
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend	b be found out by the manufacturer of the protective gloves and has to ded during refilling.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper	b be found out by the manufacturer of the protective gloves and has to ded during refilling.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and o	b be found out by the manufacturer of the protective gloves and has to ded during refilling.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and o • General Information	b be found out by the manufacturer of the protective gloves and has to ded during refilling.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance:	to be found out by the manufacturer of the protective gloves and has to ded during refilling. The sector of the protective gloves and has to the sector of the protective gl
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Tries chemical properties Fluid
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Ties chemical properties Fluid According to product specification
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor threshold:	o be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic Not determined.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: • Form: Color: • Odor: • Odor threshold: • pH-value:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition	o be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic Not determined. Not determined.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	o be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties Chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition	o be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic Not determined. Not determined.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: • Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range:	o be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties Chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: • Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Tties chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. 100 °C (212 °F)
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Flammability (solid, gaseous):	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Ties Chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	b be found out by the manufacturer of the protective gloves and has to ded during refilling. Ties Chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable.
application. • Penetration time of glove material The exact break through time has to observed. • Eye protection: Goggles recommend • Physical and chemical proper • Information on basic physical and of • General Information • Appearance: • Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature:	be found out by the manufacturer of the protective gloves and has to a ded during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not applicable.

Printing date 11/10/2016

Reviewed on 11/10/2016

SebdstimmEwisted Elastic Treatment for Curls

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	1.4 %	
Water:	77.9 %	
VOC content:	0.4~%	
	4.0 g/l / 0.03 lb/gl	
Solids content:	20.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:			
56-81-5 gl	ycerol		
Oral	LD50	23000 mg/kg (rat)	
Dermal	LD50	56745 mg/kg (rabbit)	
Inhalative	LC50/4 h	n 4655 mg/l (rat)	
112-02-7 a	cetrimoniu	um chloride	
Oral	LD50	450 mg/kg (rat) (bw (OECD 401))	
Dermal	LD50	528 mg/kg (rabbit) (bw (OECD 402))	
• Primary in • on the skin • on the eye • Sensitizati	n: No irrita : No irritat	ant effect. uting effect. nsitizing effects known.	td. on page 5)

(Contd. on page 5)

US

Printing date 11/10/2016

Reviewed on 11/10/2016

(Contd. of page 4)

SebdstimmEwisted Elastic Treatment for Curls

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	

Printing date 11/10/2016

Reviewed on 11/10/2016

Sebdstium/Ewisted Elastic Treatment for Curls

		(Contd. of page 5)
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

- 67762-27-0 Alcohols, C16-18
 - 7651-02-7 Octadecanamide, N-[3-(dimethylamino)propyl]-
- 56-81-5 glycerol 68424-94-2 Betaines, coco alkyldimethyl
 - 77-92-9 citric acid
 - 81-13-0 Butanamide, 2,4-dihydroxy-N-(3-hydroxypropyl)-3,3-dimethyl-, (2R)-
- 112-02-7 cetrimonium chloride
- 57-55-6 Methyl glycol
- 7732-18-5 water, distilled, conductivity or of similar purity
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- ·NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · GHS label elements Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void

(Contd. on page 7)

⁻ U

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 11/10/2016

Reviewed on 11/10/2016

Sebdetium/Ewisted Elastic Treatment for Curls

(Contd. of page 6)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Abteilung Umweltschutz · Contact: Hr. Dr. Speckbacher · Date of preparation / last revision 11/10/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit