

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

## 1 Identification

- **Product identifier**
- **Trade name:** Wella Professionals Fusion Intense Repair Mask
- **Article number:** 90968287
- **Application of the substance / the mixture** Hair care products
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
The Wella Corporation,  
Woodland Hills, CA 91367
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**  
CHEMTREC Emergency number: +1-703-527-3887  
CHEMTREC US/NA Emergency number(toll.free): 800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### Dangerous components:

17301-53-0	docosyltrimethylammonium chloride	2.278%
------------	-----------------------------------	--------

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 1)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

112-92-5	octadecan-1-ol	5.4 ppm
36653-82-4	Cetal	1.6 mg/m <sup>3</sup>
67-63-0	propan-2-ol	400 ppm
100-51-6	Benzyl alcohol	30 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	11 mg/m <sup>3</sup>
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
91-64-5	Coumarin	0.88 mg/m <sup>3</sup>
120-51-4	Benzyl benzoate	5.7 mg/m <sup>3</sup>
532-32-1	sodium benzoate	61 mg/m <sup>3</sup>

· **PAC-2:**

112-92-5	octadecan-1-ol	60 ppm
36653-82-4	Cetal	18 mg/m <sup>3</sup>
67-63-0	propan-2-ol	2000* ppm
100-51-6	Benzyl alcohol	52 ppm
122-99-6	2-Phenoxyethanol	16 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	120 mg/m <sup>3</sup>
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
91-64-5	Coumarin	9.7 mg/m <sup>3</sup>
120-51-4	Benzyl benzoate	63 mg/m <sup>3</sup>
532-32-1	sodium benzoate	680 mg/m <sup>3</sup>

· **PAC-3:**

112-92-5	octadecan-1-ol	360 ppm
36653-82-4	Cetal	110 mg/m <sup>3</sup>
67-63-0	propan-2-ol	12000** ppm

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

		(Contd. of page 2)
100-51-6	Benzyl alcohol	740 ppm
122-99-6	2-Phenoxyethanol	97 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	730 mg/m <sup>3</sup>
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
91-64-5	Coumarin	58 mg/m <sup>3</sup>
120-51-4	Benzyl benzoate	380 mg/m <sup>3</sup>
532-32-1	sodium benzoate	810 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.  
At this time, the other constituents have no known exposure limits.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 3)

· **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Color:</b>	Whitish
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value at 20 °C (68 °F):** 3.5-5

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 1.5 %

· **Water:** 84.1 %

· **VOC content:** 1.53 %

15.3 g/l / 0.13 lb/gl

· **Other information**

No further relevant information available.

## 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

67-63-0	propan-2-ol	3
5989-27-5	(R)-p-mentha-1,8-diene	3
91-64-5	Coumarin	3
97-53-0	Eugenol	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADN, IMDG, IATA</b>	not regulated
· <b>UN proper shipping name</b>	
· <b>DOT, ADN, IMDG, IATA</b>	not regulated
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADN, IMDG, IATA</b>	
· <b>Class</b>	not regulated
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	not regulated
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	not regulated

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

67-63-0 propan-2-ol

122-99-6 2-Phenoxyethanol

· **TSCA (Toxic Substances Control Act):**

112-92-5 octadecan-1-ol

17301-53-0 docosyltrimethylammonium chloride

36653-82-4 Cetal

67-63-0 propan-2-ol

100-51-6 Benzyl alcohol

122-99-6 2-Phenoxyethanol

99-76-3 methyl 4-hydroxybenzoate

94-13-3 propyl 4-hydroxybenzoate

139-33-3 disodium dihydrogenethylenediaminetetraacetate

101-86-0  $\alpha$ -hexylcinnamaldehyde

78-70-6 Linalool

118-58-1 benzyl salicylate

5989-27-5 (R)-p-mentha-1,8-diene

77-92-9 citric acid

56-40-6 Glycine

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 6)

56-41-7	L-alanine
71-00-1	histidine
127-51-5	Iraldeine gamma
107-75-5	Hydroxy-citronellal
106-22-9	Citronellol
91-64-5	Coumarin
97-53-0	Eugenol
5392-40-5	Citral
120-51-4	Benzyl benzoate
122-40-7	Amyl cinnamal
532-32-1	sodium benzoate
7732-18-5	water, distilled, conductivity or of similar purity

- **TSCA new (21st Century Act) (Substances not listed)**
- **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

67-63-0 propan-2-ol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Abteilung Umweltschutz

· **Contact:** Hr. Dr. Speckbacher

· **Date of preparation / last revision** 10/18/2017 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 10/18/2017

Reviewed on 10/18/2017

**Trade name: Wella Professionals Fusion Intense Repair Mask**

(Contd. of page 7)

NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

US