

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

## 1 Identification

- **Product identifier**
- **Trade name:** Color Touch 9/0
- **Article number:** 95940694
- **Application of the substance / the mixture** Hair dye
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Coty Cosmetics, Inc.  
4500 Park Granada  
Calabasas, CA 91302  
USA
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**  
CHEMTREC Emergency number: +1-703-527-3887  
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
2-aminoethanol  
2-methyl-p-phenylenediamine sulphate  
2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol  
Sodium Laureth Sulfate  
2-Methylresorcinol
- **Hazard statements**  
Causes skin irritation.  
Causes serious eye damage.  
May cause an allergic skin reaction.
- **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

-US-

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 1)

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

141-43-5	2-aminoethanol	≥5-≤10%
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	≥3-≤10%
9004-82-4	Sodium Laureth Sulfate	>2.5-<3%
615-50-9	2-methyl-p-phenylenediamine sulphate	≥1-≤2.5%
7757-82-6	Sodium Sulfate	≤2.5%
	2-Methylresorcinol	≥0.1-<1%

### 4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 2)

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

141-43-5	2-aminoethanol	6 ppm
7757-82-6	Sodium Sulfate	9.8 mg/m <sup>3</sup>
151-21-3	sodium dodecyl sulphate	3.9 mg/m <sup>3</sup>
	RESORCINOL	20 ppm
12001-26-2	Mica	9 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	11 mg/m <sup>3</sup>
139-33-3	Disodium EDTA	11 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	30 mg/m <sup>3</sup>
90-15-3	1-naphthol	2.2 mg/m <sup>3</sup>
1310-73-2	sodium hydroxide	0.5 mg/m <sup>3</sup>
5989-27-5	Limonene	15 ppm
120-51-4	Benzyl benzoate	5.7 mg/m <sup>3</sup>
100-51-6	Benzyl alcohol	30 ppm

· **PAC-2:**

141-43-5	2-aminoethanol	170 ppm
7757-82-6	Sodium Sulfate	110 mg/m <sup>3</sup>
151-21-3	sodium dodecyl sulphate	43 mg/m <sup>3</sup>
	RESORCINOL	28 ppm
12001-26-2	Mica	99 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	120 mg/m <sup>3</sup>
139-33-3	Disodium EDTA	120 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	330 mg/m <sup>3</sup>
90-15-3	1-naphthol	25 mg/m <sup>3</sup>
1310-73-2	sodium hydroxide	5 mg/m <sup>3</sup>
5989-27-5	Limonene	67 ppm
120-51-4	Benzyl benzoate	63 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 3)

100-51-6	Benzyl alcohol	52 ppm
<b>· PAC-3:</b>		
141-43-5	2-aminoethanol	1,000 ppm
7757-82-6	Sodium Sulfate	650 mg/m <sup>3</sup>
151-21-3	sodium dodecyl sulphate	260 mg/m <sup>3</sup>
	RESORCINOL	170 ppm
12001-26-2	Mica	590 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	710 mg/m <sup>3</sup>
139-33-3	Disodium EDTA	730 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	2,000 mg/m <sup>3</sup>
90-15-3	1-naphthol	450 mg/m <sup>3</sup>
1310-73-2	sodium hydroxide	50 mg/m <sup>3</sup>
5989-27-5	Limonene	170 ppm
120-51-4	Benzyl benzoate	380 mg/m <sup>3</sup>
100-51-6	Benzyl alcohol	740 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### · Components with limit values that require monitoring at the workplace:

#### 141-43-5 2-aminoethanol

PEL	Long-term value: 6 mg/m <sup>3</sup> , 3 ppm
REL	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 8 mg/m <sup>3</sup> , 3 ppm
TLV	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm

#### 7757-82-6 Sodium Sulfate

TLV	Short-term value: NIC-0.2 mg/m <sup>3</sup> thoracic fraction of aerosol
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 4)

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Viscous

**Color:** According to product specification

- **Odor:** Characteristic

- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 385 °C (725 °F)

- **Decomposition temperature:** Not determined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 5)

· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	5.4 %
<b>Water:</b>	71.4 %
<b>VOC content:</b>	5.40 %
	54.0 g/l / 0.45 lb/gal
<b>Solids content:</b>	4.4 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 141-43-5 2-aminoethanol

Oral	LD50	1,089 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat)

### 615-50-9 2-methyl-p-phenylenediamine sulphate

Oral	LD50	102 mg/kg (rat) (bw)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50/4 h	1.77 mg/l (rat) (air (QSAR))

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 6)

**7757-82-6 Sodium Sulfate**

Oral	LD50	5,989 mg/kg (mouse) >2,000 mg/kg (rat) (bw (OECD 423))
Inhalative	LC50/4 h	>2.4 mg/l (rat) (air (OECD 436))

**2-Methylresorcinol**

Oral	LD50	100 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

	RESORCINOL	3
13463-67-7	titanium dioxide	2B
5989-27-5	Limonene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, IMDG, IATA</b>	not regulated
· <b>UN proper shipping name</b>	
· <b>DOT, IMDG, IATA</b>	not regulated
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADN, IMDG, IATA</b>	
· <b>Class</b>	not regulated
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	not regulated
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	not regulated

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
67762-27-0	Cetearyl Alcohol	ACTIVE
141-43-5	2-aminoethanol	ACTIVE
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	ACTIVE
9004-82-4	Sodium Laureth Sulfate	ACTIVE
11099-07-3	Glyceryl Stearate SE	ACTIVE
615-50-9	2-methyl-p-phenylenediamine sulphate	ACTIVE
7757-82-6	Sodium Sulfate	ACTIVE
58670-89-6	1-Tetradecanol, 2-decyl-	ACTIVE
151-21-3	sodium dodecyl sulphate	ACTIVE
	RESORCINOL	ACTIVE
	2-Methylresorcinol	ACTIVE
8012-89-3	Beeswax	ACTIVE
61789-32-0	Fatty acids, coco, 2-sulfoethyl esters, sodium salts	ACTIVE
7757-83-7	sodium sulphite	ACTIVE
50-81-7	ascorbic acid	ACTIVE

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 8)

69430-36-0	Hydrolyzed keratin	ACTIVE
139-33-3	Disodium EDTA	ACTIVE
13463-67-7	titanium dioxide	ACTIVE
90-15-3	1-naphthol	ACTIVE
101-86-0	Hexyl cinnamal	ACTIVE
6358-09-4	Phenol, 2-amino-6-chloro-4-nitro-	INACTIVE
1310-73-2	sodium hydroxide	ACTIVE
2835-95-2	5-amino-o-cresol	ACTIVE
5989-27-5	Limonene	ACTIVE
120-51-4	Benzyl benzoate	ACTIVE
118-58-1	benzyl salicylate	ACTIVE
77-92-9	citric acid	ACTIVE
106-22-9	Citronellol	ACTIVE
106-24-1	Geraniol	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7 titanium dioxide

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

	RESORCINOL	A4
13463-67-7	titanium dioxide	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

2-aminoethanol  
 2-methyl-p-phenylenediamine sulphate  
 2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol  
 Sodium Laureth Sulfate  
 2-Methylresorcinol

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: Color Touch 9/0

(Contd. of page 9)

- **Hazard statements**

Causes skin irritation.  
Causes serious eye damage.  
May cause an allergic skin reaction.

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves / eye protection / face protection.  
If on skin: Wash with plenty of water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Immediately call a poison center/doctor.  
Specific treatment (see on this label).  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Abteilung Umweltschutz

- **Contact:** Hr. Dr. Speckbacher

- **Date of preparation / last revision** 02/18/2020 / -

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1