Printing date 31.10.2018

Revision: 31.10.2018

1 Identification of the substance/mixture and of the company/undertaking · Product identifier • Trade name: Color Touch 7/43 · Article number: 95942097 • Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Hair dye • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Wella, 14 rue du Quatre Septembre, 75002 Paris · Further information obtainable from: Coty SDS Info Team • Emergency telephone number: CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300 **2** Hazards identification · Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labelling: 2-aminoethanol 2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol sodium alpha-dodecan-1-yl-omega-(sulfonatooxy)poly(oxyethylene) · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read label before use. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. (Contd. on page 2)

Printing date 31.10.2018

Revision: 31.10.2018

Trade name: Color Touch 7/43

| | (Contd. of page 1) |
|-----------|--|
| P321 | Specific treatment (see on this label). |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous compone | ents: | | |
|------------------------------------|---|-----------|--|
| CAS: 141-43-5 EINECS: 205-483-3 | 2-aminoethanol Skin Corr. 1B, H314; | 4.35% | |
| CAS: 3055-94-5 | 2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol | 3.0% | |
| CAS: 9004-82-4 | sodium alpha-dodecan-1-yl-omega-(sulfonatooxy)poly(oxyethylene) | 2.8% | |
| CAS: 123-30-8 EINECS: 204-616-2 | 4-aminophenol Muta. 2, H341; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H332 | 0.4901% | |
| CAS: 2835-95-2 | 5-amino-o-cresol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🐼 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 | 0.41% | |
| CAS: 6358-09-4 | Phenol, 2-amino-6-chloro-4-nitro- | 0.2201% | |
| CAS: 608-25-3 EINECS: 210-155-8 | 2-methylresorcinol Acute Tox. 3, H301; O Eye Dam. 1, H318; O Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | _ 0.1999% | |
| CAS: 615-50-9 EINECS: 210-431-8 | 2-methyl-p-phenylenediamine sulphate Acute Tox. 3, H301; Aquatic Chronic 2, H411; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317 | 0.15% | |
| · Additional informat | ion: For the wording of the listed hazard phrases refer to section 16. | · | |

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 31.10.2018

Revision: 31.10.2018

(Contd. of page 2)

Trade name: Color Touch 7/43

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
- Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- *Precautions for safe handling No special precautions are necessary if used correctly.*
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

141-43-5 2-aminoethanol

- WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk
- Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

GB

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.10.2018

Revision: 31.10.2018

Trade name: Color Touch 7/43

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

• Respiratory protection: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| Information on basic physical and chem | ical properties | |
|--|---|--|
| General Information | | |
| Appearance: Form: | Viscous | |
| Form: Colour: | Orange | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| pH-value at 20 °C: | 10.5 | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range. | : Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa | |

GB

Printing date 31.10.2018

Revision: 31.10.2018

Trade name: Color Touch 7/43

| | (Contd. of | f page |
|---|--|--------|
| · Density: | Not determined. | |
| · Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| water: | Not miscible or difficult to mix. | |
| · Partition coefficient: n-octanol/water: | Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 4.4 % | |
| Water: | 73.4 % | |
| VOC (EC) | 4.36 % | |
| Solids content: | 2.7 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | values rele | vant for classification: |
|------------|-------------|--|
| 141-43-5 2 | e-aminoeth | panol |
| Oral | LD50 | 1,089 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra) |
| Dermal | LD50 | 1,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 11 mg/l (rat) |
| 123-30-84 | l-aminoph | enol |
| Oral | LD50 | 500 mg/kg (rat) |
| Dermal | LD50 | >8,000 mg/kg (rabbit) (bw (//US EPA OPPTS 870.1200)) |
| 2835-95-2 | 5-amino-o | p-cresol |
| Oral | LD50 | 3,600 mg/kg (rat) (bw) |
| 6358-09-4 | Phenol, 2- | -amino-6-chloro-4-nitro- |
| Oral | LD50 | 2,001 mg/kg (rat) |
| 608-25-3 2 | -methylres | sorcinol |
| Oral | LD50 | 100 mg/kg (rat) |
| 615-50-92 | -methyl-p- | phenylenediamine sulphate |
| Oral | LD50 | 102 mg/kg (rat) (bw) |
| Dermal | LD50 | 1,100 mg/kg (rabbit) |
| | | (Contd. on page |

GB -

Printing date 31.10.2018

Revision: 31.10.2018

(Contd. of page 5)

Trade name: Color Touch 7/43

Inhalative LC50/4 h 1.77 mg/l (rat) (air (QSAR))

• Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 14 Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· ADR/RID/ADN, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

GB -

Printing date 31.10.2018

Revision: 31.10.2018

Trade name: Color Touch 7/43

| | | (Contd. of page 6) |
|---|------------------------------------|--------------------|
| · UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA | not regulated | |
| · Transport hazard class(es) | | |
| · ADR/RID/ADN, ADN, IMDG, IATA · Class | not regulated | |
| · Packing group · ADR/RID/ADN, IMDG, IATA | not regulated | |
| · Environmental hazards: | Not applicable. | |
| · Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex II o and the IBC Code | f Marpol Not applicable. | |
| · UN "Model Regulation": | not regulated | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing SDS: Abteilung Umweltschutz · Contact: Hr. Dr. Speckbacher · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)

Printing date 31.10.2018

Revision: 31.10.2018

(Contd. of page 7)

Trade name: Color Touch 7/43

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Stor SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3