

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

1 Identification

- **Product identifier**
- **Trade name:** Color Touch 8/3
- **Article number:** 95942105
- **Application of the substance / the mixture** Hair dye
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Coty Cosmetics, Inc.
4500 Park Granada
Calabasas, CA 91302
USA
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**
CHEMTREC Emergency number: +1-703-527-3887
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
2-aminoethanol
2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol
Sodium Laureth Sulfate
2-methyl-p-phenylenediamine sulphate
2-Methylresorcinol
- **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 1)

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

141-43-5	2-aminoethanol	>2.5-<5%
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	≥3-≤10%
9004-82-4	Sodium Laureth Sulfate	>2.5-<3%
7757-82-6	Sodium Sulfate	≤2.5%
615-50-9	2-methyl-p-phenylenediamine sulphate	≥0.1-<1%
	2-Methylresorcinol	≥0.1-<1%

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 2)

- **After swallowing:** *If symptoms persist consult doctor.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.*
- **Reference to other sections**
*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

141-43-5	2-aminoethanol	6 ppm
7757-82-6	Sodium Sulfate	9.8 mg/m ³
151-21-3	sodium dodecyl sulphate	3.9 mg/m ³
12001-26-2	Mica	9 mg/m ³
7757-83-7	sodium sulphite	11 mg/m ³
139-33-3	Disodium EDTA	11 mg/m ³
13463-67-7	titanium dioxide	30 mg/m ³
5989-27-5	Limonene	15 ppm
120-51-4	Benzyl benzoate	5.7 mg/m ³
	m-Aminophenol	3 mg/m ³
	RESORCINOL	20 ppm
100-51-6	Benzyl alcohol	30 ppm
105-13-5	Anisyl alcohol	2.2 mg/m ³

- **PAC-2:**

141-43-5	2-aminoethanol	170 ppm
7757-82-6	Sodium Sulfate	110 mg/m ³
151-21-3	sodium dodecyl sulphate	43 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 3)

12001-26-2	Mica	99 mg/m ³
7757-83-7	sodium sulphite	120 mg/m ³
139-33-3	Disodium EDTA	120 mg/m ³
13463-67-7	titanium dioxide	330 mg/m ³
5989-27-5	Limonene	67 ppm
120-51-4	Benzyl benzoate	63 mg/m ³
	m-Aminophenol	33 mg/m ³
	RESORCINOL	28 ppm
100-51-6	Benzyl alcohol	52 ppm
105-13-5	Anisyl alcohol	25 mg/m ³

· PAC-3:

141-43-5	2-aminoethanol	1,000 ppm
7757-82-6	Sodium Sulfate	650 mg/m ³
151-21-3	sodium dodecyl sulphate	260 mg/m ³
12001-26-2	Mica	590 mg/m ³
7757-83-7	sodium sulphite	710 mg/m ³
139-33-3	Disodium EDTA	730 mg/m ³
13463-67-7	titanium dioxide	2,000 mg/m ³
5989-27-5	Limonene	170 ppm
120-51-4	Benzyl benzoate	380 mg/m ³
	m-Aminophenol	200 mg/m ³
	RESORCINOL	170 ppm
100-51-6	Benzyl alcohol	740 ppm
105-13-5	Anisyl alcohol	260 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 4)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

141-43-5 2-aminoethanol	
PEL	Long-term value: 6 mg/m ³ , 3 ppm
REL	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm
TLV	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm
7757-82-6 Sodium Sulfate	
TLV	Short-term value: NIC-0.2 mg/m ³ thoracic fraction of aerosol

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Viscous
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· Vapor pressure: Not determined.

· Density: Not determined.

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

· Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· Solvent content:

· Organic solvents:	4.3 %
· Water:	74.1 %
· VOC content:	4.29 %
	42.9 g/l / 0.36 lb/gal

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 6)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****141-43-5 2-aminoethanol**

Oral	LD50	1,089 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat)

7757-82-6 Sodium Sulfate

Oral	LD50	5,989 mg/kg (mouse) >2,000 mg/kg (rat) (bw (OECD 423))
Inhalative	LC50/4 h	>2.4 mg/l (rat) (air (OECD 436))

615-50-9 2-methyl-p-phenylenediamine sulphate

Oral	LD50	102 mg/kg (rat) (bw)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50/4 h	1.77 mg/l (rat) (air (QSAR))

2-Methylresorcinol

Oral	LD50	100 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
5989-27-5	Limonene	3
	RESORCINOL	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|------------------------|
| · UN-Number | |
| · DOT, IMDG, IATA | <i>not regulated</i> |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | <i>not regulated</i> |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | <i>not regulated</i> |
| · Packing group | |
| · DOT, IMDG, IATA | <i>not regulated</i> |
| · Environmental hazards: | <i>Not applicable.</i> |
| · Special precautions for user | <i>Not applicable.</i> |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | <i>Not applicable.</i> |

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 8)

· UN "Model Regulation": not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
67762-27-0	Cetearyl Alcohol	ACTIVE
141-43-5	2-aminoethanol	ACTIVE
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	ACTIVE
9004-82-4	Sodium Laureth Sulfate	ACTIVE
7757-82-6	Sodium Sulfate	ACTIVE
11099-07-3	Glyceryl Stearate SE	ACTIVE
58670-89-6	1-Tetradecanol, 2-decyl-	ACTIVE
151-21-3	sodium dodecyl sulphate	ACTIVE
8012-89-3	Beeswax	ACTIVE
61789-32-0	Fatty acids, coco, 2-sulfoethyl esters, sodium salts	ACTIVE
7757-83-7	sodium sulphite	ACTIVE
615-50-9	2-methyl-p-phenylenediamine sulphate	ACTIVE
50-81-7	ascorbic acid	ACTIVE
	2-Methylresorcinol	ACTIVE
69430-36-0	Hydrolyzed keratin	ACTIVE
139-33-3	Disodium EDTA	ACTIVE
13463-67-7	titanium dioxide	ACTIVE
6358-09-4	Phenol, 2-amino-6-chloro-4-nitro-	INACTIVE
101-86-0	Hexyl cinnamal	ACTIVE
5989-27-5	Limonene	ACTIVE
120-51-4	Benzyl benzoate	ACTIVE
	m-Aminophenol	ACTIVE
	RESORCINOL	ACTIVE
118-58-1	benzyl salicylate	ACTIVE
106-22-9	Citronellol	ACTIVE
106-24-1	Geraniol	ACTIVE
5392-40-5	Citral	ACTIVE
78-70-6	Linalool	ACTIVE
100-51-6	Benzyl alcohol	ACTIVE

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 9)

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7 titanium dioxide

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

13463-67-7 titanium dioxide

A4

RESORCINOL

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

2-aminoethanol

2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol

Sodium Laureth Sulfate

2-methyl-p-phenylenediamine sulphate

2-Methylresorcinol

· **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/17/2020

Reviewed on 01/20/2020

Trade name: Color Touch 8/3

(Contd. of page 10)

- Take off contaminated clothing and wash it before reuse.*
- If skin irritation or rash occurs: Get medical advice/attention.*
- Wash contaminated clothing before reuse.*
- Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Abteilung Umweltschutz*
- **Contact:** *Hr. Dr. Speckbacher*
- **Date of preparation / last revision** *02/17/2020 / -*
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods*
 - DOT: US Department of Transportation*
 - IATA: International Air Transport Association*
 - ACGIH: American Conference of Governmental Industrial Hygienists*
 - EINECS: European Inventory of Existing Commercial Chemical Substances*
 - ELINCS: European List of Notified Chemical Substances*
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
 - NFPA: National Fire Protection Association (USA)*
 - HMIS: Hazardous Materials Identification System (USA)*
 - VOC: Volatile Organic Compounds (USA, EU)*
 - LC50: Lethal concentration, 50 percent*
 - LD50: Lethal dose, 50 percent*
 - PBT: Persistent, Bioaccumulative and Toxic*
 - vPvB: very Persistent and very Bioaccumulative*
 - NIOSH: National Institute for Occupational Safety*
 - OSHA: Occupational Safety & Health*
 - TLV: Threshold Limit Value*
 - PEL: Permissible Exposure Limit*
 - REL: Recommended Exposure Limit*
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2*
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
 - Skin Sens. 1: Skin sensitisation – Category 1*

US