Printing date 04/03/2018 Reviewed on 04/03/2018

1 Identification

· Product identifier

· Trade name: Elements Leave-In Conditioner

· Article number: 96555418

· Application of the substance / the mixture Hair care products

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302

· Information department: Coty SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-703-527-3887

CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

Flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 2Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

· HMIS-ratings (scale 0 - 4)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

25.0%

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

	ction Criteria for Chemicals	(Contd. of page	
<i>PAC-1:</i>			
	2-Phenoxyethanol	1.5 ppm	
100-51-6	Benzyl alcohol	30 ppm	
26062-79-3	3 2-propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer		
112-02-7	cetrimonium chloride	1.1 mg/m³	
56-81-5	glycerol	45 mg/m³	
67-63-0	propan-2-ol	400 ppm	
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm	
91-64-5	Coumarin	0.88 mg/m	
532-32-1	sodium benzoate	61 mg/m³	
104-76-7	Isooctanol	0.1 ppm	
100-52-7	2-7 benzaldehyde		
<i>PAC-2:</i>			
122-99-6	2-Phenoxyethanol	16 ppm	
100-51-6	'-6 Benzyl alcohol		
26062-79-3	2-propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1 homopolymer), 65 mg/m^3	
112-02-7	cetrimonium chloride		
56-81-5	5 glycerol		
67-63-0	7-63-0 propan-2-ol		
5989-27-5	989-27-5 (R)-p-mentha-1,8-diene		
91-64-5	1-64-5 Coumarin		
532-32-1	sodium benzoate	680 mg/m ³	
104-76-7	Isooctanol	100 ppm	
100-52-7	100-52-7 benzaldehyde		
<i>PAC-3:</i>		<u> </u>	
122-99-6	2-Phenoxyethanol	97 ppm	
100-51-6	Benzyl alcohol	740 ppm	
26062-79-3	2-propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer		
112-02-7	cetrimonium chloride	70 mg/m³	
56-81-5	glycerol	$1,100 \text{ mg/m}^3$	
67-63-0	propan-2-ol	12000** ppm	
5989-27-5	(R)-p-mentha-1,8-diene	170 ррт	
	Coumarin	58 mg/m ³	
532-32-1	sodium benzoate	810 mg/m³	
104-76-7	Isooctanol	200 ppm	
	benzaldehyde	59 ppm	

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: According to product specification

• Odor: Characteristic
• Odor threshold: Not determined.

(Contd. on page 5)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

	(Contd. of page
pH-value at 20 °C (68 °F):	<7.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	51 °C (123.8 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	1.1 %
Water:	63.9 %
VOC content:	1.03 %
	10.3 g/l / 0.09 lb/gl
Solids content:	34.8 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated			
Oral	LD50	>5,000 mg/kg (rat) (bw (//OECD 401))	
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (//OECD 402))	
Inhalative	LC50/4 h	>15 mg/l (rat) (air (//OECD 403))	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
67-63-0 propan-2-ol	3
5989-27-5 (R)-p-mentha-1,8-diene	3
91-64-5 Coumarin	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

(Contd. of page 6)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1266
UN proper shipping name DOT IMDG, IATA	Perfumery products PERFUMERY PRODUCTS
Transport hazard class(es)	
DOT	
LAMBOR CO.	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F- E , S - D
Stowage Category	A
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	: II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1266 PERFUMERY PRODUCTS, 3, III

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely l	hazardous	substances):
-----------------	-------------	-----------	------------	----

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

122-99-6 2-Phenoxyethanol

103-60-6 Phenirat

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

6938-94-9	Hexanedioic acid,	1,6-bis(1-methylethyl) e	ester
-----------	-------------------	--------------------------	-------

122-99-6 2-Phenoxyethanol

9005-64-5 Tween 20

100-51-6 Benzyl alcohol

81-13-0 Butanamide, 2,4-dihydroxy-N-(3-hydroxypropyl)-3,3-dimethyl-, (2R)-

26062-79-3 2-propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer

7695-91-2 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

105-95-3 Musk T

112-02-7 cetrimonium chloride

25265-71-8 oxydipropanol

88-41-5 2-tert-butylcyclohexyl acetate

65405-77-8 (Z)-3-hexenyl salicylate

2050-08-0 Amyl salicylate

13828-37-0 cis-4-(isopropyl)cyclohexanemethanol

24851-98-7 Hedione

103-60-6 Phenirat

93-92-5 Gardenol

10339-55-6 3,7-dimethylnona-1,6-dien-3-ol

28219-61-6 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol

63500-71-0 2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-

706-14-9 Decan-4-olide

105-87-3 geranyl acetate

106-29-6 Geranyl butyrate

67634-15-5 3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde

111879-80-2 A mixture of: (E)-oxacyclohexadec-12-en-2-one (E)-oxacyclohexadec-13-en-2-one a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one

51115-63-0 Iso amyl salicylate

56-81-5 glycerol

178949-82-1 L-Aspartic acid, N,N'-1,2-ethanediylbis-, sodium salt (1:3)

118-58-1 benzyl salicylate

54464-57-2 Amberonne

· TSCA new (21st Century Act) (Substances not listed)

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

Flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- Date of preparation / last revision 04/03/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Elements Leave-In Conditioner

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3

(Contd. of page 9)