Printing date 02/18/2020

Reviewed on 02/18/2020

1 Identification

- · Product identifier
- · Trade name: <u>SEBASTIAN SHAPER HAIRSPRAY</u>
- *Article number:* 96625987
- · Application of the substance / the mixture Hair styling product
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302 USA
- Information department: Coty SDS Info Team
 Emergency telephone number: CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard statements

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

• Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \mathbf{0} \\ \mathbf{0} \\ \mathbf{0} \\ \mathbf{3} \end{array} \begin{array}{c} Health = 0 \\ Fire = 0 \\ Reactivity = 3 \end{array}$

(Contd. on page 2)

US

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-17-5	ethyl alcohol	>50-≤100%
75-37-6	1,1-difluoroethane	>10-≤25%
75-28-5	isobutane	>10-≤25%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Printing date 02/18/2020

Reviewed on 02/18/2020

(Contd. of page 2)

Trade name: SEBASTIAN SHAPER HAIRSPRAY

PAC-1:			
64-17-5	ethyl alcohol	1,800 ppm	
75-37-6	1,1-difluoroethane	10,000 ppm	
75-28-5	isobutane	5500* ppm	
56-81-5	glycerol	45 mg/m ³	
71-36-3	n-Butyl alcohol	60 ppm	
124-68-5	Aminomethyl Propanol	17 mg/m ³	
75-65-0 2-methylpropan-2-ol		150 ppm	
PAC-2:			
64-17-5	ethyl alcohol	3300* ppm	
75-37-6	1,1-difluoroethane	15,000 ppm	
75-28-5	isobutane	17000** ppn	
56-81-5	glycerol	180 mg/m ³	
71-36-3	n-Butyl alcohol	800 ppm	
124-68-5	Aminomethyl Propanol	190 mg/m ³	
75-65-0 2-methylpropan-2-ol		1,300 ppm	
PAC-3:			
64-17-5	ethyl alcohol	15000* ppm	
75-37-6	1,1-difluoroethane	25,000 ppm	
75-28-5	isobutane	53000*** ppn	
56-81-5	glycerol	1,100 mg/m ³	
71-36-3	n-Butyl alcohol	8000** ppm	
124-68-5	Aminomethyl Propanol	570 mg/m ³	
75-65-0	2-methylpropan-2-ol	8000* ppm	

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage in one common storage facility. Not required.

• Storage class: 2 B

• Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

75-28-5 isobutane

TLV Short-term value: 2370 mg/m³, 1000 ppm

(EX)

· Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Not required.

Information on basic physical and chemical properties General Information				
Appearance:	4 1			
Form:	Aerosol			
Color:	According to product specification			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value at 20 °C (68 °F):	4			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Not applicable, as aerosol.			
Flash point:	Not applicable, as aerosol.			
Flammability (solid, gaseous):	Not applicable.			

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

		(Contd. of page
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/we	uter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	66.1 %	
VOC content:	79.66 %	
	796.6 g/l / 6.65 lb/gal	
Solids content:	3.8 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethyl alcohol

Oral LD50 10,470 mg/kg (rat) (bw (OECD 401))

Inhalative LC50/4 h 116.9 mg/l (rat) (air (//OECD 403))

75-37-6 1,1-difluoroethane

Inhalative LC50/4 h 977 mg/l (mouse)

(Contd. on page 6)

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

124 28 7	' N N dima	(Contd. of page 5) thyloctadecylamine
	-	
Oral	LD50	1,015 mg/kg (rat) (bw (Read across data on N,N-dimethylhexadecan-1-am)
Dermal	LD50	>1,612 mg/kg (rabbit) (bw (Guideline: Protocol No. C10 Acute Percutaneous)
on the sk on the ey Sensitiza Addition		rant effect. nting effect. nsitizing effects known. g ical information:
· IARC (In	iternationa	l Agency for Research on Cancer)
64-17-5	ethyl alcoh	ol 1
· NTP (Na	tional Tox	icology Program)
None of t	he ingredie	ents is listed.
· OSHA-C	a (Occupa	tional Safety & Health Administration)
None of t	None of the ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

· UN-Number

· DOT, IMDG, IATA

UN1950

(Contd. on page 7)

US

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

	(Contd. of page
UN proper shipping name	
DOT	Aerosols, flammable
IMDG	AEROSOLS AEROSOLS, flammable
	AEROSOLS, Jiammable
Transport hazard class(es)	
Class	2.1
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code)	Warning: Gases
EMS Number:	F-D,S-U
Stowage Code	SWI Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4.
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
IMDG	
Limited quantities (LQ)	1L
	(Contd. on page

Printing date 02/18/2020

Reviewed on 02/18/2020

(Contd. of page 7)

Trade name: SEBASTIAN SHAPER HAIRSPRAY

· Excepted quantities (EQ)

Code: E0 Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1

· UN "Model Regulation":

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

71-36-3 n-Butyl alcohol

75-65-0 2-methylpropan-2-ol

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

• Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

71-36-3 n-Butyl alcohol

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethyl alcohol

75-65-0 2-methylpropan-2-ol

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

D

AЗ

A4

Printing date 02/18/2020

Reviewed on 02/18/2020

Trade name: SEBASTIAN SHAPER HAIRSPRAY

(Contd. of page 8)

• *Hazard statements Extremely flammable aerosol.*

- Contains gas under pressure; may explode if heated.
- Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Abteilung Umweltschutz

· Date of preparation / last revision 02/18/2020 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure - Compressed gas

[·] Contact: Hr. Dr. Speckbacher