Printing date 08/20/2019 Reviewed on 08/20/2019

1 Identification

· Product identifier

· Trade name: Magma /89+ Perl Cendre Dark

· Article number: 96775227

· Application of the substance / the mixture Hair coloring product

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302

USA

· Information department: Coty SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC

US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

diammonium peroxodisulphate

Silicic acid, sodium salt

dipotassium peroxodisulphate

Octadecanoic acid, sodium salt (1:1)

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

(Contd. of page 1)

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
1332-58-7	Kaolin	>25- ≤ 50%
1344-09-8	Silicic acid, sodium salt	≥20-≤25%
	diammonium peroxodisulphate	>10-<20%
7727-21-1	dipotassium peroxodisulphate	>2.5-<10%
8042-47-5	Paraffinum Liquidum	>2.5-≤10%
822-16-2	Octadecanoic acid, sodium salt (1:1)	≥1- ≤ 2.5%

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

(Contd. of page 2)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1344-09-8 Silicic acid, sodium salt	5.9 mg/m^3
7727-54-0 diammonium peroxodisulphate	0.3 mg/m^3
7727-21-1 dipotassium peroxodisulphate	0.3 mg/m^3
822-16-2 Octadecanoic acid, sodium salt (1:1)	0.17 mg/m^{2}
139-33-3 Disodium EDTA	11 mg/m^3
7631-86-9 Silica	18 mg/m^3
PAC-2:	·
1344-09-8 Silicic acid, sodium salt	65 mg/m^3
7727-54-0 diammonium peroxodisulphate	22 mg/m³
7727-21-1 dipotassium peroxodisulphate	26 mg/m ³
822-16-2 Octadecanoic acid, sodium salt (1:1)	1.8 mg/m³
139-33-3 Disodium EDTA	120 mg/m ⁻
7631-86-9 Silica	740 mg/m
PAC-3:	
1344-09-8 Silicic acid, sodium salt	390 mg/m^3
7727-54-0 diammonium peroxodisulphate	130 mg/m^3
7727-21-1 dipotassium peroxodisulphate	160 mg/m^3

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

822-16-2	Octadecanoic acid, sodium salt (1:1)	(Contd. of page 3) 11 mg/m³
139-33-3	Disodium EDTA	730 mg/m³
7631-86-9	Silica	$4,500 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 11
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Compositions with times with a require monitoring at the wormpiaces	· Components with	limit values	that require	monitoring	at the workplace:
---	-------------------	--------------	--------------	------------	-------------------

1332-58-7 Kaolin

PEL	Long-term value: 15* 5** mg/m³
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
	*total dust **respirable fraction
TLV	Long-term value: 2* mg/m³
	Long-term value: 2* mg/m³ E; as respirable fraction

7727-54-0 diammonium peroxodisulphate

TLV Long-term value: 0.1 mg/m³ as persulfate

7727-21-1 dipotassium peroxodisulphate

TLV Long-term value: 0.1 mg/m³ as persulfate

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on	basic physical	and chemical	properties
· General Inform	ation		

· Appearance:

Form: Powder

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.

· Flash point: Not applicable.

• Flammability (solid, gaseous): Not determined.

Decomposition temperature: Not determined.
 Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapor pressure: Not applicable.

Density: Not determined.
 Relative density Not determined.
 Vapor density Not applicable.

• **vapor density** Not applicable. • **Evaporation rate** Not applicable.

(Contd. on page 6)

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octano	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	0.1 %	
VOC content:	0.00 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that	are relevant for classification:
1344-09-8	Silicic aci	d, sodium salt
Oral	LD50	3,400 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	>5,000 mg/kg (rabbit) (bw (Read across data on AgSil TM 25 Potassium sili)
Inhalative	LC50/4 h	>2.06 mg/l (rat) (air (Read across data AgSil TM 25 Potassium silica)
7727-54-0	diammoni	ium peroxodisulphate
Oral	LD50	500 mg/kg (rat)
7727-21-1	dipotassiu	m peroxodisulphate
Oral	LD50	500 mg/kg (rat)
8042-47-5	Paraffinu	m Liquidum
Oral	LD50	>5,000 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>5 mg/l (rat) (air (//OECD 403))

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

(Contd. on page 7)

Reviewed on 08/20/2019 Printing date 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

(Contd. of page 6) · Carcinogenic categories · IARC (International Agency for Research on Cancer) 9003-01-4 Carbomer 3 7631-86-9 Silica 3 · NTP (National Toxicology Program) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage svstem.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	not regulated	
· DOT, ADN, IMDG, IATA	пот гедишей	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

· Special precautions for user Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

 1332-58-7
 Kaolin
 A4

 9005-25-8
 Starch
 A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- Hazard-determining components of labeling:

diammonium peroxodisulphate Silicic acid, sodium salt dipotassium peroxodisulphate

(Contd. on page 9)

Printing date 08/20/2019 Reviewed on 08/20/2019

Trade name: Magma /89+ Pearl Cendre Dark

(Contd. of page 8)

Octadecanoic acid, sodium salt (1:1)

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 08/20/2019 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3