
Printing date 29.10.2018

Revision: 29.10.2018



Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

	(Contd. of page 1)
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Other hazards	-

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 141-43-5	2-aminoethanol	6.112%
EINECS: 205-483-3	Skin Corr. 1B, H314; (1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 615-50-9	2-methyl-p-phenylenediamine sulphate	3.28%
EINECS: 210-431-8		
CAS: 3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	3.0%
	🚸 Eye Dam. 1, H318; 🚸 Aquatic Acute 1, H400	
CAS: 9004-82-4	sodium alpha-dodecan-1-yl-omega-(sulfonatooxy)poly(oxyethylene)	2.8%
	� Eye Dam. 1, H318; 𝔥 Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 66422-95-5	Ethanol, 2-(2,4-diaminophenoxy)-, hydrochloride (1:2)	1.0%
CAS: 94158-14-2	Ethanol, 2-(1,3-benzodioxol-5-ylamino)-, hydrochloride (1:1)	0.77%
	🗞 STOT RE 2, H373; 🚱 Aquatic Chronic 2, H411; 🚯 Skin Sens. 1, H317	
CAS: 608-25-3	2-methylresorcinol	0.35%
EINECS: 210-155-8		

4 First aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: If symptoms persist consult doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

GB

Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

(Contd. of page 2)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 12

• *Specific end use*(*s*) *No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m³, 3 ppm

Long-term value: 2.5 mg/m³, 1 ppm Sk

(Contd. on page 4)

GB

Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

Additional information: The lists valid during the making were used as basis.	(Contd. of page 3)
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Avoid contact with the skin.	
Avoid contact with the eyes and skin.	
Respiratory protection:	
In case of brief exposure or low pollution use respiratory filter device. In case of intens use self-contained respiratory protective device.	sive or longer exposure
Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ t Due to missing tests no recommendation to the glove material can be given for the pro-	

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and of General Information	chemical properties	
Appearance: Form:	Viscous	
Colour:	Beige	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	10.5	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	inge: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	

Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

	(Contd. of page
Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	6.1 %
Water:	69.5 %
VOC (EC)	6.12 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	vant for classification:
141-43-5 2	2-aminoeth	anol
Oral	LD50	1,089 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat)
615-50-92	e-methyl-p-	phenylenediamine sulphate
Oral	LD50	102 mg/kg (rat) (bw)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50/4 h	1.77 mg/l (rat) (air (QSAR))
66422-95	5 Ethanol,	2-(2,4-diaminophenoxy)-, hydrochloride (1:2)
Oral	LD50	500 mg/kg (rat)
		(Contd. on page 6)

Printing date 29.10.2018

Revision: 29.10.2018

(Contd. of page 5)

Trade name: Color Touch 2/0

608-25-3 2-methylresorcinol

Oral LD50 100 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

 $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$

 \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Harmful to fish

- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 8 Corrosive

HP 14 Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

GR

Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

(Contd. of page 6)

UN-Number		
ADR/RID/ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR/RID/ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR/RID/ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR/RID/ADN, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II	of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing SDS: Abteilung Umweltschutz · Contact: Hr. Dr. Speckbacher · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2018

Revision: 29.10.2018

Trade name: Color Touch 2/0

	(Contd. of page 7)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
	6P