

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

## 1 Identification

- **Product identifier**
- **Trade name:** Wella Professionals Blondor Permanent Liquid Toner Pale Silver
- **Article number:** 98998421
- **Application of the substance / the mixture** Hair coloring product
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Coty Cosmetics, Inc.  
4500 Park Granada  
Calabasas, CA 91302  
USA
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**  
CHEMTREC Emergency number: +1-703-527-3887  
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

2-methyl-p-phenylenediamine sulphate

- **Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

112-80-1	Oleic Acid	16.0%
67-63-0	isopropyl alcohol	15.0%
3055-93-4	2-[2-(dodecyloxy)ethoxy]ethanol	4.0%
7664-41-7	ammonia, anhydrous	2.405%
615-50-9	2-methyl-p-phenylenediamine sulphate	0.166%

### 4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

112-80-1	Oleic Acid	220 mg/m <sup>3</sup>
67-63-0	isopropyl alcohol	400 ppm
7664-41-7	ammonia, anhydrous	30 ppm
139-33-3	Disodium EDTA	11 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	11 mg/m <sup>3</sup>
108-46-3	resorcinol	20 ppm
591-27-5	3-aminophenol	3 mg/m <sup>3</sup>
5989-27-5	Limonene	15 ppm

· **PAC-2:**

112-80-1	Oleic Acid	2,400 mg/m <sup>3</sup>
67-63-0	isopropyl alcohol	2000* ppm
7664-41-7	ammonia, anhydrous	160 ppm
139-33-3	Disodium EDTA	120 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	120 mg/m <sup>3</sup>
108-46-3	resorcinol	28 ppm
591-27-5	3-aminophenol	33 mg/m <sup>3</sup>
5989-27-5	Limonene	67 ppm

· **PAC-3:**

112-80-1	Oleic Acid	15,000 mg/m <sup>3</sup>
67-63-0	isopropyl alcohol	12000** ppm
7664-41-7	ammonia, anhydrous	1,100 ppm

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

		(Contd. of page 3)
139-33-3	Disodium EDTA	730 mg/m <sup>3</sup>
7757-83-7	sodium sulphite	710 mg/m <sup>3</sup>
108-46-3	resorcinol	170 ppm
591-27-5	3-aminophenol	200 mg/m <sup>3</sup>
5989-27-5	Limonene	170 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 3
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.  
At this time, the other constituents have no known exposure limits.

### 67-63-0 isopropyl alcohol

PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI

### 7664-41-7 ammonia, anhydrous

PEL	Long-term value: 35 mg/m <sup>3</sup> , 50 ppm
REL	Short-term value: 27 mg/m <sup>3</sup> , 35 ppm Long-term value: 18 mg/m <sup>3</sup> , 25 ppm
TLV	Short-term value: 24 mg/m <sup>3</sup> , 35 ppm Long-term value: 17 mg/m <sup>3</sup> , 25 ppm

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

Trade name: **Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 4)

· **Ingredients with biological limit values:**

**67-63-0 isopropyl alcohol**

BEI	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Color: According to product specification

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 5)

<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	23 °C (73.4 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	360 °C (680 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	2 Vol %
<b>Upper:</b>	12 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	43 hPa (32.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	15.0 %
<b>Water:</b>	33.2 %
<b>VOC content:</b>	15.00 %
	150.0 g/l / 1.25 lb/gal
<b>Solids content:</b>	1.2 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**112-80-1 Oleic Acid**

Oral	LD50	>2,000 mg/kg (rat) (bw)
------	------	-------------------------

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 6)

Dermal	LD50	>2,150 mg/kg (rabbit) (bw)
<b>67-63-0 isopropyl alcohol</b>		
Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>24.578 mg/l (rat) (air (//OECD 403))
<b>3055-93-4 2-[2-(dodecyloxy)ethoxy]ethanol</b>		
Oral	LD50	500 mg/kg (rat)
<b>7664-41-7 ammonia, anhydrous</b>		
Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)
<b>615-50-9 2-methyl-p-phenylenediamine sulphate</b>		
Oral	LD50	102 mg/kg (rat) (bw)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50/4 h	1.77 mg/l (rat) (air (QSAR))

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

67-63-0	isopropyl alcohol	3
108-46-3	resorcinol	3
5989-27-5	Limonene	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019



**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 7)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |   |
|--|---|
| <b>· UN-Number</b>   |   |
| <b>· DOT, IMDG, IATA</b>   | UN1266  |
| <b>· UN proper shipping name</b>   |   |
| <b>· DOT</b>   | Perfumery products  |
| <b>· IMDG, IATA</b>  | PERFUMERY PRODUCTS  |
| <b>· Transport hazard class(es)</b>  |   |
| <b>· DOT</b>   |   |
|  |   |
| <b>· Class</b>   | 3 Flammable liquids   |
| <b>· Label</b>   | 3   |
|  |   |
| <b>· IMDG, IATA</b>  |   |
|  |  |
| <b>· Class</b>   | 3 Flammable liquids   |
| <b>· Label</b>   | 3   |
| <b>· Packing group</b>   |   |
| <b>· DOT, IMDG, IATA</b>   | III   |
| <b>· Environmental hazards:</b>  | Not applicable.   |
| <b>· Special precautions for user</b>  | Warning: Flammable liquids  |
| <b>· Danger code (Kemler):</b>   | 3   |
| <b>· EMS Number:</b>   | —   |
| <b>· Segregation groups</b>  | Alkalis   |
| <b>· Stowage Category</b>  | A   |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.   |
| <b>· Transport/Additional information:</b>                                       |   |
| <b>· DOT</b>   |   |
| <b>· Quantity limitations</b>  | On passenger aircraft/rail: 60 L<br>On cargo aircraft only: 220 L                   |
|  |   |
| <b>· IMDG</b>  |   |
| <b>· Limited quantities (LQ)</b>   | 5   |
| <b>· Excepted quantities (EQ)</b>  | Code: E   |

(Contd. on page 9)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 8)

· UN "Model Regulation":

UN 1266 PERFUMERY PRODUCTS, 3, III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

7664-41-7 ammonia, anhydrous

· Section 313 (Specific toxic chemical listings):

67-63-0 isopropyl alcohol

7664-41-7 ammonia, anhydrous

· TSCA (Toxic Substances Control Act):

127036-24-2 Poly(oxy-1,2-ethanediy), alpha-undecyl-omega-hydroxy-, branched and linear

112-80-1 Oleic Acid

67-63-0 isopropyl alcohol

3055-93-4 2-[2-(dodecyloxy)ethoxy]ethanol

7664-41-7 ammonia, anhydrous

139-33-3 Disodium EDTA

50-81-7 ascorbic acid

7757-83-7 sodium sulphite

615-50-9 2-methyl-p-phenylenediamine sulphate

108-46-3 resorcinol

591-27-5 3-aminophenol

106-22-9 Citronellol

106-24-1 Geraniol

5989-27-5 Limonene

7732-18-5 water, distilled, conductivity or of similar purity

· TSCA new (21st Century Act) (Substances not listed)

3055-93-4 2-[2-(dodecyloxy)ethoxy]ethanol

615-50-9 2-methyl-p-phenylenediamine sulphate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 isopropyl alcohol

A4

108-46-3 resorcinol

A4

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 9)

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

2-methyl-p-phenylenediamine sulphate

· **Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Abteilung Umweltschutz

· **Contact:** Hr. Dr. Speckbacher

· **Date of preparation / last revision** 02/18/2019 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 02/18/2019

Reviewed on 01/25/2019

**Trade name: Wella Professionals Blondor Permanent Liquid Toner Pale Silver**

(Contd. of page 10)

NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Flam. Liq. 3: Flammable liquids – Category 3  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1

US