Printing date 10/09/2018 Reviewed on 10/09/2018

#### 1 Identification

- · Product identifier
- · Trade name: Sebastian Preset Conditioner
- · Article number: 99210004884
- · Application of the substance / the mixture Hair care products
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302

USA

- · Information department: Coty SDS Info Team
- · Emergency telephone number:

CHEMTREC Emergency number: +1-703-527-3887

CHEMTREC US/NA Emergency number(toll free): 800-424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*0 *Health* = \*0 0 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	26161-33-1	ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-, chloride (1:1),	1.858%
		homopolymer	
	64-17-5	ethanol	1.8%

(Contd. on page 2)

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

68937-54-2 Siloxanes and silicones, di-Me, 3-hydroxypropyl-Me, ethoxylated 1.0%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

<i>PAC-1:</i>		
64-17-5	ethanol	1,800 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
26590-05-6	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), polymer with 2-propenamide	30 mg/m³
139-33-3	disodium dihydrogenethylenediaminetetraacetate	11 mg/m³
67-63-0	propan-2-ol	400 ppm
1310-73-2	sodium hydroxide	$0.5 \text{ mg/m}^3$
532-32-1	sodium benzoate	61 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
91-64-5	Coumarin	0.88 mg/m
64-02-8	tetrasodium ethylenediaminetetraacetate	75 mg/m³
120-51-4	Benzyl benzoate	5.7 mg/m³

US

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

100-51-6	Benzyl alcohol	(Contd. of page 30 ppm
PAC-2:		
64-17-5	ethanol	3300* ррг
122-99-6	2-Phenoxyethanol	16 ppm
26590-05-6	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), polymer with 2 propenamide	- 330 mg/m
139-33-3	disodium dihydrogenethylenediaminetetraacetate	120 mg/m
67-63-0	propan-2-ol	2000* ppi
1310-73-2	sodium hydroxide	5 mg/m³
532-32-1	sodium benzoate	680 mg/m
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
91-64-5	Coumarin	9.7 mg/m <sup>-</sup>
64-02-8	tetrasodium ethylenediaminetetraacetate	830 mg/m
120-51-4	Benzyl benzoate	63 mg/m³
100-51-6	Benzyl alcohol	52 ppm
<i>PAC-3:</i>		
64-17-5	ethanol .	15000* ppm
122-99-6	2-Phenoxyethanol	97 ppm
26590-05-6	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), polymer with 2-propenamide	2,000 mg/m <sup>3</sup>
139-33-3	disodium dihydrogenethylenediaminetetraacetate	730 mg/m³
67-63-0	propan-2-ol .	12000** pp
1310-73-2		50 mg/m³
532-32-1	sodium benzoate	810 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
91-64-5	Coumarin .	58 mg/m³
64-02-8		5,000 mg/m <sup>2</sup>
120-51-4		380 mg/m³
100-51-6	Benzyl alcohol	740 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

(Contd. of page 3)

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- $\cdot$  Appearance:

Form: Viscous

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

• pH-value at 20 °C (68 °F): 3.5-3.8

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

(Contd. on page 5)

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

		(Contd. of page
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	2.8 %	
Water:	89.3 %	
VOC content:	2.77 %	
	27.7 g/l / 0.23 lb/gal	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

• LD/LC50 values that are relevant for classification:	. I D/I C50 val	ues that are	rolovant for	classification ·
--	-----------------	--------------	--------------	------------------

64-17-5 eti		
		10,470 mg/kg (rat) (bw (OECD 401))
Inhalative	LC50/4 h	116.9 mg/l (rat) (air (//OECD 403))

(Contd. on page 6)

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

(Contd. of page 5)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
64-17-5	ethanol	1
67-63-0	propan-2-ol	3
5989-27-5	(R)-p-mentha-1,8-diene	3
91-64-5	Coumarin	3
128-37-0	Butylated hydroxytoluene	3
· NTP (Natio	onal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

US

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

(Contd. of page 6)

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

7 /-	<b>T</b>			, •
15	$K \rho \sigma H$	ator	v into	rmation

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (	extremely hazardous substances):
None of the in	ngredients is listed.
Section 313 (	Specific toxic chemical listings):
122-99-6 2-H	Phenoxyethanol
67-63-0 pro	pan-2-ol
TSCA (Toxic	Substances Control Act):
26161-33-1	$ethan a minium, \ N, N, N-trimethyl-2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-, \ chloride \ (1:1)homopolymer$
61788-85-0	Castor oil, hydrogenated, ethoxylated
64-17-5	ethanol
81-13-0	Butanamide, 2,4-dihydroxy-N-(3-hydroxypropyl)-3,3-dimethyl-, (2R)-
68937-54-2	Siloxanes and silicones, di-Me, 3-hydroxypropyl-Me, ethoxylated
9005-64-5	Polysorbate 20
122-99-6	2-Phenoxyethanol
77-92-9	citric acid
26590-05-6	2-Propen-1-aminium, $N$ , $N$ -dimethyl- $N$ - $2$ -propen-1-yl-, chloride (1:1), polymer with $2$ propenamide
4065-45-6	Benzenesulfonic acid, 5-benzoyl-4-hydroxy-2-methoxy-
139-33-3	disodium dihydrogenethylenediaminetetraacetate
67-63-0	propan-2-ol
118-58-1	benzyl salicylate
178949-82-1	L-Aspartic acid, N,N'-1,2-ethanediylbis-, sodium salt (1:3)

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

	(Contd. of pa	200
101-86-0	alpha-Hexylcinnamaldehyde	ige
	Linalool	
	sodium hydroxide	_
	sodium benzoate	
	(R)-p-mentha-1,8-diene	_
	Geraniol	
	Coumarin	
	alpha-iso-Methylionone	_
	tetrasodium ethylenediaminetetraacetate	
	Butylated hydroxytoluene	_
	Benzyl benzoate	
	3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol	_
5392-40-5		
	Benzyl alcohol	_
	water, distilled, conductivity or of similar purity	
	Plst Century Act) (Substances not listed)	_
,	ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-, chloride (1:	1)
	homopolymer	
· Proposition	55	
· Chemicals k	nown to cause cancer:	
None of the i	ngredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for females:	
None of the i	ngredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
None of the i	ngredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	
64-17-5 etha	nol	
Carcinogeni	categories	
	nmental Protection Agency)	_
None of the i	ngredients is listed.	_
· TLV (Thresh	old Limit Value established by ACGIH)	=
64-17-5 etl	anol	Α.
67-63-0 pr	opan-2-ol	$A^{\cdot}$
	tylated hydroxytoluene	A
· NIOSH-Ca (	National Institute for Occupational Safety and Health)	_
,	ngredients is listed.	_
· GHS label el	ements Void	_

- Hazard pictograms VoidSignal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 10/09/2018 Reviewed on 10/09/2018

Trade name: Sebastian Preset Conditioner

(Contd. of page 8)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 10/09/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

 $DOT: \ US \ Department \ of \ Transportation$ 

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

HC