Printing date 05/17/2018

Reviewed on 05/17/2018

1 Identification

· Product identifier

· Trade name: Sebastian Professional Dark Oil Mask

· Article number: 99210011133

· Application of the substance / the mixture Hair care products

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302 USA

· Information department: Coty SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-703-527-3887

CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

17301-53-0 docosyltrimethylammonium chloride

2.278%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 2)

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

(Contd. of page 1)

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

112-92-5	octadecan-1-ol	5.4 ppm
36653-82-4	1-Hexadecanol	1.6 mg/m^3
67-63-0	propan-2-ol	400 ppm
100-51-6	Benzyl alcohol	30 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
25322-68-3	Polyethylene glycol	30 mg/m³
57-55-6	Propylene glycol	30 mg/m³
139-33-3	disodium dihydrogenethylenediaminetetraacetate	11 mg/m³
91-64-5	Coumarin	0.88 mg/m
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
7631-86-9	silicon dioxide, chemically prepared	18 mg/m³
120-51-4	Benzyl benzoate	5.7 mg/m ³
<i>PAC-2:</i>		
112-92-5	octadecan-1-ol	60 ppm
36653-82-4	1-Hexadecanol	18 mg/m^3
67-63-0	propan-2-ol	2000* ppm
100-51-6	Benzyl alcohol	52 ppm
122-99-6	2-Phenoxyethanol	16 ppm
25322-68-3	Polyethylene glycol	1,300 mg/m
57-55-6	Propylene glycol	1,300 mg/m
139-33-3	disodium dihydrogenethylenediaminetetraacetate	120 mg/m³
91-64-5	Coumarin	9.7 mg/m^3
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

7631 86 0	silicon dioxide, chemically prepared	(Contd. of page 740 mg/m³
	Benzyl benzoate	63 mg/m^3
· PAC-3:		1.5 18 1
112-92-5	octadecan-1-ol	360 ppm
36653-82-4	1-Hexadecanol	110 mg/m³
67-63-0	propan-2-ol	12000** ppm
100-51-6	Benzyl alcohol	740 ppm
122-99-6	2-Phenoxyethanol	97 ppm
25322-68-3	Polyethylene glycol	$7,700 \text{ mg/m}^3$
57-55-6	Propylene glycol	$7,900 \text{ mg/m}^3$
139-33-3	disodium dihydrogenethylenediaminetetraacetate	730 mg/m³
91-64-5	Coumarin	58 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
7631-86-9	silicon dioxide, chemically prepared	$4,500 \text{ mg/m}^3$
120-51-4	Benzyl benzoate	380 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical proper	rties			
· Information on basic physical and	chemical properties			
General Information				
· Appearance:				
Form:	Viscous			
Color:	Light beige			
· Odor:	Characteristic			
· Odor threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	4-7			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure:	Not determined.			
· Density:	Not determined.			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wat	t er): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Organic solvents:	1.7 %			
Water:	87.9 %			
VOC content:	1.72 %			
	17.2 g/l / 0.14 lb/gl			

(Contd. on page 5)

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

3
-
3
3
3
3
3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 Transport information				
· UN-Number · DOT, ADN, IMDG, IATA	not regulated			
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated			
· Transport hazard class(es)				
· DOT, ADN, IMDG, IATA · Class	not regulated			
· Packing group · DOT, IMDG, IATA	not regulated			
· Environmental hazards:	Not applicable.			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.			
· UN ''Model Regulation'':	not regulated			

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

122-99-6 2-Phenoxyethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 05/17/2018 Reviewed on 05/17/2018

Trade name: Sebastian Professional Dark Oil Mask

	(Contd. of page 6)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
67-63-0 propan-2-ol	A4
128-37-0 Butylated hydroxytoluene	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed	

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 05/17/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

-US