

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

1 Identification

- **Product identifier**
- **Trade name:** Color Touch 9/96 NA
- **Article number:** 99210011884
- **Application of the substance / the mixture** Hair dye
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Coty Cosmetics, Inc.
4500 Park Granada
Calabasas, CA 91302
USA
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**
CHEMTREC Emergency number: +1-703-527-3887
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
2-aminoethanol
- **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 1)

If skin irritation occurs: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

141-43-5	2-aminoethanol	4.071%
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	3.0%
9004-82-4	sodium alpha-dodecan-1-yl-omega-(sulfonatoxy)poly(oxyethylene)	2.8%
7757-82-6	sodium sulphate	2.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

141-43-5	2-aminoethanol	6 ppm
7757-82-6	sodium sulphate	9.8 mg/m ³
151-21-3	sodium dodecyl sulphate	3.9 mg/m ³
12001-26-2	Mica	9 mg/m ³
7757-83-7	sodium sulphite	11 mg/m ³
108-46-3	resorcinol	20 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	11 mg/m ³
13463-67-7	titanium dioxide	30 mg/m ³
591-27-5	3-aminophenol	3 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
120-51-4	Benzyl benzoate	5.7 mg/m ³
100-51-6	Benzyl alcohol	30 ppm

· PAC-2:

141-43-5	2-aminoethanol	170 ppm
7757-82-6	sodium sulphate	110 mg/m ³
151-21-3	sodium dodecyl sulphate	43 mg/m ³
12001-26-2	Mica	99 mg/m ³
7757-83-7	sodium sulphite	120 mg/m ³
108-46-3	resorcinol	28 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	120 mg/m ³
13463-67-7	titanium dioxide	330 mg/m ³
591-27-5	3-aminophenol	33 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
120-51-4	Benzyl benzoate	63 mg/m ³
100-51-6	Benzyl alcohol	52 ppm

· PAC-3:

141-43-5	2-aminoethanol	1,000 ppm
----------	----------------	-----------

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 3)

7757-82-6	sodium sulphate	650 mg/m ³
151-21-3	sodium dodecyl sulphate	260 mg/m ³
12001-26-2	Mica	590 mg/m ³
7757-83-7	sodium sulphite	710 mg/m ³
108-46-3	resorcinol	170 ppm
139-33-3	disodium dihydrogenethylenediaminetetraacetate	730 mg/m ³
13463-67-7	titanium dioxide	2,000 mg/m ³
591-27-5	3-aminophenol	200 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
120-51-4	Benzyl benzoate	380 mg/m ³
100-51-6	Benzyl alcohol	740 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

141-43-5 2-aminoethanol

PEL	Long-term value: 6 mg/m ³ , 3 ppm
REL	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm
TLV	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm

7757-82-6 sodium sulphate

TLV	Short-term value: NIC-0.2 mg/m ³ thoracic fraction of aerosol
-----	---

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 4)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Color: Beige

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 9-11

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 5)

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	4.1 %
Water:	74.4 %
VOC content:	4.08 %
	40.8 g/l / 0.34 lb/gal
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
141-43-5 2-aminoethanol		
Oral	LD50	1,089 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat)
7757-82-6 sodium sulphate		
Oral	LD50	5,989 mg/kg (mouse)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 6)

		>2,000 mg/kg (rat) (bw (OECD 423))	
Inhalative	LC50/4 h	>2.4 mg/l (rat) (air (OECD 436))	
<ul style="list-style-type: none"> · Primary irritant effect: · on the skin: Irritant to skin and mucous membranes. · on the eye: Strong irritant with the danger of severe eye injury. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant · Carcinogenic categories 			
· IARC (International Agency for Research on Cancer)			
108-46-3	resorcinol		3
13463-67-7	titanium dioxide		2B
5989-27-5	(R)-p-mentha-1,8-diene		3
· NTP (National Toxicology Program)			
None of the ingredients is listed.			
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 7)

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture	
· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
67762-27-0	Alcohols, C16-18
141-43-5	2-aminoethanol
3055-94-5	2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol
9004-82-4	sodium alpha-dodecan-1-yl-omega-(sulfonatoxy)poly(oxyethylene)
7757-82-6	sodium sulphate
11099-07-3	Glyceryl Stearate SE
58670-89-6	1-Tetradecanol, 2-decyl-
151-21-3	sodium dodecyl sulphate
8012-89-3	Beeswax
61789-32-0	Fatty acids, coco, 2-sulfoethyl esters, sodium salts
7757-83-7	sodium sulphite
50-81-7	ascorbic acid
108-46-3	resorcinol
69430-36-0	Keratins, hydrolyzates
139-33-3	disodium dihydrogenethylenediaminetetraacetate
13463-67-7	titanium dioxide
591-27-5	3-aminophenol

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 8)

54381-16-7	<i>N, N-Bis(2-hydroxyethyl)-p-phenylenediamine sulfate</i>
101-86-0	<i>alpha-Hexylcinnamaldehyde</i>
2835-95-2	<i>5-amino-o-cresol</i>
5989-27-5	<i>(R)-p-mentha-1,8-diene</i>
120-51-4	<i>Benzyl benzoate</i>
118-58-1	<i>benzyl salicylate</i>
106-22-9	<i>dl-Citronellol</i>
106-24-1	<i>Geraniol</i>
5392-40-5	<i>Citral</i>
78-70-6	<i>Linalool</i>
100-51-6	<i>Benzyl alcohol</i>
7732-18-5	<i>water, distilled, conductivity or of similar purity</i>

· **TSCA new (21st Century Act) (Substances not listed)**

3055-94-5	<i>2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol</i>
-----------	--

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7	<i>titanium dioxide</i>
------------	-------------------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

108-46-3	<i>resorcinol</i>	A4
13463-67-7	<i>titanium dioxide</i>	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	<i>titanium dioxide</i>
------------	-------------------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

2-aminoethanol

· **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/04/2018

Reviewed on 09/04/2018

Trade name: Color Touch 9/96 NA

(Contd. of page 9)

- **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Abteilung Umweltschutz

- **Contact:** Hr. Dr. Speckbacher

- **Date of preparation / last revision** 09/04/2018 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1