

Safety Data Sheet

acc. to OSHA HCS


Printing date 04/23/2019

Reviewed on 04/23/2019

1 Identification

- **Product identifier**
- **Trade name:** SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER
- **Article number:** 99210012332
- **Application of the substance / the mixture** Hair care products
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Coty, 14 rue du Quatre Septembre, 75002 Paris
-
- **Coty US LLC, New York, NY 10118**
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**
CHEMTREC Emergency number: +1-703-527-3887
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
 - **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**
- 

Health = 0
Fire = 0
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- | | |
|------------|---|
| HEALTH | 0 |
| FIRE | 0 |
| REACTIVITY | 0 |

Health = 0
Fire = 0
Reactivity = 0
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

36653-82-4	1-Hexadecanol	1.2%
7651-02-7	Octadecanamide, N-[3-(dimethylamino)propyl]-	1.0%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 1)

- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

36653-82-4	1-Hexadecanol	1.6 mg/m ³
112-92-5	octadecan-1-ol	5.4 ppm
100-51-6	Benzyl alcohol	30 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
60-00-4	edetic acid	4.1 mg/m ³
57-55-6	Propylene glycol	30 mg/m ³
5989-27-5	Limonene	15 ppm
120-51-4	Benzyl benzoate	5.7 mg/m ³
532-32-1	sodium benzoate	61 mg/m ³

· **PAC-2:**

36653-82-4	1-Hexadecanol	18 mg/m ³
112-92-5	octadecan-1-ol	60 ppm
100-51-6	Benzyl alcohol	52 ppm
122-99-6	2-Phenoxyethanol	16 ppm
60-00-4	edetic acid	45 mg/m ³
57-55-6	Propylene glycol	1,300 mg/m ³
5989-27-5	Limonene	67 ppm
120-51-4	Benzyl benzoate	63 mg/m ³
532-32-1	sodium benzoate	680 mg/m ³

· **PAC-3:**

36653-82-4	1-Hexadecanol	110 mg/m ³
112-92-5	octadecan-1-ol	360 ppm
100-51-6	Benzyl alcohol	740 ppm

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

		(Contd. of page 2)
122-99-6	2-Phenoxyethanol	97 ppm
60-00-4	edetic acid	200 mg/m ³
57-55-6	Propylene glycol	7,900 mg/m ³
5989-27-5	Limonene	170 ppm
120-51-4	Benzyl benzoate	380 mg/m ³
532-32-1	sodium benzoate	810 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.
At this time, the other constituents have no known exposure limits.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 3)

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Viscous
· Color:	Whitish
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 5-7

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Solvent content:**

· Organic solvents:	0.9 %
· Water:	93.0 %
· VOC content:	0.91 %
	9.1 g/l / 0.08 lb/gal

· **Solids content:** 3.2 %

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

36653-82-4 1-Hexadecanol

Oral	LD50	5,001 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)

61789-80-8 bis(hydrogenated tallow)dimethylammonium chloride

Oral	LD50	>2,000 mg/kg (rat) (bw (OECD 401))
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (OECD 402))
Inhalative	LC50/4 h	>180 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

5989-27-5	Limonene	3
-----------	----------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

122-99-6	2-Phenoxyethanol
----------	------------------

· **TSCA (Toxic Substances Control Act):**

36653-82-4	1-Hexadecanol	ACTIVE
7651-02-7	Octadecanamide, N-[3-(dimethylamino)propyl]-	ACTIVE
112-92-5	octadecan-1-ol	ACTIVE
61789-80-8	bis(hydrogenated tallow)dimethylammonium chloride	ACTIVE
100-51-6	Benzyl alcohol	ACTIVE
122-99-6	2-Phenoxyethanol	ACTIVE
67762-27-0	Cetearyl Alcohol	ACTIVE
143-28-2	(Z)-octadec-9-enol	ACTIVE
123-94-4	Octadecanoic acid, 2,3-dihydroxypropyl ester	ACTIVE
99-76-3	Methylparaben	ACTIVE
94-13-3	Propylparaben	ACTIVE
9005-67-8	Polysorbate 60	ACTIVE
60-00-4	edetic acid	ACTIVE

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 6)

57-55-6	Propylene glycol	ACTIVE
77-92-9	citric acid	ACTIVE
134737-05-6	Polysiloxanes, di-Me, 3-[3-[(3-coco amidopropyl)dimethylammonio]-2-hydroxypropoxy]propyl group-terminated, acetates (salts)	ACTIVE
78-70-6	Linalool	ACTIVE
5989-27-5	Limonene	ACTIVE
127-51-5	alpha-iso-Methylionone	ACTIVE
106-22-9	Citronellol	ACTIVE
120-51-4	Benzyl benzoate	ACTIVE
24634-61-5	potassium (E,E)-hexa-2,4-dienoate	ACTIVE
532-32-1	sodium benzoate	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Abteilung Umweltschutz

· **Contact:** Hr. Dr. Speckbacher

· **Date of preparation / last revision** 04/23/2019 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: SEBASTIAN PROFESSIONAL VOLUPT CONDITIONER

(Contd. of page 7)

*NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit*

US