

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

## 1 Identification

- **Product identifier**
- **Trade name:** NIOXIN DIAMAX
- **Article number:** 99210012591
- **Application of the substance / the mixture** Hair care products
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Coty, 14 rue du Quatre Septembre, 75002 Paris
- 
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**  
CHEMTREC Emergency number: +1-703-527-3887  
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapor.
- **Precautionary statements**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
In case of fire: Use for extinction: CO2, powder or water spray.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 3  
Reactivity = 0

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: NIOXIN DIAMAX

(Contd. of page 1)

### · HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = *0
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

64-17-5	ethyl alcohol	49.95%
98-92-0	nicotinamide	2.5%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: NIOXIN DIAMAX**

(Contd. of page 2)

See Section 13 for disposal information.

**· Protective Action Criteria for Chemicals****· PAC-1:**

64-17-5	ethyl alcohol	1,800 ppm
98-92-0	nicotinamide	5.6 mg/m <sup>3</sup>
56-81-5	glycerol	45 mg/m <sup>3</sup>
102-71-6	Triethanolamine	15 mg/m <sup>3</sup>
5989-27-5	Limonene	15 ppm
120-51-4	Benzyl benzoate	5.7 mg/m <sup>3</sup>

**· PAC-2:**

64-17-5	ethyl alcohol	3300* ppm
98-92-0	nicotinamide	62 mg/m <sup>3</sup>
56-81-5	glycerol	180 mg/m <sup>3</sup>
102-71-6	Triethanolamine	240 mg/m <sup>3</sup>
5989-27-5	Limonene	67 ppm
120-51-4	Benzyl benzoate	63 mg/m <sup>3</sup>

**· PAC-3:**

64-17-5	ethyl alcohol	15000* ppm
98-92-0	nicotinamide	690 mg/m <sup>3</sup>
56-81-5	glycerol	1,100 mg/m <sup>3</sup>
102-71-6	Triethanolamine	1,500 mg/m <sup>3</sup>
5989-27-5	Limonene	170 ppm
120-51-4	Benzyl benzoate	380 mg/m <sup>3</sup>

## 7 Handling and storage

**· Handling:****· Precautions for safe handling** No special precautions are necessary if used correctly.**· Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** Store in a cool location.**· Information about storage in one common storage facility:** Not required.**· Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**· Storage class: 3****· Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**· Additional information about design of technical systems:** No further data; see item 7.**· Control parameters****· Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: NIOXIN DIAMAX

(Contd. of page 3)

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

**64-17-5 ethyl alcohol**

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Color: Clear

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 5-6

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** 20 °C (68 °F)

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: NIOXIN DIAMAX

(Contd. of page 4)

· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	425 °C (797 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	3.5 Vol %
<b>Upper:</b>	15 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	50.0 %
<b>Water:</b>	45.1 %
<b>VOC content:</b>	49.97 %
	499.7 g/l / 4.17 lb/gal
<b>Solids content:</b>	3.5 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

### 64-17-5 ethyl alcohol

Oral	LD50	10,470 mg/kg (rat) (bw (OECD 401))
Inhalative	LC50/4 h	116.9 mg/l (rat) (air (//OECD 403))

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: NIOXIN DIAMAX

(Contd. of page 5)

**98-92-0 nicotinamide**

Oral	LD50	>2,500 mg/kg (rat) (bw (OECD 423))
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (OECD 402))
Inhalative	LC50/4 h	>3.8 mg/l (rat) (air (OECD 436))

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

64-17-5	ethyl alcohol	1
58-08-2	caffeine	3
102-71-6	Triethanolamine	3
5989-27-5	Limonene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- *Water hazard class 1 (Self-assessment): slightly hazardous for water*
- *Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**
- *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, IMDG, IATA** UN1266

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: NIOXIN DIAMAX

(Contd. of page 6)

· **UN proper shipping name**  
 · **DOT** Perfumery products  
 · **IMDG, IATA** PERFUMERY PRODUCTS

· **Transport hazard class(es)**  
 · **DOT**



· **Class** 3 Flammable liquids  
 · **Label** 3

· **IMDG, IATA**



· **Class** 3 Flammable liquids  
 · **Label** 3

· **Packing group**  
 · **DOT, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids  
 · **Danger code (Kemler):** 33  
 · **EMS Number:** F-E,S-D  
 · **Stowage Category** B

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**  
 · **Quantity limitations** On passenger aircraft/rail: 15 L  
On cargo aircraft only: 60 L

· **IMDG**  
 · **Limited quantities (LQ)** 5L  
 · **Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1266 PERFUMERY PRODUCTS, 3, II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 · **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

64-17-5 ethyl alcohol

ACTIVE

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: NIOXIN DIAMAX**

(Contd. of page 7)

98-92-0	nicotinamide	ACTIVE
68937-55-3	PEG/PPG-4/12 dimethicone	ACTIVE
58-08-2	caffèine	ACTIVE
56-81-5	glycerol	ACTIVE
102-71-6	Triethanolamine	ACTIVE
2216-51-5	L-menthol	ACTIVE
70142-34-6	PEG-30 Dipolyhydroxystearate	ACTIVE
118-58-1	benzyl salicylate	ACTIVE
101-86-0	Hexyl cinnamal	ACTIVE
78330-21-9	Alcohols, C11-14-isoalcs., C13-rich, ethoxylated	ACTIVE
127-51-5	alpha-iso-Methylionone	ACTIVE
78-70-6	Linalool	ACTIVE
5989-27-5	Limonene	ACTIVE
106-22-9	Citronellol	ACTIVE
106-24-1	Geraniol	ACTIVE
120-51-4	Benzyl benzoate	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethyl alcohol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethyl alcohol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

· **Signal word** *Danger*

· **Hazard statements**

Highly flammable liquid and vapor.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: NIOXIN DIAMAX**

(Contd. of page 8)

Keep container tightly closed.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ventilating/lighting/equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.  
 Store in a well-ventilated place. Keep cool.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.  
 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Abteilung Umweltschutz
- **Contact:** Hr. Dr. Speckbacher
- **Date of preparation / last revision** 04/23/2019 / -
- **Abbreviations and acronyms:**  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Flam. Liq. 2: Flammable liquids – Category 2

US