Printing date 03/20/2019

Reviewed on 03/20/2019

1 Identification

· Product identifier

- Trade name: <u>Blondorplex</u>
- · Article number: 99210015575
- Application of the substance / the mixture Hair bleaching powder
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302 USA

· Information department: Coty SDS Info Team

- Emergency telephone number:
- CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4H302Harmful if swallowed.Skin Irrit. 2H315Causes skin irritation.Skin Sens. 1H317May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: dipotassium peroxodisulphate Silicic acid, sodium salt diammonium peroxodisulphate Octadecanoic acid, sodium salt (1:1)
Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.
Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

(Contd. on page 2)

Ú

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

(Contd. of page 1)
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves / eye protection / face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
·NFPA ratings (scale 0 - 4)
$\begin{array}{c} 0 \\ 3 \\ 0 \\ 0 \end{array} \begin{array}{c} Health = 3 \\ Fire = 0 \\ Reactivity = 0 \end{array}$
HMIS-ratings (scale 0 - 4)
HEALTH*3FIRE0 $Fire = 0$ REACTIVITY0
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB : Not applicable.
3 Composition/information on ingredients

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7727-21-1 dipotassium peroxodisulphate	41.79%		
1344-09-8 Silicic acid, sodium salt	28.0%		
7727-54-0 diammonium peroxodisulphate	9.95%		
822-16-2 Octadecanoic acid, sodium salt (1:1)	5.0%		
8042-47-5 Paraffinum Liquidum	3.5%		

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Immediately call a doctor.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

7727-21-1	dipotassium peroxodisulphate	$0.3 \ mg/m^3$
1344-09-8	Silicic acid, sodium salt	5.9 mg/m ³
7727-54-0	diammonium peroxodisulphate	0.3 mg/m ³
7760-50-1	Magnesium carbonate hydroxide (Mg5(CO3)4(OH)2)	30 mg/m ³
822-16-2	Octadecanoic acid, sodium salt (1:1)	0.17 mg/n
139-33-3	Disodium EDTA	11 mg/m ³
7631-86-9	Silica	18 mg/m ³
PAC-2:		
7727-21-1	dipotassium peroxodisulphate	26 mg/m ⁻
1344-09-8	Silicic acid, sodium salt	65 mg/m
7727-54-0	diammonium peroxodisulphate	22 mg/m
7760-50-1	Magnesium carbonate hydroxide (Mg5(CO3)4(OH)2)	330 mg/n
822-16-2	Octadecanoic acid, sodium salt (1:1)	1.8 mg/m
139-33-3	Disodium EDTA	120 mg/n
7631-86-9	Silica	740 mg/n
PAC-3:		
7727-21-1	dipotassium peroxodisulphate	160 mg/m ³
1344-09-8	Silicic acid, sodium salt	390 mg/m ³
7727-54-0	diammonium peroxodisulphate	130 mg/m ³
7760-50-1	Magnesium carbonate hydroxide (Mg5(CO3)4(OH)2)	2,000 mg/n
822-16-2	Octadecanoic acid, sodium salt (1:1)	11 mg/m³
139-33-3	Disodium EDTA	730 mg/m ³

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

7631-86-9 Silica

(Contd. of page 3) $4,500 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Storage class: 13

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

7727-21-1 dipotassium peroxodisulphate

TLV Long-term value: 0.1 mg/m^3

as persulfate

7727-54-0 diammonium peroxodisulphate

TLV Long-term value: 0.1 mg/m³

as persulfate

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

(Contd. on page 5)

JS

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

(Contd. of page 4)

US

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Powder
Color:	Light blue
Odor:	Characteristic
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	9.9-10.6
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not applicable.

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

		(Contd. of page 5)
Kinematic:	Not applicable.	
Solvent content: Water: VOC content:	0.1 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: • Other information	100.0 % No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

7727-21-1 dipotassium peroxodisulphate

Oral LD50 500 mg/kg (rat)

1344-09-8 Silicic acid, sodium salt

Oral	LD50	<i>3,400 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)</i>
Dermal	LD50	>5,000 mg/kg (rabbit) (bw (Read across data on AgSil TM 25 Potassium sili)
Inhalative	LC50/4 h	>2.06 mg/l (rat) (air (Read across data AgSil TM 25 Potassium silica)

7727-54-0 diammonium peroxodisulphate

Oral LD50 500 mg/kg (rat)	8042-47-5	Paraffinu	m Liauidum
	Oral	LD50	500 mg/kg (rat)

8042-47-5 Farajjinum Liquiaum			
Oral	LD50	>5,000 mg/kg (rat) (bw (//OECD 401))	
Dermal		>2,000 mg/kg (rabbit) (bw (//OECD 402))	
	TOTOLLI		

Inhalative LC50/4 h >5 *mg/l (rat) (air (//OECD 403))*

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 Silica

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

3

US -

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The product needs to be stored in closed container. The product must not get in contact with water or increased humidity.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
		(Contd. on page

US

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

· UN "Model Regulation":

not regulated

15 Regulatory information

Section 355	(extremely hazardous substances):	
None of the	ingredients is listed.	
Section 313	(Specific toxic chemical listings):	
None of the	ingredients is listed.	
TSCA (Toxi	ic Substances Control Act):	
•	dipotassium peroxodisulphate	ACTIV
1344-09-8	Silicic acid, sodium salt	ACTIV
7727-54-0	diammonium peroxodisulphate	ACTIV
7760-50-1	Magnesium carbonate hydroxide (Mg5(CO3)4(OH)2)	ACTIV
822-16-2	Octadecanoic acid, sodium salt (1:1)	ACTIV
8042-47-5	Paraffinum Liquidum	ACTIV
11138-66-2	Xanthan Gum	ACTIV
9005-38-3	Algin	ACTIV
139-33-3	Disodium EDTA	ACTIV
7631-86-9	Silica	ACTIV
57455-37-5	Ultramarines	ACTIV
7732-18-5	water, distilled, conductivity or of similar purity	ACTIV
Hazardous	Air Pollutants	
None of the	ingredients is listed.	
Proposition	-	
Chemicals k	known to cause cancer:	
None of the	ingredients is listed.	
Chemicals k	known to cause reproductive toxicity for females:	
	ingredients is listed.	
•	cnown to cause reproductive toxicity for males:	
	ingredients is listed.	
	known to cause developmental toxicity:	
	ingredients is listed.	
	<u> </u>	
Carcinogen		
	onmental Protection Agency)	
None of the	ingredients is listed.	
TLV (Thres	hold Limit Value established by ACGIH)	
None of the	ingredients is listed.	
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	ingredients is listed.	

(Contd. on page 9)

US

Printing date 03/20/2019

Reviewed on 03/20/2019

Trade name: Blondorplex

(Contd. of page 8) · Hazard pictograms GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: *dipotassium peroxodisulphate* Silicic acid, sodium salt diammonium peroxodisulphate Octadecanoic acid, sodium salt (1:1) · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Abteilung Umweltschutz

- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 03/20/2019 / -
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

US

Printing date 03/20/2019

Trade name: Blondorplex

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Reviewed on 03/20/2019

(Contd. of page 9)

US