

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

1 Identification

- **Product identifier**
- **Trade name:** Base Breaker Cool
- **Article number:** 99210017422
- **Application of the substance / the mixture** Hair coloring product
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Coty Cosmetics, Inc.
4500 Park Granada
Calabasas, CA 91302
USA
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**
CHEMTREC Emergency number: +1-703-527-3887
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 0
Reactivity = 0

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: **Base Breaker Cool**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = *2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

57-55-6	Propylene glycol	>2.5-≤10%
7664-41-7	ammonia, anhydrous	≥1-≤2.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: Base Breaker Cool

(Contd. of page 2)

· Protective Action Criteria for Chemicals**· PAC-1:**

57-55-6	Propylene glycol	30 mg/m ³
7664-41-7	ammonia, anhydrous	30 ppm
7783-20-2	ammonium sulphate	13 mg/m ³
7757-82-6	Sodium Sulfate	9.8 mg/m ³
9005-00-9	Steareth-2	5.7 mg/m ³
7757-83-7	sodium sulphite	11 mg/m ³
1310-73-2	sodium hydroxide	0.5 mg/m ³
139-33-3	Disodium EDTA	11 mg/m ³
108-46-3	resorcinol	20 ppm
591-27-5	3-aminophenol	3 mg/m ³
5989-27-5	Limonene	15 ppm

· PAC-2:

57-55-6	Propylene glycol	1,300 mg/m ³
7664-41-7	ammonia, anhydrous	160 ppm
7783-20-2	ammonium sulphate	140 mg/m ³
7757-82-6	Sodium Sulfate	110 mg/m ³
9005-00-9	Steareth-2	63 mg/m ³
7757-83-7	sodium sulphite	120 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m ³
139-33-3	Disodium EDTA	120 mg/m ³
108-46-3	resorcinol	28 ppm
591-27-5	3-aminophenol	33 mg/m ³
5989-27-5	Limonene	67 ppm

· PAC-3:

57-55-6	Propylene glycol	7,900 mg/m ³
7664-41-7	ammonia, anhydrous	1,100 ppm
7783-20-2	ammonium sulphate	840 mg/m ³
7757-82-6	Sodium Sulfate	650 mg/m ³
9005-00-9	Steareth-2	380 mg/m ³
7757-83-7	sodium sulphite	710 mg/m ³
1310-73-2	sodium hydroxide	50 mg/m ³
139-33-3	Disodium EDTA	730 mg/m ³
108-46-3	resorcinol	170 ppm
591-27-5	3-aminophenol	200 mg/m ³
5989-27-5	Limonene	170 ppm

7 Handling and storage

· Handling:

· **Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: **Base Breaker Cool**

(Contd. of page 3)

- **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Storage class:** 12
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.
At this time, the other constituents have no known exposure limits.

57-55-6 Propylene glycol

<i>WEEL</i>	<i>Long-term value: 10 mg/m³</i>
-------------	---

7664-41-7 ammonia, anhydrous

<i>PEL</i>	<i>Long-term value: 35 mg/m³, 50 ppm</i>
<i>REL</i>	<i>Short-term value: 27 mg/m³, 35 ppm</i> <i>Long-term value: 18 mg/m³, 25 ppm</i>
<i>TLV</i>	<i>Short-term value: 24 mg/m³, 35 ppm</i> <i>Long-term value: 17 mg/m³, 25 ppm</i>

- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** *Not required.*
- **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: **Base Breaker Cool**

(Contd. of page 4)

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Viscous
Color:	Light beige
Odor:	Characteristic
Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 10.5· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:** 371 °C (699.8 °F)· **Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)· **Density:** Not determined.· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with**

Water:	Not miscible or difficult to mix.
--------	-----------------------------------

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

· **Solvent content:**

Organic solvents:	8.0 %
Water:	80.9 %
VOC content:	8.00 %
	80.0 g/l / 0.67 lb/gal

Solids content:	1.5 %
-----------------	-------

· **Other information** No further relevant information available.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: **Base Breaker Cool**

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-55-6 Propylene glycol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

7664-41-7 ammonia, anhydrous

Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

108-46-3	resorcinol	3
5989-27-5	Limonene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: **Base Breaker Cool**

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):

7664-41-7	ammonia, anhydrous
-----------	--------------------

· Section 313 (Specific toxic chemical listings):

7664-41-7	ammonia, anhydrous
-----------	--------------------

7783-20-2	ammonium sulphate
-----------	-------------------

· TSCA (Toxic Substances Control Act):

57-55-6	Propylene glycol	ACTIVE
67762-27-0	Cetearyl Alcohol	ACTIVE
7664-41-7	ammonia, anhydrous	ACTIVE
178949-82-1	L-Aspartic acid, N,N'-1,2-ethanediybis-, sodium salt (1:3)	ACTIVE
2197-63-9	1-Hexadecanol, 1,1'-(hydrogen phosphate)	ACTIVE
11138-66-2	Xanthan Gum	ACTIVE
7783-20-2	ammonium sulphate	ACTIVE

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: Base Breaker Cool

(Contd. of page 7)

7757-82-6	Sodium Sulfate	ACTIVE
9005-00-9	Steareth-2	ACTIVE
7757-83-7	sodium sulphite	ACTIVE
50-81-7	ascorbic acid	ACTIVE
1310-73-2	sodium hydroxide	ACTIVE
139-33-3	Disodium EDTA	ACTIVE
54381-16-7	N, N-Bis(2-hydroxyethyl)-p-phenylenediamine sulfate	ACTIVE
108-46-3	resorcinol	ACTIVE
591-27-5	3-aminophenol	ACTIVE
106-24-1	Geraniol	ACTIVE
78-70-6	Linalool	ACTIVE
123-30-8	4-aminophenol	ACTIVE
127-51-5	alpha-iso-Methylionone	ACTIVE
5989-27-5	Limonene	ACTIVE
5392-40-5	Citral	ACTIVE
106-22-9	Citronellol	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

108-46-3	resorcinol	.A4
----------	------------	-----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/06/2019

Reviewed on 06/06/2019

Trade name: Base Breaker Cool

(Contd. of page 8)

· **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** *Abteilung Umweltschutz*

· **Contact:** *Hr. Dr. Speckbacher*

· **Date of preparation / last revision** *06/06/2019 / -*

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A