Printing date 02/05/2020

Reviewed on 02/05/2020

1 Identification

- · Product identifier
- · Trade name: <u>WP EIMI TEXTURE TOUCH</u>
- · Article number: 99337416
- · Application of the substance / the mixture Hair styling product
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302 USA
- · Information department: Coty SDS Info Team
- Emergency telephone number: CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: dioctyl maleate
 Hazard statements May cause an allergic skin reaction.
- Precautionary statements
- Avoid broathing dust/free logs/wist/ug
- Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.
- If on skin: Wash with plenty of water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

(Contd. on page 2)

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

2915-53-9 dioctyl maleate >2.5-≤10% 57-55-6 Propylene glycol >2.5-≤10% 1332-58-7 Kaolin >2.5-≤10% 13463-67-7 titanium dioxide ≥0.1-≤2.5%	· Dangerous	components:	
1332-58-7 Kaolin >2.5-≤10%	2915-53-9	dioctyl maleate	>2.5-≤10%
	57-55-6	Propylene glycol	>2.5-≤10%
<i>13463-67-7 titanium dioxide</i> ≥0.1-≤2.5%			>2.5-≤10%
	13463-67-7	titanium dioxide	≥0.1-≤2.5%

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

US

~

Safety Data Sheet acc. to OSHA HCS

Printing date 02/05/2020

Reviewed on 02/05/2020

-

Trade name: WP EIMI TEXTURE TOUCH

Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling.	(Contd. of page 2
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals PAC-1:	
57-55-6 Propylene glycol	30 mg/m ²
7631-86-9 Silica	18 mg/m ²
13463-67-7 titanium dioxide	30 mg/m
5989-27-5 Limonene	15 ppm
12001-26-2 Mica	$\frac{11}{9 \text{ mg/m}^3}$
1309-37-1 Iron Oxides (CI 77491)	15 mg/m
1317-61-9 Iron Oxides (CI 77499)	21 mg/m
- PAC-2:	
57-55-6 Propylene glycol	1,300 mg/m
7631-86-9 Silica	740 mg/m ³
13463-67-7 titanium dioxide	330 mg/m ³
5989-27-5 Limonene	67 ppm
12001-26-2 Mica	99 mg/m ³
1309-37-1 Iron Oxides (CI 77491)	360 mg/m ³
1317-61-9 Iron Oxides (CI 77499)	230 mg/m ³
• PAC-3:	
57-55-6 Propylene glycol	7,900 mg/m
7631-86-9 Silica	4,500 mg/m
13463-67-7 titanium dioxide	2,000 mg/m
5989-27-5 Limonene	170 ppm
12001-26-2 Mica	590 mg/m ³
1309-37-1 Iron Oxides (CI 77491)	2,200 mg/m
1317-61-9 Iron Oxides (CI 77499)	1,400 mg/m

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions: None.

• Storage class: 11

• Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:	· Components with	limit values that	require monitoring	g at the workplace:
--	-------------------	-------------------	--------------------	---------------------

57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m³

1332-58-7 Kaolin

- PELLong-term value: 15* 5** mg/m³
*total dust **respirable fractionRELLong-term value: 10* 5** mg/m³
*total dust **respirable fraction
- *TLV* Long-term value: 2* mg/m³ E; as respirable fraction

13463-67-7 titanium dioxide

PEL Long-term value: 15* mg/m³ *total dust REL See Pocket Guide App. A

- TLV Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- \cdot General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

(Contd. on page 5)

US

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

(Contd. of page 4)

Physical and chemical proper	rties	
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Solid mass	
Color:	Beige	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	9.1 %	
VOC content:	9.07 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

(Contd. on page 6)

US

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are re	elevant for classification:
------------------------------	-----------------------------

8009-03-8 Petrolatum		n
Oral	1050	> 5.000 malka (mat)

$\begin{array}{c} Dermal \\ LD50 \\ \end{array} \begin{array}{c} 25,000 \\ mg/kg (rab)(0) \\ (rabbit) (bw (l/OECD 402)) \\ (bw (l/OECD 402)) \\ \end{array}$			
	Dermal	LD50	>2,000 mg/kg (rabbit) (bw (//OECD 402))
Oral = LD50 = 55000 mg/kg (rat) (bw (//OECD 401))	Oral	LD50	>5,000 mg/kg (rat) (bw (//OECD 401))

57-55-6 Propylene glycol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

13463-67-7 titanium dioxide

 Oral
 LD50
 >5,000 mg/kg (rat) (bw (OECD 425))

 Dermal
 LD50
 >10,000 mg/kg (rabbit)

Inhalative LC50/4 h >3.43 mg/l (rat) (air (OECD 403))

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
7631-86-9	Silica	3
13463-67-7	titanium dioxide	2B
5989-27-5	Limonene	3
1309-37-1	Iron Oxides (CI 77491)	3
97-53-0	Eugenol	3
· NTP (Nation	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$

• *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

⁽Contd. of page 5)

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

(Contd. of page 6)

- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 02/05/2020

Reviewed on 02/05/2020

Trade name: WP EIMI TEXTURE TOUCH

8009-03-8 1 8012-89-3 1 2915-53-9 6 57-55-6 1 1332-58-7 1		ACTIV
8012-89-3 1 2915-53-9 6 57-55-6 1 1332-58-7 1		110111
2915-53-9 d 57-55-6 1 1332-58-7 1	i contax	ACTIV
57-55-6 1 1332-58-7 1	lioctyl maleate	ACTIV
1332-58-7 1	Propylene glycol	ACTIV
		ACTIV
	QUATERNIUM-18 BENTONITE	ACTIV
7631-86-9	-	ACTIV
	itanium dioxide	ACTIV
	Ethylhexyl Methoxycinnamate	ACTIV
5989-27-5 1		ACTIV
78-70-6 1		ACTIV
1309-37-1	ron Oxides (CI 77491)	ACTIV
	ron Oxides (CI 77499)	ACTIV
97-53-0 1	Eugenol	ACTIV
5392-40-5 (Citral	ACTIV
106-22-9	Citronellol	ACTIV
106-24-1	Geraniol	ACTIV
127-51-5 c	lpha-iso-Methylionone	ACTIV
Hazardous A	r Pollutants	
Vone of the ir	gredients is listed.	
Proposition 6	5	
Chemicals kn	own to cause cancer:	
13463-67-7 t	itanium dioxide	
Chemicals kn	own to cause reproductive toxicity for females:	
Vone of the ir	gredients is listed.	
Chemicals kn	own to cause reproductive toxicity for males:	
Vone of the ir	gredients is listed.	
Chemicals kn	own to cause developmental toxicity:	
	gredients is listed.	
Carcinogenic	ogtagories	
-	umental Protection Agency)	
	gredients is listed.	
	-	
1332-58-7 1	old Limit Value established by ACGIH)	A
	itanium dioxide	<i>F</i>
	ron Oxides (CI 77491)	/
	National Institute for Occupational Safety and Health) itanium dioxide	

US

Printing date 02/05/2020

Reviewed on 02/05/2020

(Contd. of page 8)

Trade name: WP EIMI TEXTURE TOUCH

· Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: dioctyl maleate
- · Hazard statements
- May cause an allergic skin reaction.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.
- If on skin: Wash with plenty of water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 02/05/2020 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation - Category 1