Printing date 04/05/2019 Reviewed on 04/05/2019

1 Identification

- · Product identifier
- · Trade name: Blondor EX Cool Blonde
- · Article number: 99602778
- · Application of the substance / the mixture Hair bleaching powder
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Coty Cosmetics, Inc. 4500 Park Granada Calabasas, CA 91302

USA

- · Information department: Coty SDS Info Team
- · Emergency telephone number:

CHEMTREC Emergency number: +1-703-527-3887

CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

5 GHS07

GHS

- · Signal word Danger
- · Hazard-determining components of labeling:

diammonium peroxodisulphate

Silicic acid, sodium salt

dipotassium peroxodisulphate

Octadecanoic acid, sodium salt (1:1)

(Contd. on page 2)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 1)

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1332-58-7	Kaolin	37.795%
1344-09-8	Silicic acid, sodium salt	20.0%
7727-54-0	diammonium peroxodisulphate	19.9%

(Contd. on page 3)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

	(Cor	ntd. of page 2)
7727-21-	dipotassium peroxodisulphate	9.95%
8012-95-	l Paraffin oils	7.5%
822-16-	Octadecanoic acid, sodium salt (1:1)	1.0%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- $\cdot \textit{Environmental precautions:} \ Do \ not \ allow \ to \ enter \ sewers/ \ surface \ or \ ground \ water.$
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Trotective Action Cri	Trotecure Action Criefting of Chemicus		
· PAC-1:			
1344-09-8 Silicic aci	d, sodium salt	5.9 i	mg/m³
7727-54-0 diammoni	um peroxodisulphate	0.3 i	mg/m³
7727-21-1 dipotassiu	ım peroxodisulphate	0.3 i	mg/m³
822-16-2 Octadeca	noic acid, sodium salt (1:1)	0.17	⁷ mg/m³
		(Contd.	on page 4)

- US

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

139-33-3 Disodium EDTA	(Contd. of page 3)
7631-86-9 Silica	18 mg/m^3
· PAC-2:	
1344-09-8 Silicic acid, sodium salt	65 mg/m³
7727-54-0 diammonium peroxodisulphate	22 mg/m³
7727-21-1 dipotassium peroxodisulphate	26 mg/m³
822-16-2 Octadecanoic acid, sodium salt (1:1)	1.8 mg/m^3
139-33-3 Disodium EDTA	120 mg/m ²
7631-86-9 Silica	740 mg/m ²
· PAC-3:	
1344-09-8 Silicic acid, sodium salt	390 mg/m^3
7727-54-0 diammonium peroxodisulphate	130 mg/m^3
7727-21-1 dipotassium peroxodisulphate	160 mg/m^3
822-16-2 Octadecanoic acid, sodium salt (1:1)	11 mg/m³
139-33-3 Disodium EDTA	730 mg/m^3
7631-86-9 Silica	4,500 mg/m

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 11
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 4) 1332-58-7 Kaolin PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV Long-term value: 2* mg/m³ E; as respirable fraction 7727-54-0 diammonium peroxodisulphate TLV Long-term value: 0.1 mg/m³ as persulfate 7727-21-1 dipotassium peroxodisulphate TLV Long-term value: 0.1 mg/m³ as persulfate 8012-95-1 Paraffin oils PEL Long-term value: 5 mg/m³ REL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ oil mist TLV L

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

	rties			
Information on basic physical and chemical properties				
General Information				
Appearance:	n J			
Form: Color:	Powder Light blue			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value at 20 °C (68 °F):	9-10			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not determined.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			
Density:	Not determined.			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with	7 111			
Water:	Insoluble.			
Partition coefficient (n-octanol/wat	er): Not determined.			
Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
Solvent content:	0.1.00			
Water:	0.1 %			
VOC content:	0.00 %			
	0.0 g/l / 0.00 lb/gal			

(Contd. on page 7)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	LD/LC50 values that are relevant for classification:				
1344-09-8	1344-09-8 Silicic acid, sodium salt				
Oral	Oral LD50 3,400 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)				
Dermal	LD50	>5,000 mg/kg (rabbit) (bw (Read across data on AgSil TM 25 Potassium sili)			
Inhalative	LC50/4 h	>2.06 mg/l (rat) (air (Read across data AgSil TM 25 Potassium silica)			
7727-54-0 diammonium peroxodisulphate					
Oral LD50 500 mg/kg (rat)					
7727-21-1	7-21-1 dipotassium peroxodisulphate				
Oral	LD50	500 mg/kg (rat)			
8012-95-1	95-1 Paraffin oils				
Oral	LD50	>5,000 mg/kg (rat) (bw)			
Dermal	LD50	>2,000 mg/kg (rabbit) (bw)			

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
9003-01-4	Carbomer	3	
7631-86-9	Silica	3	

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	

(Contd. on page 9)

Reviewed on 04/05/2019 Printing date 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 8)

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

	· Section 355	(extremely	hazardou.	s substa	inces):
--	---------------	------------	-----------	----------	---------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the	None of the ingredients is listed.				
· TSCA (Toxi	· TSCA (Toxic Substances Control Act):				
1332-58-7	Kaolin	ACTIVE			
1344-09-8	Silicic acid, sodium salt	ACTIVE			
7727-54-0	diammonium peroxodisulphate	ACTIVE			
7727-21-1	dipotassium peroxodisulphate	ACTIVE			
8012-95-1	Paraffin oils	ACTIVE			
9004-62-0	Hydroxyethylcellulose	ACTIVE			
822-16-2	Octadecanoic acid, sodium salt (1:1)	ACTIVE			
139-33-3	Disodium EDTA	ACTIVE			
9003-01-4	Carbomer	ACTIVE			
11138-66-2	Xanthan Gum	ACTIVE			
7631-86-9	Silica	ACTIVE			
9005-25-8	Starch	ACTIVE			
74578-10-2	Benzenamine, 4-[(2,6-dichlorophenyl)(4-imino-3,5-dimethyl-2,5-cyclohexadien-1-ylidene) methyl]-2,6-dimethyl-, phosphate (1:1)	ACTIVE			
4430-25-5	Royal Blue (Tetrabromphenole Blue)	ACTIVE			
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE			

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 9)

	· TLV (Threshold Limit Value established by ACGIH)		
	1332-58-7	Kaolin	A4
ſ	9005-25-8	Starch	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS07 GHS0

- · Signal word Danger
- · Hazard-determining components of labeling:

diammonium peroxodisulphate

Silicic acid, sodium salt

dipotassium peroxodisulphate

Octadecanoic acid, sodium salt (1:1)

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

Printing date 04/05/2019 Reviewed on 04/05/2019

Trade name: Blondor EX Cool Blonde

(Contd. of page 10)

· Department issuing SDS: Abteilung Umweltschutz

· Contact: Hr. Dr. Speckbacher

· Date of preparation / last revision 04/05/2019 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

US