

SR14E Super Runner Value Electric Fryer

Mode	S
SR14E	



SR14E Shown with optional casters.

Standard Features

- 40-lb (20 liter) frypot oil capacity
- 14 kW
- Frying area 13-3/4" x 13-3/4" (348 x 348 mm)
- Snap-action thermostat
- Wide cold zone
- Stainless-steel frypot, door and backsplash/flue cover. Aluminized sides
- Wire form basket hanger
- Two twin baskets
- 6" (152 mm) adjustable legs
- Drain pipe extension

Options & Accessories

Project.

Approval_____

Item _____Quantity_____CSI Section 11400

Stainless-steel	ides
🗌 Frypot cover	
□ Casters	

Specifications

Basic Frying At Its Best -- Designed For All-Purpose Affordable Frying

Fry a wide variety of products with the full size frying area which easily accommodates items from appetizers to specialty foods -- chicken, fries and breaded products, fresh or frozen.

Make the most of your energy dollars with our fully submersed element package. Heat absorption is maximized by full contact with the oil, allowing quick heat-up time and lower energy consumption per pound of product cooked. Dean's wide cool zone design minimizes wasteful oil deterioration by trapping debris under the cooking area, preventing carbonization of particles and oil contamination. The sloped bottom permits fast, easy draining of oil and sediment.

Assure rapid recovery with Dean's snap-action thermostat which reacts quickly to changes in load conditions and helps eliminate loss of time incurred waiting between loads.

The fryer carries a one-year warranty -- parts and labor with a five-year limited warranty on the frypot.








5489 Campus Drive Shreveport, LA 71129 USA Tel: 318-865-1711 Tel: 1-800-221-4583 Fax: 318-868-5987 E-mail: info@dean.enodis.com

http://dean.enodis.com

Bulletin No. 830-0083 9/08 Litho in U.S.A. ©Frymaster







DIMENSIONS

MIN./MAX.	OVERALL SIZE (cm)				DRAIN	DRAIN	FRYING AREA	APPROXIMATE SHIPPING DIMENSIONS				
OIL CAPACITY	WIDTH	DEPTH	OVERALL HEIGHT	WORK HEIGHT	VALVE (cm)		(cm)	CLASS	SHIPPING lbs./cu.ft. (kg/m³)	DI	MENSION: (cm)	5
35-40 lb. (17-20 liter)	15-3/4″ (40)	27-1/4″ (69.1)	44″ (112)	34-3/8″ (87)	1-1/4″ (3)	23″ (58.4)	13-3/4″ x 13-3/4″ (35 x 35)	85	180 lbs./15 (82/0,42)	H 48-1/2″ (123)	W 20-1/2″ (52)	L 36″ (91)

POWER REQUIREMENTS

INPUT	NOMINAL AMPS PER LINE								
ĸw	208 VAC 60 Hz 3 phase 3 wire	220 VAC 50 Hz 3 phase 3 wire	240 VAC 60 Hz 3 phase 3 wire	230/400 VAC 50 hz 3 phase 4 wire	240 VAC 60 Hz 1 phase 2 wire	208 VAC 60 Hz 1 phase 2 wire	220 VAC 50 Hz 1 phase 2 wire		
14	39	37	34	21	59	68	64		

SHORT TERM SPECIFICATION

The following description will assist with ordering the features desired for this equipment:

Shall be DEAN free-standing cool zone deep fat fryer, Model SR14E. Only 15.70" (40 cm) wide, 35-40# (17-20 liter) oil capacity.

NOTE:

- •3 phase units with cord only -- no plug provided.
- •1 phase units to be field wired, no cord or plug provided.
- •All Canadian and single phase units sold without cordset.

SR14E Super Runner Value Electric Frye Model #_____ CSI Section 11400

5489 Campus Drive Shreveport, LA 71129 Tel: 318-865-1711

USA

Tel: 1-800-221-4583 Fax: 318-868-5987

E-mail: info@dean.enodis.com

http://dean.enodis.com

Bulletin No. 830-0083 9/08 Litho in U.S.A. ©Frymaster



We reserve the right to change specifications appearing in this bulletin without incurring any obligation for equipment previously or subsequently sold. Check www.frymaster.com for updates.