

GRD

PERFORMANCE **LUBRICATION**



**LUBRICANTS AND MAINTENANCE PRODUCTS
FOR MOTORCYCLE AND GARDENING AND
FORESTRY MACHINERY**

globalracingoil.com



PRODUCT INDEX

4-STROKE ENGINE LUBRICANTS	6 - 13
2-STROKE ENGINE LUBRICANTS	14 - 16
TRANSMISSION AND GEARBOX OILS	17 - 19
MAINTENANCE PRODUCTS	20 - 28
GARDENING AND FORESTRY MACHINERY LUBRICANTS	29 - 31

GRO is the brand of lubricants, greases and maintenance products for the automotive industry in general, launched in 2000 by COGELSA, a company that develops, manufactures and markets high-tech lubricants and greases. Established more than 100 years ago in the area of Barcelona (Spain), it is present in more than 55 countries and on different continents.

Over the years, the company has accumulated extensive experience in different fields of industrial applications and works closely with various additive suppliers and research institutes to learn about the latest technologies, allowing the R&D teams to formulate special state-of-the-art lubricants.

GRO are high quality products for the automotive industry, designed and developed to meet the highest demands of engines, gearboxes and other mechanisms that require lubrication. Likewise, the maintenance products provide solutions to the rest of a vehicle's needs.

The extensive GRO range meets the standards of the most important associations (API, ACEA, JASO and ISO) and the technical specifications of motor car, motorcycle and heavy goods vehicle manufacturers.

GRO provides reliability to the mechanisms it lubricates, reduces their wear and tear and increases their durability. It also allows the highest performance to be obtained from them, because the particularities of GRO products allow the performance of all lubricated components to be maximized. In engines, reducing friction results in increased power.

GRO recommends riding responsibly.

GRO is recommended by:



GRO products approved by:



Certifications:



Member of:





**NEW RANGE OF GRO ENGINE
AND TRANSMISSION LUBRICANTS**
New 1, 4 and 5 litre packaging

The new range of GRO lubricants is now available for cars, heavy duty vehicles and motorbikes.

The renewal and update of the range, which affects engine and transmission lubricants, has been carried out with the following in mind:

- To meet more of the needs of different markets.
- To adjust formulations to create products that better meet manufacturers' specifications.

The new range also comes in a new and improved packaging of 1, 4 and 5 litre bottles, which have been designed and produced to:

- Be ergonomically more manageable.
- Improve the emptying of the lubricant.
- Provide greater stability due to its larger base.
- Secure stacking by incorporating 2 support points.
- Facilitate the removal of the bottle from the box, thanks to its new handle.
- Be more environmentally friendly.
- New label design that is more noticeable and descriptive of the product.

Products Advisor



Find here the GRO products
your vehicle needs

**LUBRICANTS SUCCESSFULLY USED
IN THE MOST SEVERE CONDITIONS**

GRO supplies lubricants and maintenance products to numerous top racing teams to meet the highest demands of their vehicles.





4-STROKE ENGINE LUBRICANTS

100% synthetic lubricants for 4-stroke racing engine and scooter

Synthetic 4-stroke engine lubricants

Mineral 4-stroke engine lubricants

100% synthetic lubricants for
4-stroke racing engine and scooter



GRO Factory 0W-30

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9009390	50 L - 13.21 gal (US)	9009343
4 L - 1.06 gal (US)	9009360		

GRO Factory 10W-50

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE
1 L - 0.26 gal (US)	9044890
4 L - 1.06 gal (US)	9044860



GRO Factory 10W-60

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9009290	50 L - 13.21 gal (US)	9009243
4 L - 1.06 gal (US)	9009260	200 L - 52.83 gal (US)	9009235



100% synthetic lubricants for 4-stroke racing engine and scooter



GRO Racing 5W-40

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc.

Particularly recommended for BMW, Aprilia, Moto Guzzi, Gas Gas, etc. where an SAE 5W-40 grade oil is recommended in some of its models.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9006490	50 L - 13.21 gal (US)	9006443
4 L - 1.06 gal (US)	9006460	200 L - 52.83 gal (US)	9006435

100% synthetic lubricants for 4-stroke racing engine and scooter



GRO Racing 10W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc. Particularly recommended for KTM, Husqvarna, Moto Guzzi, etc. that recommend an SAE 10W-50 grade oil in some of their models. Other applications: motorcycles without catalyts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9007490	50 L - 13.21 gal (US)	9007443
4 L - 1.06 gal (US)	9007460	200 L - 52.83 gal (US)	9007435

GRO Racing 10W-30

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc.

Particularly recommended for Honda, who recommend a low evaporation SAE 10W-30 grade oil. Other applications: motorcycles without catalyts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9007390	50 L - 13.21 gal (US)	9007344
4 L - 1.06 gal (US)	9007360	200 L - 52.83 gal (US)	9007335



GRO Racing 10W-60

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc. Particularly recommended for KTM, Husqvarna, Moto Guzzi, etc. that recommend an SAE 10W-60 grade oil in some of their models. Other applications: motorcycles without catalyts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE
1 L - 0.26 gal (US)	9044990
4 L - 1.06 gal (US)	9044960



GRO Racing 10W-40

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc. Particularly recommended for Suzuki, Kawasaki, Yamaha, etc. that recommend an SAE 10W-40 grade oil in some of their models. Other applications: motorcycles without catalyts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9040090	50 L - 13.21 gal (US)	9040043
4 L - 1.06 gal (US)	9040060	200 L - 52.83 gal (US)	9040035



GRO Racing 15W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyts, air injection into the exhaust, etc. Particularly recommended for Ducati, KTM, BMW, etc., who recommend an SAE 15W-50 grade oil in some of their models. Other applications: motorcycles without catalyts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9041090	200 L - 52.83 gal (US)	9041035
4 L - 1.06 gal (US)	9041060		



100% synthetic lubricants for 4-stroke racing engine and scooter



GRO Racing 20W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for Harley-Davidson, which recommends an SAE 20W-50 grade oil in some of its models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9042090	200 L - 52.83 gal (US)	9042035
4 L - 1.06 gal (US)	9042060		

GRO Scooter Extrem 0W-30

100% synthetic lubricant for scooter

100% synthetic, high-performance lubricant, recommended for 4-stroke scooters, both for use on the road and on urban roads. Formulated for all types of situations and weather. Meets Piaggio group engine specifications.

API SN - JASO MA

PACKAGING	CODE
1 L - 0.26 gal (US)	9008391



GRO Scooter Extrem 5W-40

100% synthetic lubricant for scooter

100% synthetic lubricant specially designed for scooters and maxi scooters, old and modern, equipped with 4-stroke engines, all displacements, with or without post-catalytic systems. All scooters used in urban and interurban trips.

API SN - JASO MA

PACKAGING	CODE
1 L - 0.26 gal (US)	9003291
50 L - 13.21 gal (US)	9003244
200 L - 52.83 gal (US)	9003236

Synthetic 4-stroke engine lubricants



GRO Biker HC 10W-40

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and wet or dry clutch, engines that meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SM - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9041190	50 L - 13.21 gal (US)	9041143
4 L - 1.06 gal (US)	9041160	200 L - 52.83 gal (US)	9041135

GRO Scooter 10W-40

Synthetic scooter lubricant

Synthetic-based lubricant specially designed for scooters and maxi scooters, old and modern, equipped with 4-stroke engines, all displacements, with or without post-catalytic systems.

All scooters used in urban and interurban trips.

API SL - JASO MA

PACKAGING	CODE
1 L - 0.26 gal (US)	9005691
50 L - 13.21 gal (US)	9005643
200 L - 52.83 gal (US)	9005636



GRO Smart 10W-40

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Suzuki, Kawasaki, Yamaha, etc. where SAE 10W-40 grade oils are recommended.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9001890	50 L - 13.21 gal (US)	9001843
4 L - 1.06 gal (US)	9001860	200 L - 52.83 gal (US)	9001835

Synthetic 4-stroke engine lubricants



GRO Smart 15W-50

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and wet or dry clutch, engines designed to use high viscosity lubricants that meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalyysts, air injection into the exhaust, etc.

Particularly recommended for Ducati, KTM, BMW, etc. which recommend SAE 15W-50 grade oils.

Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9021890	50 L - 13.21 gal (US)	9021843
4 L - 1.06 gal (US)	9021860	200 L - 52.83 gal (US)	9021835

Mineral 4-stroke engine lubricants



GRO Spirit 20W-50

Mineral lubricant for 4-stroke motorcycle engines

A mineral-based lubricant formulated for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use high viscosity lubricants, which meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Harley-Davidson, which recommend an SAE 20W-50 grade oil.

API SN - JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9002190	50 L - 13.21 gal (US)	9002144
4 L - 1.06 gal (US)	9002160	200 L - 52.83 gal (US)	9002135



2-STROKE ENGINE LUBRICANTS

100% synthetic lubricant, special for competition or high-performance 2-stroke engines, pre-mix and injection

Synthetic 2-stroke engine oil, pre-mix and injection

100% synthetic lubricant, special for competition or high-performance 2-stroke engines, pre-mix and injection



GRO Performance Off-Road 2T

100% synthetic lubricant for 2-stroke engines

100% synthetic lubricant based on esters, specially developed for competition, cross, enduro and trial engines. Due to its special formulation, it guarantees maximum protection in severe competition conditions, ensuring clean combustion and lower wear.

Developed for motorcycles with premix or separate lubrication system.

API TC • JASO FD

PACKAGING	CODE
1 L - 0.26 gal (US)	9020390

GRO Synt 10 2T

100% synthetic lubricant for 2-stroke engines

A 100% synthetic-base lubricant for high-performance 2-stroke engines. Special divination that reduces friction, prevents the formation of smoke and carbon deposits, extends the life of spark plugs, and increases cooling and engine performance. Recommended for modern injection systems.

API TC • JASO FD

PACKAGING	CODE
1 L - 0.26 gal (US)	9022190
50 L - 13.21 gal (US)	9022143



GRO Kart 2 2T

100% synthetic lubricant for karts

Extremely special 100% synthetic lubricant for 2-stroke gasoline engines that offers high lubricant film resistance and great load support. Its synthetic structure ensures maximum protection in very tough competition conditions.

API TC • JASO FD • ISO L-EGD

PACKAGING	CODE
1 L - 0.26 gal (US)	9020590



GRO Mix 3 2T

Synthetic lubricant for 2-stroke engines

A lubricant that combines basic oils and additives specially formulated for 2-stroke engines, with separate lubrication or premix which promotes the formation of an extraordinarily resistant film that protects the pistons from seizing and scratching even in the most adverse conditions. Its excellent lubricity reduces temperature and wear.

API TC - JASO FD

PACKAGING	CODE	PACKAGING	CODE
125 ml - 0.03 gal (US)	9020893	4 L - 1.06 gal (US)	9020860
1 L - 0.26 gal (US)	9020890	20 L - 5.28 gal (US)	9020853


GRO Scooter Oil 2T

Synthetic lubricant for 2-stroke engines

Synthetic pre-mix or injection lubricant for 2-stroke scooter engines equipped with automatic lubrication systems.

API TC - JASO FD

PACKAGING	CODE	PACKAGING	CODE
1 L - 0.26 gal (US)	9020990	50 L - 13.21 gal (US)	9020943
5 L - 1.32 gal (US)	9020920	200 L - 52.83 gal (US)	9020935



TRANSMISSION AND GEARBOX OILS

*Lubricants for 2-stroke and 4-stroke motorcycles
transmissions and gearboxes*



Lubricants for 2-stroke and 4-stroke motorcycles transmissions and gearboxes

Lubricants for 2-stroke and 4-stroke motorcycles transmissions and gearboxes



GRO Trans Extrem 75W

100% synthetic transmission lubricant

GRO Trans Extrem 75W is a 100% synthetic valve designed for high competition in the most extreme wear and high temperature conditions. Its high lubricating power, its EP properties and the great resistance of its film translate into lower friction, lower wear and reduced temperature. This means more efficient power transmission and longer life.

API GL-5

PACKAGING	CODE
1L · 0.26 gal (US)	1039490
50 L · 13.2 gal (US)	1039443



GRO Trans Box 80W-90

Mineral gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-4, GL-5

PACKAGING	CODE
1L · 0.26 gal (US)	1038190

GRO Trans Extrem 75W-140

Synthetic gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-5

PACKAGING	CODE
1L · 0.26 gal (US)	1039690



GRO Trans Box 85W-140

Mineral gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-4, GL-5

PACKAGING	CODE
1L · 0.26 gal (US)	1038290




GRO Trans Synt 10W-40

Synthetic lubricant for motorcycle gearboxes

Specially designed for these applications, it is a high performance oil in all aspects of clutch and gearbox lubrication offering the ultimate in transmission and cardan shaft protection.

JASO MA

PACKAGING	CODE
1L · 0.26 gal (US)	1035890
50 L · 13.21 gal (US)	1035843



MAINTENANCE PRODUCTS

Products for motorcycle maintenance

GRO Brake Fluid DOT 4

Universal brake fluid

Universal brake fluid for all braking systems (disc or drum) and clutch systems for motorcycles and cars.

SAE J1703 / J1704 - ISO 4925 (CLASSES 3 / 4) - U.S. FMVSS NO. 116 DOT 3 / 4

PACKAGING	CODE
500 ml · 0.13 gal (US)	9030186
20 L · 5.28 gal (US)	9030153

GRO Brake Fluid DOT 5.1

Universal brake fluid

100% synthetic brake fluid for clutches and hydraulic braking systems of light and heavy vehicles, motorcycles and some latest generation bicycles.

SAE J1703 / J1704 - ISO 4925 (CLASSES 3 / 4 / 5.1) - U.S. FMVSS NO. 116 DOT 3 / 4 / 5.1

PACKAGING	CODE
500 ml · 0.13 gal (US)	9030386



GRO Ultra 5

Lubricant for use in hydraulic clutches

Global Ultra 5 is formulated with high quality paraffin oils and selected additives.

PACKAGING	CODE
500 ml · 0.13 gal (US)	1100986



GRO Fork Fluid 2,5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026090



GRO Fork Fluid 10W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026290

GRO Fork Fluid 5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026190



GRO Fork Fluid 15W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026490



GRO Fork Fluid 7,5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026690



GRO Fork Fluid 20W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1L - 0.26 gal (US)	2026390



GRO Chain Lube Spray

Chain lubricant spray

Lubricant specially formulated for all types of chains, including chains with seals (O-ring, X-ring, Z-ring), protecting them in the most severe conditions. Ideal for off-road vehicles. Its special additives provide a much higher film resistance than any conventional chain lubricant and it is also characterised by its great anti-wear properties.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091198

GRO Chain Lube Dry

Chain lubricant

PTFE lubricant for all types of chains, including chains with seals (O-ring, X-ring, Z-ring), developed to provide maximum protection under the most severe conditions. Ideal for both on the road and on urban streets vehicles.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5092298



GRO Chain Cleaner

Degreaser cleaner for chains

A powerful and effective degreaser that removes dirt (dust, sand, earth, oil and grease). Specially developed to clean all types of metal surfaces, especially O-ring, X-ring or Z-ring transmission chains, whether or not they have seals, of motorcycles or machinery.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5093099



GRO Filter Cleaner

Powerful cleaner for air filter

Filter Cleaner is an air filter cleaner specially formulated for all types of foam air filters, of low aggressiveness for foam and filter rubbers. It removes oil, mud and soil residues, improving filtration without damaging the filter's porous layer. Once clean and dry, the use of Foam Filter Oil is recommended for greasing.

PACKAGING	CODE
5 L · 1.32 gal (US)	5073373

GRO Foam Filter Oil

Lubricant for air filters

It provides superior filtration characteristics to ensure full engine performance while protecting internal components from contamination, both in old and new filter elements.

PACKAGING	CODE
1 L · 0.26 gal (US)	5091281



GRO Foam Filter Oil Spray

Lubricant for air filters

A spray lubricant that provides superior filtration characteristics to ensure full engine performance while protecting internal components from contamination, both in old and new filter elements.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091298





GRO Contact Cleaner Spray

Powerful degreasing cleaner

Contact Cleaner Spray is a high pressure spray formulated to clean and degrease all surfaces. This product dries quickly and leaves no residue, making it ideal for cleaning electrical contacts, spark plugs, carburettor components, etc., as well as plastic surfaces.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091598

GRO Multispray PTFE

Multifunctional lubricant with PTFE

Multifunctional lubricant with a special base and polytetrafluoroethylene (PTFE) formulated with oils, solvents and additives that give it great lubrication, penetration and protection power. It has highly lubricating properties, achieving optimal results in the lubrication of all types of mechanical joints, reducing friction and eliminating noise.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090999



GRO Multilube

Unblocking and anticorrosive lubricant

High penetration lubricant spray, with multiple uses.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090799



GRO Silicon Plus

Silicone-based polish

It is a silicone spray specially formulated for maximum performance in its applications. With an ultra-fine spray, it allows perfect control in the product application.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091899

GRO Global Limpiamotores

Powerful degreaser to clean engines

Global engine cleaner is a security solvent that is used to clean engines and parts as a substitute for other solvents such as petrol, oil, etc.

PACKAGING	CODE
50 L · 13.21 gal (US)	4070143



GRO Global Gel

Degreasing hand cleansing paste

This is a paste formulated with lanolin and anionic and non-ionic surfactants perfectly balanced in concentration to achieve an extraordinary degreasing cleaning action and effective removal of dirt, without causing skin irritation or dryness.

PACKAGING	CODE
1 K	5080467
10 K	5080446



GRO Global Wash Shampoo

Powerful special cleaner for motorcycles

Global Wash Shampoo is a degreasing liquid detergent for direct use that allows you to easily remove any type of dirt from all parts of the motorcycle. Its great cleaning capacity allows virtually effortless perfect cleaning, even with stubborn dirt (grease, mud, etc.).

PACKAGING	CODE
1 L - 0.26 gal (US)	5073081
5 L - 1.32 gal (US)	5073073

GRO Global Complex LT-2

Multifunctional grease for all types of use

Mineral-based and lithium complex soap grease with EP (Extreme Pressure) additives.

ISO - L - XBGE2

PACKAGING	CODE	PACKAGING	CODE
400 g	6080438N	45 K	6080441
5 K	6080455	180 K	6080432
20 K	6080444		




GRO Moto Coolant OAT

Specific coolant for motorbikes

Advanced, ready-to-use biodegradable coolant specifically designed to provide complete protection for motorbike engine cooling circuits. Formulated with OAT (Organic Acid Technology), optimised to keep the cooling system of motorbikes in perfect condition over time.

ASTM D 3306 / 4985 · BS 6580 · CUNA NC 956-16 · AS 2108-2004 · JIS K 224 · ÖNORM V 5123 · SAE J 1034

PACKAGING	CODE
1 L - 0.26 gal (US)	9016781



GARDENING AND FORESTRY MACHINERY LUBRICANTS

Lubricants for gardening and forestry machinery



GRO Global Motosierras

Neutral and paraffinic-based lubricant

Paraffin-based and neutral lubricant specifically formulated for the lubrication of chainsaws for conventional use.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027056
200 L · 52.83 gal (US)	1027035
1000 L · 264.17 gal (US)	1027005



GRO Universal 4T 15W-40

Multigrade lubricant for gardening

Multigrade oil for all kind of 4-stroke engines. High thermal stability avoiding residue and sludge formation, detergency and dispersant power. Excellent antioxidant, antirust and anti-foaming properties.

API SG

PACKAGING	CODE
1 L · 0.26 gal (US)	9002491
5 L · 1.32 gal (US)	9002421
200 L · 52.83 gal (US)	9002439

GRO Global Motosierras 150

Neutral and paraffinic-based lubricant

Lubricant with a paraffinic and neutral base with high viscosity that gives it a "high adhesiveness" appropriate for the lubrication of high-speed chainsaw chains, services (professional machinery for forestry work).

PACKAGING	CODE
5 L · 1.32 gal (US)	9151556
200 L · 52.83 gal (US)	9151535
1000 L · 264.17 gal (US)	9151502



GRO Mix 3 2T

Synthetic lubricant for 2-stroke engines

A lubricant that combines basic oils and additives specially formulated for 2-stroke engines, with separate lubrication or premix which promotes the formation of an extraordinarily resistant film that protects the pistons from seizing and scratching even in the most adverse conditions. Its excellent lubricity reduces temperature and wear.

API TC · JASO FD

PACKAGING	CODE	PACKAGING	CODE
125 ml · 0.03 gal (US)	9020893	4 L · 1.06 gal (US)	9020860
1 L · 0.26 gal (US)	9020890	20 L · 5.28 gal (US)	9020853



GRO Chain BIO

Biodegradable lubricant for saws

Vegetable-based oil with high creaminess and adhesion, biodegradable for environmental protection.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027276
200 L · 52.83 gal (US)	1027235



PERFORMANCE LUBRICATION

C/ Comerç, 36

Polígon industrial Can Sunyer

08740 Sant Andreu de la Barca (Barcelona) - España

Tel. +34 936 821 514

info@globalracingoil.com

globalracingoil.com



70008 / 06-2025