


Gitt's Spring Company

1-800-228-2861




Type EE (Eye/Eye)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capty.
US-1004	1 3/4	10	10	3	0.97	9/16"	3	3/323	1600
US-1003	1 3/4	10 3/4	10 3/4	3	0.542	9/16"	2	2/262	850
US-1008	1 3/4	10 3/4	10 3/4	3	1.048	9/16"	4	4/262	1000
US-1007	1 3/4	11 1/8	11 1/8	3 1/2	0.97	9/16"	3	3/323	1500
US-1009	1 3/4	11 3/16	11 3/16	3 3/16	0.786	9/16"	3	3/262	1000
US-1028	1 3/4	11 3/16	11 3/16	3 3/8	1.106	9/16"	4	2/291, 2/262	1400
US-1011	1 3/4	12 1/8	12 1/8	4	1.048	9/16"	4	4/262	1000
US-1012	1 3/4	12 1/8	12 1/8	4	1.0572	9/16"	6	6/262	1600
US-1017	1 3/4	12 1/2	12 1/2	3	1.455	9/16"	5	5/291	1650
US-1014	1 3/4	12 1/2	12 1/2	3 1/2	0.937	9/16"	3	2/323, 1/291	1250
US-1046	1 3/4	12 1/2	12 1/2	3 1/2	1.08	9/16"	3	3/360	1750
US-1063	1 3/4	12 9/16	12 9/16	3 5/8	1.44	9/16"	4	4/360	2500
US-1020	1 3/4	12 5/8	12 5/8	3 1/2	0.873	9/16"	3	3/291	1250
US-1037	1 3/4	12 5/8	12 5/8	3 1/2	1.164	9/16"	4	4/291	1650
US-1054	1 3/4	12 5/8	12 5/8	3 1/2	1.455	9/16"	5	5/291	2050
US-1085	1 3/4	13 3/16	13 3/16	3 3/8	2.049	9/16"	6	3/360, 3/323	3500
US-1018	1 3/4	13 1/4	13 1/4	3	0.97	9/16"	3	3/323	1250
US-1035	1 3/4	13 1/4	13 1/4	3	1.043	9/16"	3	2/360, 1/323	1500
US-1052	1 3/4	13 1/4	13 1/4	3	1.08	9/16"	3	3/360	1750
US-1051	1 3/4	13 1/4	13 1/4	3	1.162	9/16"	3	2/401, 1/360	2000
US-1044	1 3/4	13 1/4	13 1/4	3	1.292	9/16"	4	4/323	1625
US-1067	1 3/4	13 1/4	13 1/4	3	1.44	9/16"	4	4/360	2250
US-1065	1 3/4	13 1/4	13 1/4	3	1.522	9/16"	4	2/401, 2/360	2500
US-1079	1 3/4	13 1/4	13 1/4	3	1.563	9/16"	4	3/401, 1/360	3000
US-1075	1 3/4	13 1/4	13 1/4	3	1.8	9/16"	5	5/360	2700
US-1019	1 3/4	13 1/4	13 1/4	3	2.049	9/16"	6	3/360, 3/323	3200
US-1096	2	14	14	3 1/2	1.604	1 9/32"	4	4/401	2750
US-1013	1 3/4	14	14	4 1/4	0.72	9/16"	2	2/360	1000
US-1015	1 3/4	14	14	4 1/4	1.048	9/16"	4	4/262	1150
US-1040	1 3/4	14	14	4 1/4	1.08	9/16"	3	3/360	1500
US-1095	2	14	14	4 1/4	1.422	1 9/32"	6	6/237	1475

Gitt's Spring Company

1-800-228-2861




Type EE (Eye/Eye)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capty.
US-1060	1 3/4	14	14	4 1/4	1.44	9/16"	4	4/360	2000
US-1071	1 3/4	14	14	4 1/4	1.8	9/16"	5	5/360	2500
US-1083	1 3/4	14	14	4 1/4	2.16	9/16"	6	6/360	2900
US-1088	1 3/4	14	14	4 1/4	2.52	9/16"	7	7/360	3400
US-1092	1 3/4	14	14	4 1/4	2.807	9/16"	7	7/401	4550
US-1091	1 3/4	14	14	4 1/4	2.88	9/16"	8	8/360	4000
US-1001	1 3/4	14 1/16	14 1/16	4 1/4	0.524	9/16"	2	2/262	575
US-1005	1 3/4	14 1/16	14 1/16	4 1/4	0.786	9/16"	3	3/262	850
US-1034	1 3/4	14 1/16	14 1/16	4 1/4	1.31	9/16"	5	5/262	1500
US-1016	1 3/4	14 1/8	14 1/8	3	0.937	9/16"	3	2/323, 1/291	1000
US-1055	1 3/4	14 1/8	14 1/8	3	2.807	9/16"	4	3/360, 1/323	1950
US-1087	1 3/4	14 1/8	14 1/8	3 1/4	2.324	9/16"	6	4/401, 2/360	3800
US-1006	1 3/4	14 1/8	14 1/8	3 1/2	0.815	9/16"	3	1/291, 2/262	850
US-1097	2	15	15	3	1.048	JFC	4	4/262	1100
US-1093	1 3/4	15	15	3 1/4	1.44	9/16"	4	4/360	1800
US-1029	1 3/4	15	15	4 1/4	0.524	9/16"	2	2/262	540
US-1030	1 3/4	15	15	4 1/4	0.786	9/16"	3	3/262	740
US-1094	1 3/4	15	15	4 1/2	1.048	9/16"	4	4/262	975
US-1098	1 3/4	15	15	4 1/2	1.292	9/16"	4	4/323	1475
US-1033	1 3/4	15 3/8	15 3/8	4	1.455	9/16"	5	5/291	1250
US-1036	1 3/4	15 3/8	15 3/8	4	1.746	9/16"	6	6/291	1500
US-1038	1 3/4	15 3/8	15 3/8	4	1.834	9/16"	7	7/262	1550
US-1039	1 3/4	15 3/8	15 3/8	4	2.037	9/16"	7	7/291	1750
US-1041	1 3/4	16 1/4	16 1/4	4 5/8	1.08	9/16"	3	3/360	1250
US-1042	1 3/4	16 1/4	16 1/4	4 5/8	2.16	9/16"	6	6/360	2500
US-1043	1 3/4	16 1/4	16 1/4	4 5/8	2.88	9/16"	8	8/360	3200

Gitt's Spring Company

1-800-228-2861




Type EL (Eye/Loop)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capt.
US-2004	1 3/4	10 3/4	10 3/4	2 1/2	0.815	9/16"	3	1/291, 2/262	850
US-2002	1 3/4	10 3/4	10 3/4	3	0.553	9/16"	2	1/291, 1/262	600
US-2007	1 3/4	11 1/4	11 3/4	3 1/4	1.048	9/16"	4	4/262	1250
US-2006	1 3/4	11 1/4	11 3/4	3 1/4	0.786	9/16"	3	3/262	1000
US-2008	1 3/4	11 1/4	11 3/4	3 1/4	1.31	9/16"	5	5/262	1500
US-2010	1 3/4	11 1/4	11 3/4	3 1/4	1.572	9/16"	6	6/262	1750
US-2011	1 3/4	11 1/2	11 1/2	3 1/2	0.786	9/16"	3	3/262	950
US-2012	1 3/4	11 1/2	11 1/2	3 1/2	1.048	9/16"	4	4/262	1100
US-2021	1 3/4	12	13 1/2	2 1/2	1.196	9/16"	4	1/323, 3/291	1500
US-2022	1 3/4	12	13 1/2	2 1/2	1.8	9/16"	5	5/360	2500
US-2023	1 3/4	12	13 1/2	2 1/2	2.52	9/16"	7	4/360	3500
US-2013	1 3/4	12 1/2	13	3 1/4	0.873	9/16"	3	3/291	1000
US-2015	1 3/4	12 1/2	13	3 1/4	1.164	9/16"	4	4/291	1250
US-2017	1 3/4	12 1/2	13	3 1/4	1.455	9/16"	5	5/291	1550
US-2020	1 3/4	12 1/2	13	3 1/4	1.746	9/16"	6	6/291	1875
US-2024	1 3/4	12 1/2	13 3/4	2 7/8	1.44	9/16"	4	4/360	2000
US-2005	1 3/4	13 1/2	14	3 1/2	0.969	1 1/32	3	3/323	1250
US-2009	1 3/4	13 1/2	14	3 1/2	1.08	1 1/32	3	3/360	1750
US-2014	1 3/4	13 1/2	14	3 1/2	1.44	1 1/32	4	4/360	2250
US-2016	1 3/4	13 1/2	14	3 1/2	1.8	1 1/32	5	5/360	2850
US-2018	1 3/4	13 1/2	14	3 1/2	2.16	1 1/32	6	6/360	3300
US-2019	1 3/4	13 1/2	14	3 1/2	2.52	1 1/32	7	7/360	3500

Gitt's Spring Company

1-800-228-2861




Type ES (Eye/Spipper: Hook)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capty.
US-3032	2 1/2	11 5/16	16 3/4	3 1/2	1.44	3/4"	4	4/360	2500
US-3098	2 1/2	11 5/16	16 3/4	3 1/2	2.16	3/4"	6	6/360	3000
US-3080	2	11 3/4	15 3/4	2 5/8	2.52	1 9/32	7	7/360	4000
US-3039	2	12	16	3 1/8	1.164	9/16"	4	4/291	1500
US-3035	2	12	16	3 1/8	1.329	9/16"	4	1/360, 3/323	2000
US-3063	2	12	16	3 1/8	1.44	9/16"	4	4/360	2500
US-3074	2	12	16	3 1/8	1.8	9/16"	5	5/360	3500
US-3041	2	12	16	3 1/8	2.52	9/16"	7	7/360	5000
US-3076	2	12	16	3 1/2	1.8	1 9/32	5	5/360	3500
US-3083	2	12	16	3 1/2	1.8	RB 5/8"	5	5/360	3500
US-3015	1 3/4	12 1/2	16 1/4	5 1/2	0.524	9/16"	2	2/262	600
US-3016	1 3/4	12 1/2	16 1/4	5 1/2	0.711	9/16"	3	3/262	750
US-3018	1 3/4	12 1/2	16 1/4	5 1/2	1.048	9/16"	4	4/262	1000
US-3020	1 3/4	12 1/2	16 1/4	5 1/2	1.572	9/16"	6	6/262	1450
US-3027	1 3/4	12 1/2	16 1/4	5 1/2	1.746	9/16"	6	6/291	2000
US-3025	1 3/4	12 5/8	15 3/8	4	0.582	9/16"	2	2/291	600
US-3073	2	12 3/4	15 1/4	3 1/2	1.8	9/16"	5	5/360	3400
US-3075	2	12 3/4	16	2 3/4	1.8	9/16"	5	5/360	3500
US-3021	1 3/4	13 1/4	15 1/4	4 1/2	0.524	9/16"	2	2/262	550
US-3022	1 3/4	13 1/4	15 1/4	4 1/2	0.786	9/16"	3	3/262	1000
US-3034	1 3/4	13 1/4	15 1/4	4 1/2	1.048	9/16"	4	4/262	1250
US-3038	1 3/4	13 1/4	15 1/4	4 1/2	1.31	9/16"	5	5/262	1500
US-3026	1 3/4	13 3/8	15 3/8	5	0.646	9/16"	2	2/323	750
US-3084	2	14 1/4	16 1/2	3 1/2	2.406	9/16"	6	6/401	4300
US-3084-A	2	14 1/4	16 1/2	3 1/2	2.807	9/16"	7	7/401	4800
US-3011	1 3/4	14 1/2	18	4 1/4	0.582	9/16"	2	2/291	500
US-3023	1 3/4	14 1/2	18	4 1/4	0.873	9/16"	3	3/291	750
US-3036	1 3/4	14 1/2	18	4 1/4	1.164	9/16"	4	4/291	1000
US-3045	1 3/4	14 1/2	18	4 1/4	1.445	9/16"	5	5/291	1250
US-3052	1 3/4	14 1/2	18	4 1/4	1.746	9/16"	6	6/291	1500
US-3055	1 3/4	14 1/2	18	4 1/4	1.746	9/16"	7	7/291	1750
US-3057	1 3/4	14 1/2	18	4 1/4	2.328	9/16"	8	8/291	2000

Gitt's Spring Company

1-800-228-2861




Type EL (Eye/Slipper: Flat)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capty.
US-3097	1 3/4	12	14 1/2	3 1/2	1.048	9/16"	4	4/262	1300
US-3048	1 3/4	12	14 1/2	3 1/2	1.08	9/16"	3	3/360	1850
US-3065	1 3/4	12	14 1/2	3 1/2	1.44	9/16"	4	4/360	2500
US-3001	1 3/4	13	15 1/2	5	0.524	9/16"	2	2/262	470
US-3003	1 3/4	13	15 1/2	5	0.786	9/16"	3	3/262	725
US-3004	1 3/4	13	15 1/2	5	1.048	9/16"	4	4/262	950
US-3010	2	14 1/4	17 1/2	3 7/8	2.544	5/8"	6	3/447, 3/401	4500
US-3086	2	14 3/8	17 3/4	3 3/4	2.544	1 9/32	6	3/447, 3/401	4500
US-3013	2 1/2	14 15/16	19 3/16	4	2.235	RB 3/4"	5	5/447	5000
US-3005	1 3/4	15	17 3/4	4 7/8	0.72	9/16"	2	2/360	875
US-3006	1 3/4	15	17 3/4	4 7/8	1.08	9/16"	3	3/360	1425
US-3054	1 3/4	15	17 3/4	4 7/8	1.44	9/16"	4	4/360	2000
US-3007	1 3/4	15	17 3/4	4 7/8	1.8	9/16"	5	5/360	2300
US-3008	1 3/4	15	17 3/4	4 7/8	2.16	9/16"	6	6/360	2600
US-3089	2 1/2	15 1/4	19 1/8	4	2.235	RB 3/4"	5	5/447	5000
US-3014	1 3/4	18	21 5/8	6	1.8	9/16"	5	5/360	1750

Gitt's Spring Company

1-800-228-2861



Type ES (Eye/Slipper: Radius)

Part No.	Width	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Bushing ID	No. Leaves	Grading	Capty.
US-3059	1 3/4	9 1/2	12 3/4	3	0.969	9/16"	3	3/323	1000
US-3058	1 3/4	10 1/2	11 1/4	4	0.428	9/16"	2	2/214	450
US-3060	1 3/4	12 1/8	14 1/2	4	0.524	9/16"	1/ PAD	1/262, PAD	300
US-3061	1 3/4	12 1/8	14 1/2	4	0.524	9/16"	2	2/262	500
US-3031	1 3/4	12 1/8	14 1/2	4	0.948	9/16"	4	4/262	1000
US-3067	1 3/4	12 1/8	14 1/2	4	1.08	9/16"	3	3/360	1700
US-3069	1 3/4	12 1/8	14 1/2	4	1.31	9/16"	5	5/262	1250
US-3024	1 3/4	12 1/8	14 1/2	4 4	0.786	9/16"	3	3/262	950
US-3070	1 3/4	13	18 3/4	4 3/4	0.553	9/16"	2	1/291, 1/262	500
US-3062	2 1/2	13 1/2	18 3/8	4	2.143	JFE	5	3/447, 2/401	5000
US-3088	3	14 1/2	18 1/2	4	2.005	321-359	5	5/401	5000
US-3091	3	14 1/2	18 1/2	4	2.406	321-359	6	6/401	6000
US-3094	3	14 1/2	18 1/2	4	2.807	321-359	7	7/401	7500
US-3071	1 3/4	14 1/2	19 1/2	4 1/4	0.582	9/16"	2	2/291	500
US-3072	1 3/4	14 1/2	19 1/2	4 1/4	0.873	9/16"	3	3/291	750
US-3078	1 3/4	14 1/2	19 1/2	4 1/4	1.164	9/16"	4	4/291	1000
US-3079	1 3/4	14 1/2	19 1/2	4 1/4	1.455	9/16"	5	5/291	1250
US-3081	1 3/4	14 1/2	19 1/2	4 1/4	1.746	9/16"	6	6/291	1500
US-3090	2 1/2	14 3/4	18	4	2.143	JFE	5	3/447, 2/401	5000