

CannaBusiness Laboratories, LLC

2554 Palumbo Dr. Lexington, KY 40509

Certificate of Analysis

Customer:

Pharm CBD

2580 Highway 42 West

Bedford, KY 40006

Collected Date:

Received Date: **6/07/2021** COA Released: **6/15/2021**

Comments:

Sample ID: 210614017

Order Number: CB210614007

Sample Name: **21098-1**

External Sample ID:

Batch Number: 21098

Product Type: Other


Sample Type: Other

CANNABINOID PROFILE

Analyte	LOQ (%)	% weight	mg/g	
СВС	0.01	0.155	1.546	
CBD	0.01	4.361	43.61	
CBDa	0.01	0.197	1.971	
CBDV	0.01	0.024	0.236	
CBG	0.01	0.058	0.585	
CBGa	0.01	ND	ND	
CBN	0.01	ND	ND	
d8-THC	0.01	ND	ND	
d9-THC	0.01	0.126	1.257	
THCa	0.01	ND	ND	
Total Cannabinoids		4.921	49.21	
Total Potential THC		0.126	1.257	
Total Potent	ial CBD	4.534	45.34	
Total Potent	ial CBG	0.058	0.585	



Cannabinoids (% weight)



Ratio of Total Potential CBD to Total Potential THC 35.98:1

Ratio of Total Potential CBG to Total Potential THC 0.46:1

^{*}Total Potential THC/CBD are calculated to take into account the loss of an acid group during decarboxylation.



Authorized Signature

Jamie Hobgood 06/15/2021 10:43 AM

Laboratory Manager DATE

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall reproduced except in full, without the written permission of CannaBusiness Laboratories. Uncertainty information is available on request. Photo is of sample received by the lab an vary from final packaging. The results apply to the sample as received. ISO/IEC 17025:2017

Accredited.

^{*}Total Cannabinoids refers to the sum of all cannabinoids detected.

^{*}Total Potential CBD = (0.877 x CBDa) + CBD. *Total Potential THC = (0.877 x THCa) + THC. *Total Potential CBG = (0.877 x CBGa) + CBG.



CannaBusiness Laboratories, LLC

2554 Palumbo Dr. Lexington, KY 40509



Sample ID: 210614017 21098-1 Sample Name: Sample Type:

Certificate of Analysis

Customer

Fludioxonil

Malathion

Methiocarb

Myclobutanil

Imazalil

Pharm CBD 2580 Highway 42 West Bedford, KY 40006



Overall Batch Results PASS						
Pesticide	Moisture Content					
PASS	N/A					
Potency	Water Activity					
PASS	N/A					
Mycotoxins	Heavy Metals					
PASS	PASS					
Microbial Screen	Residual Solvents					
PASS	N/A					
Terpenoids N/A						

Sample Name: 21098-1

210614017 Sample ID:

Other **Product Type:** Other Sample Type:

Received Date: 06/07/2021 21098

Batch Size: Sample Size:

Collected Date:

Batch Number:

COA released: 06/15/2021 10:43 AM

Potency (mg/g)	
Date Tested: 06/14/2021	Method: CB-SOP-028
Instrument:	

0.126 %	4.534 %	4.921 %	49.21 mg/g
Total THC	Total CBD	Total Cannabinoids	Total Cannabinoids

Analyte	Result	Units	LOQ	Result	Units
CBC (Cannabichromene)	0.155	%	0.010	1.546	mg/g
CBD (Cannabidiol)	4.361	%	0.010	43.61	mg/g
CBDa (Cannabidiolic Acid)	0.197	%	0.010	1.971	mg/g
CBDV (Cannabidivarin)	0.024	%	0.010	0.236	mg/g
CBG (Cannabigerol)	0.058	%	0.010	0.585	mg/g
CBGa (Cannabigerolic Acid)	ND	%	0.010	ND	mg/g
CBN (Cannabinol)	ND	%	0.010	ND	mg/g
D8-THC (D8-Tetrahydrocannabinol)	ND	%	0.010	ND	mg/g
D9-THC (D9-Tetrahydrocannabinol)	0.126	%	0.010	1.257	mg/g
THCa (Tetrahydrocannabinolic Acid)	ND	%	0.010	ND	mg/g

ND ppm

ND ppm

ND ppm

ND ppm

ND ppm

Pesticides							
Date Tested: 06/15/2021	Method:	Instrume	nt:				
Analyte	Result Units	LOQ	Result	Analyte	Result Units	LOQ	Result
Acephate	ND ppm	0.010	Pass	Acetamiprid	ND ppm	0.010	Pass
Aldicarb	ND ppm	0.010	Pass	Azoxystrobin	ND ppm	0.010	Pass
Bifenazate	ND ppm	0.010	Pass	Bifenthrin	ND ppm	0.010	Pass
Boscalid	ND ppm	0.010	Pass	Carbaryl	ND ppm	0.010	Pass
Carbofuran	ND ppm	0.010	Pass	Chlorantraniliprole	ND ppm	0.010	Pass
Chlorpyrifos	ND ppm	0.010	Pass	Clofentezine	ND ppm	0.010	Pass
Coumaphos	ND ppm	0.010	Pass	Daminozide	ND ppm	0.010	Pass
Diazinon	ND ppm	0.010	Pass	Dichlorvos	ND ppm	0.010	Pass
Dimethoate	ND ppm	0.010	Pass	Etofenprox	ND ppm	0.010	Pass
Etoxazole	ND ppm	0.010	Pass	Fenhexamid	ND ppm	0.010	Pass
Fenoxycarb	ND ppm	0.010	Pass	Fenpyroximate	ND ppm	0.010	Pass
Fipronil	ND ppm	0.010	Pass	Flonicamid	ND ppm	0.010	Pass

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

CannaBusiness Laboratories

0.010

0.010

0.010

0.010

0.010

License # P-0059: (859)-514- 6999 https://www.cannabusinesslabs.us

Pass

Pass

Pass

Pass

Pass

Hexythiazox

Imidacloprid

Metalaxyl

Methomyl

Naled

ND

ND

ND

ND

ND

ppm

ppm

ppm

ppm

0.010

0.010

0.010

0.010

Pass


Pass

Pass

Pass

Pass

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of CannaBusiness Laboratories. Uncertainty information is available on request. Photo is of sample received by the lab and may vary from final packaging. The results apply to the sample as received. ISO/IEC 17025:2017 Accredited.





Sample ID: 210614017 Sample Name: 21098-1 Sample Type: Other

Certificate of Analysis

Pesticides								
Date Tested: 06/15/2021	Method:	Instrume	nt:					
Analyte	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Oxamyl	ND ppm	0.010	Pass	Paclobutrazol	ND	ppm	0.010	Pass
Phosmet	ND ppm	0.010	Pass	Prallethrin	ND	ppm	0.010	Pass
Propiconazole	ND ppm	0.010	Pass	Propoxur	ND	ppm	0.010	Pass
Pyrethrin I	ND ppm	0.010	Pass	Pyrethrin II	ND	ppm	0.010	Pass
Pyridaben	ND ppm	0.010	Pass	Spinetoram	ND	ppm	0.010	Pass
Spiromesifen	ND ppm	0.010	Pass	Spirotetramat	ND	ppm	0.010	Pass
Tebuconazole	ND ppm	0.010	Pass	Thiacloprid	ND	ppm	0.010	Pass
Thiamethoxam	ND ppm	0.010	Pass	Trifloxystrobin	ND	ppm	0.010	Pass
Ethoprophos	ND ppm	0.010	Pass	Kresoxym-methyl	ND	ppm	0.010	Pass
Permethrins	ND ppm	0.010	Pass	Piperonyl Butoxide	ND	ppm	0.010	Pass
Spinosyn A	ND ppm	0.010	Pass	Spiroxamine-1	ND	ppm	0.010	Pass
AbamectinB1a	ND ppm	0.010	Pass	Spinosyn D	ND	ppm	0.010	Pass
Mycotoxins								
Date Tested: 06/15/2021	Method:	Instrume	nt:					
Analyte	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Ochratoxin A	ND ppm	0.010	Pass	Aflatoxin B1	ND	ppm	0.010	Pass
Aflatoxin G2	ND ppm	0.010	Pass	Aflatoxin B2	ND	ppm	0.010	Pass
Aflatoxin G1	ND ppm	0.010	Pass					
Metals								
Date Tested: 06/15/2021	Method:	Instrume	nt:					
Analyte	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Arsenic	<loq ppm<="" td=""><td>0.500</td><td>Pass</td><td>Cadmium</td><td><loq< td=""><td>ppm</td><td>0.500</td><td>Pass</td></loq<></td></loq>	0.500	Pass	Cadmium	<loq< td=""><td>ppm</td><td>0.500</td><td>Pass</td></loq<>	ppm	0.500	Pass
Lead	<loq ppm<="" td=""><td>0.500</td><td>Pass</td><td>Mercury</td><td><loq< td=""><td>ppm</td><td>3.000</td><td>Pass</td></loq<></td></loq>	0.500	Pass	Mercury	<loq< td=""><td>ppm</td><td>3.000</td><td>Pass</td></loq<>	ppm	3.000	Pass
Microbial								
Date Tested: 06/15/2021	Method:	Instrume	nt·					
Analyte			11.					
· • ·	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
		LOQ		Analyte Salmonella		nits	LOQ	
STEC (E. coli)	Negative	LOQ	Result	Salmonella	Negative	nits	LOQ	Pass
		LOQ	Result Pass			nits	LOQ	Pass
STEC (E. coli) Listeria spp. Yeast/Mold	Negative Negative	LOQ	Result Pass Pass	Salmonella	Negative	nits	LOQ	Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent	Negative Negative	LOQ	Result Pass Pass Pass Pass	Salmonella	Negative	nits	LOQ	Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent	Negative Negative 0 CFUs		Result Pass Pass Pass Pass	Salmonella	Negative		LOQ	Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021	Negative Negative 0 CFUs Method:	Instrume	Result Pass Pass Pass Pass	Salmonella L. monocytogenes	Negative Negative			Pass Pass Result
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte	Negative Negative 0 CFUs Method: Result Units	Instrume	Result Pass Pass Pass Pass Result	Salmonella L. monocytogenes Analyte	Negative Negative	nits	LOQ	Pass Pass Result
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol	Negative Negative 0 CFUs Method: Result Units ppm	Instrume LOQ 24	Result Pass Pass Pass Pass Pass	Salmonella L. monocytogenes Analyte 2-Methylpentane	Negative Negative Result U	nits ppm	LOQ 87	Pass Pass Result Pass Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane	Negative Negative 0 CFUs Method: Result Units ppm <loq ppm<="" td=""><td>Instrume LOQ 24 87</td><td>Result Pass Pass Pass Pass Pass</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol</td><td>Negative Negative Result U</td><td>nits ppm ppm</td><td>LOQ 87 350</td><td>Pass Pass Result Pass Pass Pass</td></loq>	Instrume LOQ 24 87	Result Pass Pass Pass Pass Pass	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol	Negative Negative Result U	nits ppm ppm	LOQ 87 350	Pass Pass Result Pass Pass Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane	Negative Negative 0 CFUs Method: Result Units ppm <loq ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146</td><td>Result Pass Pass Pass Pass nt: Result Pass Pass Pass Pass</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether</td><td>Negative Negative Result U</td><td>nits ppm ppm ppm</td><td>LOQ 87 350 350</td><td>Result Pass Pass Pass Pass Pass Pass</td></loq>	Instrume LOQ 24 87 146	Result Pass Pass Pass Pass nt: Result Pass Pass Pass Pass	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether	Negative Negative Result U	nits ppm ppm ppm	LOQ 87 350 350	Result Pass Pass Pass Pass Pass Pass
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane Ethylbenzene	Negative Negative 0 CFUs Method: Result Units ppm <loq <loq="" ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146 81</td><td>Result Pass Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone</td><td>Negative Negative Result U</td><td>nits ppm ppm ppm ppm ppm</td><td>LOQ 87 350 350 350</td><td>Result Pass Pass Pass Pass Pass Pass Pass Pas</td></loq>	Instrume LOQ 24 87 146 81	Result Pass Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone	Negative Negative Result U	nits ppm ppm ppm ppm ppm	LOQ 87 350 350 350	Result Pass Pass Pass Pass Pass Pass Pass Pas
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane Ethylbenzene Methylbutane	Negative Negative 0 CFUs Method: Result Units ppm <loq <loq="" ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146 81 350</td><td>Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate</td><td>Negative Negative Result U</td><td>ppm ppm ppm ppm ppm ppm ppm</td><td>LOQ 87 350 350 350 350</td><td>Result Pass Pass Pass Pass Pass Pass Pass Pas</td></loq>	Instrume LOQ 24 87 146 81 350	Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate	Negative Negative Result U	ppm ppm ppm ppm ppm ppm ppm	LOQ 87 350 350 350 350	Result Pass Pass Pass Pass Pass Pass Pass Pas
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane Ethylbenzene Methylbutane n-Heptane	Negative Negative 0 CFUs Method: Result Units ppm <loq <loq="" ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146 81 350 350</td><td>Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane</td><td>Negative Negative Result U</td><td>ppm ppm ppm ppm ppm ppm ppm ppm ppm</td><td>LOQ 87 350 350 350 175 87</td><td>Result Pass Pass Pass Pass Pass Pass Pass Pas</td></loq>	Instrume LOQ 24 87 146 81 350 350	Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane	Negative Negative Result U	ppm ppm ppm ppm ppm ppm ppm ppm ppm	LOQ 87 350 350 350 175 87	Result Pass Pass Pass Pass Pass Pass Pass Pas
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane Ethylbenzene Methylbutane n-Heptane n-Pentane Acetonitrile	Negative Negative 0 CFUs Method: Result Units ppm <loq <loq="" ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146 81 350 350 350 123</td><td>Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane Tetrahydrofuran Ethanol</td><td>Result U</td><td>ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm</td><td>LOQ 87 350 350 350 175 87 54 350</td><td>Result Pass Pass Pass Pass Pass Pass Pass Pas</td></loq>	Instrume LOQ 24 87 146 81 350 350 350 123	Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane Tetrahydrofuran Ethanol	Result U	ppm	LOQ 87 350 350 350 175 87 54 350	Result Pass Pass Pass Pass Pass Pass Pass Pas
STEC (E. coli) Listeria spp. Yeast/Mold Residual Solvent Date Tested: 06/15/2021 Analyte 2-Ethoxyethanol 3-Methylpentane Cyclohexane Ethylbenzene Methylbutane n-Heptane n-Pentane	Negative Negative 0 CFUs Method: Result Units ppm <loq <loq="" ppm="" ppm<="" td=""><td>Instrume LOQ 24 87 146 81 350 350 350</td><td>Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa</td><td>Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane Tetrahydrofuran</td><td>Result U</td><td>ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm</td><td>LOQ 87 350 350 350 175 87 54</td><td>Pass Pass</td></loq>	Instrume LOQ 24 87 146 81 350 350 350	Result Pass Pass Pass nt: Result Pass Pass Pass Pass Pass Pass Pass Pa	Salmonella L. monocytogenes Analyte 2-Methylpentane 2-Propanol Ether Acetone Isopropyl Acetate n-Hexane Tetrahydrofuran	Result U	ppm	LOQ 87 350 350 350 175 87 54	Pass Pass

PJLA Testing **Authorized Signature**

Jamie Hobgood 06/15/2021 10:43 AM

Laboratory Manager Date Time

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

CannaBusiness Laboratories

License # P-0059: (859)-514- 6999 https://www.cannabusinesslabs.us

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of CannaBusiness Laboratories. Uncertainty information is available on request. Photo is of sample received by the lab and may vary from final packaging. The results apply to the sample as received. ISO/IEC 17025:2017 Accredited.