



GSTN: 05AGGPR4996Q1ZC

IE CODE: 6116500421

Office and Factory: Jan Nigam Road, Thakur Ganj, Lucknow 226003 (U.P) India

Email Us: suhailrehmanceo@gmail.com Phones: +91 7860716071 / 9511000919

support@nauticalexclusives.com

## Complete range of school furniture

S.No.	Product Code	Product Details	Photo	Products Name	Unit Price
		וטנ	NIOR TABLES		US\$ FOB DELHI
1	N001	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		TIGER TABLE	157.50
2	N002	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		TEDDY TABLE	157.50
3	N003	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		MINNIE TABLE	157.50
4	N004	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		BUTTERFLY TABLE	157.50
5	N005	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		DOREMON TABLE	157.50

6	N006	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	BEAR TABLE	157.50
7	N007	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	FROG TABLE	157.50
8	N008	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	TIGER TABLE 2	157.50
9	N009	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	STAR TABLE	157.50
10	N010	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	MONKEY TABLE	157.50
11	N011	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	ELEPHANT TABLE	157.50
12		1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	OWL TABLE	157.50
12	N012	1)Size:1500x900mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.	FISH TABLE	178.20

13	N013	1)Size:1200mm*1200mm 380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		MEADOW TABLE	264.60
14	N014	1)Size:1200mm*1200mm 380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		HINDI TABLE	264.60
15	N015	1)Size:1200x600mm Dia*380-550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		PENCIL TABLE	105.30
16	N016	1)Size:1200x600mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		SCALE TABLE	105.30
17	N017	1)Table:1800*900*380-550Hmm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.		TRUCK TABLE	184.50
18	N018	1)Table:1800*900*380-550hmm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.		BUS TABLE	184.50
19	N019	1)Table:1800*900*380-550Hmm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.	0	CAR TABLE	184.50
20	N020	1)Table:600*500mm. Height 380- 550MM adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.		TRAPEZIUM TABLE	104.40
21	N021	1)Table:600*500mm. Height 380- 550MM adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.		PIE TABLE	95.40

22	N022	1)Table:Dia:-750mm. 380-550Hmm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.	ARC TABLE	104.40
23	N023	1)Table:1800*900*550mm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.	BANANA TABLE	158.40
24	N024	1)Size:1800mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.	CLUSTER TABLE	421.20
25	N025	1)Table:1200*1200*380-550Hmm adjustable legs. 2)Table legs made of round pipe in powderocated finish, top made of 25mm prelam board with pvc edge.	CLUSTER TABLE 2	207.00
26	N026	1)Size:1800mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.	DETACHABLE TABLE 1	630.00
27	N027	1)Size:1400mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.	DETACHABLE TABLE 2	419.40
28	N028	1)Size:1800mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.	DETACHABLE TABLE 3	630.00
29	N029	1)Size:1200x900mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.	ARC TABLE 2	157.50

30	N030	1)Size:1200mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.		CIRCLE TABLE	157.50
31	N031	1)Size:1200x600mm Dia*380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 32 legs per table. 4)Design as per photo enclosed.		RECTANGLE TABLE	104.40
32	N032	1)Size:1200mm*600mm 380- 550mm height adjustable legs. 2)Table top 25mm thick board. 3)Height adjustable 4 <b>0-60 micron powder</b> <b>coated</b> legs with height adjustable SS inside of 45mm OD in 18 guage, 4 legs per table. 4)Design as per photo enclosed.		DETACHABLE TABLE 4	421.20
		וטנ	NIOR CHAIRS		
33	N033	1) Injection moulded PVC Chair.     2)Chair Size 300mm x 300mm     x300mm(H).     3)Unbreakable stackable plastic chair in different colors.		CHAIR OPTION 1	8.82
34	N034	1) Injection moulded PVC Chair. 2)Chair Size 260mm x260mm x250mm(H). 3)Unbreakable stackable plastic chair in different colors.		CHAIR OPTION 2	8.82
35	N035	1)31OD MS PIPE WITH 40-60 MICRON POWDER COATING WITH UNBREAKABLE PLASTIC SHELL FIXED FOR UPTO LOAD 100KG		CHAIR OPTION 3	16.92

36	N036	Material : Plastic & Alluminium Dim: 380mmx300/350/400/450mm Durable, Anti-Scratch, and High- Strength	CHAIR OPTION 4	28.80
37	N037	1) Injection moulded PVC Chair. 2)Chair Size 260mm x260mm x250mm(H). 3)Unbreakable stackable plastic chair in different colors.	CHAIR OPTION 5	14.40
38	N038	1) Injection moulded PVC Chair. 2)Chair Size 260mm x260mm x250mm(H). 3)Unbreakable stackable plastic chair in different colors.	CHAIR OPTION 6	24.30
39	N039	1) Injection moulded PVC Chair. 2)Chair Size 260mm x260mm x250mm(H). 3)Unbreakable stackable plastic chair in different colors.	CHAIR OPTION 7	14.40
40	N040	1) MS PIPE WITH 40-60 MICRON POWDER COATING WITH UNBREAKABLE PLASTIC SHELL FIXED FOR UPTO LOAD 100KG	CHAIR OPTION 8	24.30

STORAGE THEME					
41	C041	1)Size:750+750+2400+750+750)M Depth:400mm aterial: <b>17mm thick Prelam Board</b> 3)Board: <b>Termiteproof, scratch resistant, durable</b> . 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		JUNIOR STORAGE THEME 1	1224.00
42	C042	1)Size:750+750+2400+750+750)M Depth:400mm aterial: <b>17mm thick Prelam Board</b> 3)Board: <b>Termiteproof, scratch resistant, durable</b> . 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		JUNIOR STORAGE THEME 2	1224.00
43	C043	Depth:400mm aterial:17mm thick Prelam Board 3)Board:Termiteproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality		JUNIOR STORAGE THEME 3	1224.00
44	C044	1)Size:750+750+2400+750+750)M Depth:400mm aterial:17mm thick Prelam Board 3)Board:Termiteproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product.fine workmanship		JUNIOR STORAGE THEME 4	1224.00
	,	JUN	IOR STORAGE		
45	N045	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	HAHAIN A STATE OF THE STATE OF	STORAGE OPTION 1	185.40
46	N046	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 2	188.10
47	N047	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 3	188.10

48	N048	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 4	188.10
49	N049	2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship"		STORAGE OPTION 5	188.10
50	N050	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	BEEFERS &	STORAGE OPTION 6	188.10
51	N051	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 7	188.10
52	N052	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	\$757 W	STORAGE OPTION 8	207.00
53	N053	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	3 2	STORAGE OPTION 9	207.00
54	N054	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 10	207.00
55	N055	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 11	207.00

56	N056	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 12	207.00
57	N057	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	100 - 0 C	STORAGE OPTION 13	207.00
58	N058	1)Size:900mmW*400mmD*1800 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 14	346.50
59	N059	1)Size:2400W*400mmD* 900mmH 2)Material:17mm thick Prelam Board 3)Board:Termiteproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 15	377.10
60	N060	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 16	306.00
61	N061	1)Size:1800W*400mmD* 900mmH 2)Material:17mm thick Prelam Board 3)Board:Termiteproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 17	365.30
62	N062	1)Size:900mmW*400mmD*1800 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship		STORAGE OPTION 18	419.40

63	N063	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 19	495.00
64	N064	1)Size750mmW*400mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 20	450.00
65	N065	1)Size:900mmW*40mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 21	189.00
66	N066	1)Size:900mmW*40mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 22	189.00
67	N067	1)Size:900mmW*40mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 23	189.00
68	N068	1)Size:900mmW*40mmD*900 mmH 2)Material:17mm thick Prelam Board 3)Board:Fireproof, scratch resistant, durable. 4) Edge:High quality PVC cover,fastness and durable. 5) Design:As photo,High quality product,fine workmanship	STORAGE OPTION 24	189.00

## **SENIOR CLASS TABLE & CHAIR**



B098	"Dimensions: 1100x400x/600/650/700/750MM 2)17mm prelam top Injection moulded. 3)Desk welded frame:25*50mm oval crca tube. 4)Powder coated upto 40-60 microns with two"	2 SEATER DESK 1	117.00
B100	"Dimensions: 1100x400x/600/650/700/750MM 2)17mm prelam top with curved edge with two pen gropves. 3)Desk welded frame:20*40mm oval crca tube. 4)Powder coated upto 40-60 microns with two"	A CEATED DECK 2	108.00
		2 SEATER DESK 2	
B101	"Dimensions: 900x350x600/650/700/750MM 2)17mm prelam top injection moulded. 3)Desk welded frame:20*40mm oval crca tube. 4)Powder coated upto 40-60 microns with two"		99.00
		2 SEATER DESK 3	
B104	1)Table:1100*400*700-750(H)mm.2 Prelam Top with Two pen gropes. 25x50mm Capsule pipe 16 gauge in powdercoated finish.	2 SEATER FIX DESK 1	99.00
	1	-	

B105	"1)Table:900*350*600/650/700/7500(H)mm.Prelam Top Injection Moudled. 50x25mm Capsule pipe 16 gauge in powdercoated finish.	2 SEATER FIX DESK 2	99.00
B108	"1)DESK 1100*400*600/700MM 2)17mm prelam board with curved edge with two pen gropves. 3)Desk welded frame:40*20mm oval crca tube. 4)Powder coated upto 40-60 microns with two bag hook. 5)Two Chair:380*400*400mm(H) plastic seat and back of injection mould.	2 SEATER H FRAME DESK WITH 2 CHAIR	94.50

S117 & S118	"Dimension; 600x400-600/650/700/750mm with modustick Panel 20x40 Tube in 16 gauge with one Chair size in 300-450mm seating heigh 20x40 Tube in 16 Gauge	SINGLE SEATER O		63.00
S113	"Dimension; 600x400-600/650/700/750mm with modustick Panel 25x50 Tube in 16 gauge with one Chair size in 300-450mm seating heigh 20x40 Tube in 16 Gauge	SINGLE SEATER O		100.00
S115	"Dimension; 600x400x600/650/700/750mm with modustick Panel 20x40 Tube in 16 gauge Chair size in 300-450mm seating heigh 20x40 Tube in 16 Gauge "	SINGLE SEATER (		56.70
78	"Dimension; 600x400x600/650/700/750mm with modustick Panel 20x40 Tube in 16 gauge Chair size in 300-450mm seating heigh 20x40 Tube in 16 Gauge "	SINGLE SEATER O		81.00
B097	Desk: 900*300*600mm Bench: 900*300*600mm		2 SEATER DESK 01	108.00
80	Desk: 900*300*600mm Bench: 900*300*600mm		2 SEATER DESK 02	105.30
81	Desk: 900*300*600mm Bench: 900*300*600mm		2 SEATER DESK 03	105.30

82	Desk: 900*300*600mm Bench: 900*300*600mm		2 SEATER DESK 04	105.30
Т080	"Dimension;600x400x600/650/700/750mm 25x50 Tube in 16 Gauge Plain Top with pencil group."	SINGLE SEATER TABLE	1 SEATER TABLE 01	40.50
T081	"Dimension ;600x400x600/650/700/750mm 20x40 Tube in 16 Gauge Plain Top"		1 SEATER TABLE 02	40.50
Т083	"Dimension ;600x400x600/650/700/750mm 20x40 Tube in 16 Gauge Plain Top"		1 SEATER TABLE 03	40.50
T084	"Dimensions: 1100x400x600/650/700/750MM 2)17mm prelam board with curved edge with two pen gropves. 3)Desk welded frame:20*40mm oval crca tube. 4)Powder coated upto 40-60 microns with two"	Tools Produced St.	2 SEATER TABLE 01	95.40

T087	"Dimensions: 1100x400x600/650/700/750MM 2)17mm prelam board with curved edge with two pen gropves. 3)Desk welded frame:20*40mm oval crca tube. 4)Powder coated upto 40-60 microns with two"		2 SEATER TABLE 02	95.40
Т090	"1)Size:1200L*600W* 750H mm 2)High density prelam board 3)Edge:High quality PVC edge, fastness 4)Design: Laser engarved designs 5.Design as photo."		TEACHER STORAGE 01	160.20
T091	"1)Size:1200L*600W* 750H mm 2)High density prelam board 3)Edge:High quality PVC edge, fastness 4)Design: Laser engarved designs 5.Design as photo."		TEACHER STORAGE 02	171.00
1		Material: Wood & Metal Desk welded frame:20*40mm oval crca tub D Size: W 1100mm D 400mm H 600, 650, 700, 750mm C Size: Dim-380mm H 300, 350, 400, 450mm Durable, Anti-Scratch, and High-Strength	SENIOR BENCH & CHAIR	104.40
2	B101	D Size: W 1100mm D 400mm H 600, 650, 700, 750mm Desk welded frame:20*40mm oval crca tub C Size: Dim-380mm H 300, 350, 400, 450mm Durable, Anti-Scratch, and High- Strength	SENIOR BENCH & CHAIR	104.40
3	B107	D Size: W 1100mm D 400mm H 600, 650, 700, 750mm C Size: Dim-380mm H 300, 350, 400, 450mm Durable, Anti-Scratch, and High- Strength	2 SEATER FIX DESK	97.20

4	B105	D Size: W 1100mm D 400mm H 600, 650, 700, 750mm C Size: Dim-380mm H 300, 350, 400, 450mm Durable, Anti-Scratch, and High- Strength		SENIOR BENCH	104.40	
	·					
	Bank Details:					
	NAUTICAL EXCLUSIVE HUB INDIA					
	A/C 344001010035605 OF UNION BANK OF					
	INDIA. IFS CODE: UBIN0534404					
	SWIFT: UBININBBDER					
We work fo	r Customer Delight and	d we look forward to working with you and provid	ing you with our best services and solutions. Please	do go through our terms and	conditions.	
1	Any Taxes on inter state transactions, if levied by your state .shall be charged to you.					
2	All goods under our invoice shall remain our property until full payment is realised.					
3	Way Bills to be provided in advance for prompt and safe delivery.					
4	Delivery Period within 4 to 5-week.					
5	• • • • • • • • • • • • • • • • • • • •	ustoms as per rules of the importing country.				
6	Octroi As Actuals					
7	Delivery Date will be counted from the date of purchase order, advance, all colour shade					
	approval with all drawings, electrical cutout approval, electrical switch sample& approval on					
	drawing Whichever is the last. Total Delivery Time - 35 to 55 Days.					
8	Condition of Site Mesurement : Additional 3 days will be taken for site mesurement					
9	Installation to be included but Fooding, Lodging will be taken in buyers scope.					
10			VALIDITY OF THIS QUOTATION : 3 WEEKS			
	`	OTATION : 3 WEEKS				
	PAYMENT TERMS	OTATION : 3 WEEKS  ce at the time of dispatch				

Τ

Ι