IBHA/PCPCH Integrated Care	Level of Integration											
Standard	NOTE: Primary care clinics must score a 5 or higher on each IBHA standard and must meet PCPCH 3.C.1 and 3.C.3 to											
	meet the minimum requirements to be considered integrated.											
Integrated BH services are	No BHC prac	ctices on-	A BHC is co-located			One or more BHCs provide			One or more BHCs provide			
provided as part of routine care	site in the P	inside the PCPCH but			integrated behavioral			integrated behavioral health				
at the PCPCH including licensed	practices in	clinic does not meet			health services on-site in			services on-site in the PCPCH at				
Behavioral Health Clinician(s)	building but	staffing ratio of 1 FTE			the PCPCH at a ratio of at			a ratio that exceeds 1 FTE BHC				
(BHC) ¹ delivering an array of	located insid	BHC for every 6 FTE			least 1 FTE BHC for every 6			for every 6	for every 6 FTE PCCs			
services onsite. BHC(s) provides	primary care	PCCs	PCCs			FTE PCCs						
care at the PCPCH with a ratio of					1							
at least 1 FTE BHC for every 6 FTE												
of Primary Care Clinicians (PCC).	0	1	2	3	4	5	6	7	8	9	10	
Integrated BHC provides a broad	No BHC prac	ctices on-	The BHC provides BHC provides short-term, e						videnced-based care for all of the			
array of comprehensive	site in the P	longer-term therapy			following: mental illness, substance use disorders, health							
evidence-based behavioral health	practices in	services, primarily via			behaviors that contribute to chronic illness, life stressors and							
services.	building but	referra	l from I	PCCs,	crises, developmental risks and conditions, stress-related							
561116651	located insid	de the	to few	patient	s with	physical symptoms, preventive care, and ineffective patterns of health care utilization; Most patients see the BHC for 4 or						
	primary care	e clinic	higher	acuity i	mental							
	health and/or fewer sessions during an episode of care; Evidence-							ce-based				
		substance use issues;					interventions include those listed in the <u>SAMHSA Evidence-</u>					
		Unknown if BHC is				Based Practices Resource Center.						
			using evidence-based									
		treatments										
	0	1	2	3	4	5	6	7	8	9	10	

^{*}Based on the Integrated Behavioral Health Alliance recommended minimum standards for PCPCHs providing integrated care (2015)

¹ Behavioral health clinicians (BHC) include: A licensed psychiatrist; A licensed psychologist; A certified nurse practitioner with a specialty in psychiatric mental health (PMHNP); A licensed clinical social worker (LCSW); A licensed professional counselor (LPC) or licensed marriage and family therapist (LMFT); A board-registered clinical social work associate (CSWA); A board-registered associate or psychologist resident in a clinical mental health field.



IBHA/PCPCH Integrated Care	Level of Integration									
Standard	NOTE: Primary care clinics must score a 5 or higher on each IBHA standard and must meet PCPCH 3.C.1 and 3.C.3 to meet the minimum requirements to be considered integrated.									
Integrated DIIC provides some	No BHC in the PCPCH			Ţ						
Integrated BHC provides sameday open access behavioral health services. (Same-day services are provided in realtime at the point of care when behavioral health issues are identified, including the following BHC activities: warm hand-offs, brief assessments and interventions, consultations to PCCs and other care team members)	or BHC in the PCPCH or BHC is not readily available for same-day services; BHC appointments are typically scheduled as traditional 50-minute therapy sessions; BHC is not interruptible when with a patient	BHC same-day availability is minimal; may occur at times but not defined; Majority of appointments are scheduled therapy for traditional mental health issues; Ability to interrupt BHC is limited; Unknown or low population reach (5% or less)	BHC is available for same- day services at least half of their hours at the clinic each week; same-day warm-hand offs occur regularly; BHC may average about 6 BHC encounters per day; BHC is interruptible most of the time; Evidence of moderate population reach (about 10%)	BHC is available for same-day access during all times the clinic is open and is interruptible at any time when patient needs arise; BHC averages 8 or more BHC encounters per day; Evidence of high population reach (15% or more)						
	0 1	2 3 4	5 6 7	8 9 10						
Primary care clinicians, staff, and BHC utilize shared medical records and have a mechanism in place for collaborative care planning and co-management of patients.	No BHC in the PCPCH or no use of shared EHR; All medical and behavioral health information is separate; Little to no evidence of care coordination or collaborative treatment planning	BHC & PCC share EHR but BH notes & treatment plans are separate from PCC documentation; BHC & PCC may occasionally communicate, but have different treatment goals; Little to no evidence of care coordination or collaborative treatment planning	PCCs and BHC utilize a fully shared EHR for all documentation; PCC and BHC documentation is integrated and treatment plans are coordinated; BHCs and PCCs participate in collaborative treatment planning and comanagement via case conferences, consults, pre-visit planning and/or daily huddles	Utilizing shared EHR, BHC and PCCs jointly develop and coordinate one shared treatment plan and involve patient in setting health goals; BHCs and PCCs regularly participate in collaborative treatment planning and co-management via case conferences, consults, pre-visit planning and/or daily huddles						
	0 1	2 3 4	5 6 7	8 9 10						



IBHA/PCPCH Integrated Care	Level of Integration											
Standard	NOTE: Primary care clinics must score a 5 or higher on each IBHA standard and must meet PCPCH 3.C.1 and 3.C.3 to										nd 3.C.3 to	
	Meet the minimum requirements to be considered integrated. No BHC at the PCPCH BHC primarily utilized PCCs, BHCs, and other care Services and physical space.											
BHC is an integrated part of the			BHC primarily utilized			PCCs, BHCs, and other care			Services and physical space			
primary care team.	or the BHC		as a referral resource, but otherwise does not			team members utilize shared physical space; BHC conducts many same-day			completely integrated and			
	located in t	•							seamless; BHC maintains			
	but does no						•	•	consistent visible presence; BHC practices side-by-side with			
	participate	_	particip		_	services in		-			•	
	clinic activi	ties	clinic ad		•	rooms wh	•		PCCs and is	•		
			with ot			participate	•		•	nip roles; Patient		
			providers; BHC may have an office on-site			activities such as team			appointments regularly			
						meetings, daily huddles, pre-visit planning, and			scheduled jointly with PCC and BHC; BHC routinely participates			
			in the PCPCH where appointments are				quality improvement (QI) projects			in daily huddles, pre-visit		
		_ · · ·			conducted					planning, and QI projects		
				Conducted			projects			planning, and Qi projects		
	0	1	2	3	4	5	6	7	8	9	10	
PCPCH utilizes a population-	No systema	atic process	May tra	ack indi	vidual	PCPCH util	lizes uni	versal BH	Systems in	place to	ensure all	
based approach to delivering and	in place to	conduct	patients based on			screening, care			patients are screened, assessed,			
coordinating integrated	universal so	circumstances or			coordination, and panel			treatment is scheduled & follow-				
behavioral health services.	for BH need	ds and	provide	er judge	ement,	managem	ent to m	onitor	up coordina			
	connect pa	tients to	but no	standaı	rdized	the BH nee	eds and		Outcome m			
	treatment	pathways exist for screening, referral to services, coordinating care, and maintaining			outcomes of the patient population. PCPCH utilizes written protocols for referrals to appropriate BH specialist(s) and			and used for QI purposes; Patient registry is actively utilized with criteria and outreach protocols to monitor patients & make care plan adjustments; Outreach				
	resources											
			continuity			hospitalization if clinically indicated			performed consistently with information flowing back to care team			
	0	1	2	3	4	5	6	7	8	9	10	



IBHA/PCPCH Integrated Care Standard	Level of Integration NOTE: Primary care clinics must score a 5 or higher on each IBHA/PCPCH standard and must meet PCPCH 3.C.2 and 3.C.3 to meet the minimum requirements to be considered integrated.										
The integrated team includes psychiatric consultative resources.	external of psychiatri (i.e., psychiatri psychiatri health nu	No coordination with external or internal psychiatric resources (i.e., psychiatrist or psychiatric mental health nurse practitioner) Minimal coordination and consultation occur with psychiatric mental health shealth nurse practitioner)				PCPCH iden care needs determines consultation provider op a care mode services; Ro K/A and/or consultation psychiatric in practitioner	of their po viable psy n strategie tions, and el that incl utinely use has systen n with psyd mental hea	pulation, chiatric s and develops udes these es OPAL- natic chiatrist or	PCPCH has implemented a fidelity Collaborative Care model with fully functional registry to track patient populations and outcomes, including weekly reviews with a psychiatrist to identify patients who are not improving and adjust treatment accordingly		
PCPCH 3.C.1 (2020 standards)	O 1 2 3 4 5 6 7 8 9 10 PCPCH has a cooperative referral process with specialty mental health, substance abuse, and developmental providers including a mechanism for co-management as needed (see full specifications in the PCPCH TA Guidelines) Meets 3.C.1 Does not meet 3.C.1										
PCPCH 3.C.3 Practice Site Name Name of Person(s) Who Complete	by behav	ioral health Neets 3.C.3	provide	rs (see f	ull spec	ifications in	• .	•	based, same elines)	e-day co	onsultations

