

Smugglers Notch Sour lot 27

Sample ID: BIA260402S0075
Strain: Smugglers Notch Sour
Harvest Lot: SCLT0155-27-001
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.14 g
Lot#: SCLT0155-27-001

Produced:
Collected:
Received: 04/02/2026
Completed: 04/10/2026
Batch#: SCLT0155-27-001

Client:
Smugglers Notch Cannabis
Lic. # SCLT0155
 662 Irish Settlement Rd
 Underhill, VT 05489



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	04/03/2026	Complete
Moisture	04/02/2026	7.30% - Complete
Water Activity	04/02/2026	0.285 aw - Complete
Terpenes	04/08/2026	Complete
Microbials	04/09/2026	Complete

Cannabinoids

Completed

30.59%					0.09%			36.41%					
Total THC					Total CBD			Total Cannabinoids					
Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass				
	mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving				
CBDVa	0.0003	<LOQ	<LOQ		CBCVa	0.0003	<LOQ	<LOQ					
CBDV	0.0003	<LOQ	<LOQ		CBNa	0.0003	0.07	0.7					
CBDa	0.0005	0.11	1.1		Δ9-THC	0.0005	0.65	6.5					
CBGa	0.0005	0.96	9.6		Δ8-THC	0.0003	<LOQ	<LOQ					
CBG	0.0005	<LOQ	<LOQ		Δ10-THC*	0.0002	<LOQ	<LOQ					
CBD	0.0005	<LOQ	<LOQ		CBL	0.0005	<LOQ	<LOQ					
THCV	0.0003	<LOQ	<LOQ		CBC	0.0003	<LOQ	<LOQ					
CBLV	0.0003	<LOQ	<LOQ		THCa	0.0005	34.13	341.3					
CBCV	0.0003	<LOQ	<LOQ		CBCa	0.0006	0.24	2.4					
THCVa	0.0003	0.25	2.5		CBLa	0.0005	<LOQ	<LOQ					
CBN	0.0005	<LOQ	<LOQ		Total THC		30.59	305.88					
					Total CBD		0.09	0.94					
					Total		36.41	364.12					0.00

Analyst: 063

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




Luke Emerson-Mason
 Laboratory Director
 04/10/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Smugglers Notch Sour lot 27

Sample ID: BIA260402S0075
Strain: Smugglers Notch Sour
Harvest Lot: SCLT0155-27-001
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.14 g
Lot#: SCLT0155-27-001

Produced:
Collected:
Received: 04/02/2026
Completed: 04/10/2026
Batch#: SCLT0155-27-001

Client:
Smugglers Notch Cannabis
Lic. # SCLT0155
 662 Irish Settlement Rd
 Underhill, VT 05489

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Pinene	0.010	3.752	0.375
Linalool	0.010	3.745	0.374
Limonene	0.010	3.408	0.341
β-Myrcene	0.010	2.755	0.276
β-Caryophyllene	0.010	2.224	0.222
α-Pinene	0.010	1.218	0.122
α-Humulene	0.010	0.840	0.084
Camphene	0.010	0.381	0.038
Terpinolene	0.010	0.260	0.026
α-Bisabolol	0.010	0.235	0.023
trans-Ocimene	0.010	0.165	0.017
Geraniol	0.010	0.090	0.009
cis-Ocimene	0.010	0.050	0.005
p-Cymene	0.010	0.043	0.004
γ-Terpinene	0.010	0.021	0.002
Caryophyllene Oxide	0.010	0.021	0.002
α-Terpinene	0.010	0.020	0.002
3-Carene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		19.230	1.923

Primary Aromas



Analyst:

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason
 Laboratory Director
 04/10/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Smugglers Notch Sour lot 27

Sample ID: BIA260402S0075
Strain: Smugglers Notch Sour
Harvest Lot: SCLT0155-27-001
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.14 g
Lot#: SCLT0155-27-001

Produced:
Collected:
Received: 04/02/2026
Completed: 04/10/2026
Batch#: SCLT0155-27-001

Client
Smugglers Notch Cannabis
Lic. # SCLT0155
662 Irish Settlement Rd
Underhill, VT 05489

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason
Laboratory Director
04/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

