

Report Date: 10/18/2023



Grower License #: SCLT0155

## **Certificate of Analysis**

Company: Smugglers Notch Cannabis Co Sample ID: Smugglers Notch Sour

662 Irish Settlement Rd Lot: SCLT0155-6-001

Jericho, VT 05489 Matrix: Flower Date Analyzed: 10/16/2023

Customer ID: 230117-2 Date Sampled: N/A Analyst: 045

Date Received: 10/10/2023 Report ID: C231010AD

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.774	0.177
Camphene	0.010	0.326	0.033
β-Myrcene	0.010	7.263	0.726
b-Pinene	0.010	3.351	0.335
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	8.970	0.897
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Y-Terpinene	0.010	0.027	0.003
Terpinolene	0.010	0.389	0.039
Linalool	0.010	6.752	0.675
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	0.030	0.003
Caryophyllene	0.010	5.156	0.516
α-Humulene	0.010	2.042	0.204
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Bisabolol	0.010	0.047	0.005
Total Terpenes		36.127	3.613

11.83%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)