



# FOAM FIGHTER<sup>®</sup>

Antifoam /DeFoamer

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide.....	10%
Constituents Ineffective As Spray Adjuvants.....	90%
Total.....	100%

Calif. Reg. No. 90930-50005

## AVOID FREEZING. WARM, SHAKE AND RESUSPEND BEFORE USING

## KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

### Hazards to Human and Domestic Animals

Avoid contact with skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. If exposure limits are exceeded, or if exposure may occur, use a NIOSHA/MSHA approved respirator. Wear chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks as needed.

### FIRST AID

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.  
**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Manufactured By:

MILLER CHEMICAL & FERTILIZER, LLC

P.O. Box 333

Hanover, Pennsylvania 17331

NET CONTENTS: 53 GALLONS LIQUID

## DIRECTIONS FOR USE

FOAM FIGHTER is designed to reduce foam in agricultural chemical sprayers and also in dip tanks, such as those used in the grading of Peaches and Apples.

FOAM FIGHTER is not for aquatic use in Washington.

**Rate of Application:** Use 1 to 3 squirts whenever it is necessary to reduce foam in the tank. Foam develops in spray tanks when highly emulsified agricultural chemicals and surfactants are placed in the spray tank during the filling and agitation operation. When the spray tank is more than half full, many times a large amount of foam will almost fill the balance of the tank. In order to complete the filling operation of the tank, the foam must be removed. This is the time to use FOAM FIGHTER.

**ENVIRONMENTAL HAZARDS:** This product is not for aquatic use. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

## STORAGE AND DISPOSAL

Keep in original container. Store above 32° F. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC (800) 424-9300.

## CONTAINER DISPOSAL

Triple rinse (or equivalent) during mixing or loading. Recycling contaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk to human beings, animals, and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.