

Orthodontic/Esthetic Consultation Sheet
3D General Dentistry Services, PC

Patient Name		Date:	Phone #:
Email		Age/DOB	
Chief Concern(s):			
Doctor Concerns:			
Other			

			MAXILLARY	MANDIBULAR
Occlusion		Midline		
Class		Crowding		
CR CO		Spacing		
Over Bite		Crossbite		
Over Jet		Cant		
Perio Stage, Grade		Rotations		
TMJ		Whitening		
Lateral Canthi Distance		Incisal Display	Tooth #(mm):	
Other		H x W Central		
		Restorative		

TREATMENT			
Pre Ortho:			
SureSmile	Invisalign	ClearCorrect	Refer
Full Case	Anterior	Express	
Time Estimate		Fee Estimate	
NEXT VISIT	Comp Exam	Perio Exam	Px
Ortho Records:	IO Scan	CBCT Panx FMX	
Photographic Records:	Photo Set 8 up	3:1 (Smile, Retracted, Lips at Rest)	

Reviewed: Initial, Date	IPR	To create space, teeth may need to be slenderized.
	Attachments	Tooth colored bonding may be placed on teeth to move selected teeth more readily.
	OA	Teeth may need to be adjusted before, during, &/or after treatment to make bite line up just right.
	Retainers	Will need to be worn indefinitely when treatment is completed to prevent relapse and to protect your investment.
	Refinement	At end of initial treatment Dr. or patient may request an additional set of trays to obtain a more optimum result; We often see about 90% of anticipated/programmed result.
	22 hrs/Day	Trays must be worn 22 hours (all the time except eating then brushing and flossing teeth) every day for treatment to be successful. Only water can be consumed with trays in place.