

Certificate of Analysis
Compliance Test

Client Information:

TERP NATION LLC

2500 S PARK ROAD

BAY#3

PEMBROKE PARK, FL 33009

Order # TER250421-150001

Order Date: 2025-04-21

Sample # AAGQ128

Statement of Amendment: Updated Pesticides

Batch # 042125PCC
Batch Date: 2025-04-21
Extracted From: HEMP

Test Reg State: Georgia

Initial Gross Weight: 31.800 g

Number of Units: 1
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Product Image

Potency
TestedHHCP
TestedPathogenic Microbiology
PassedHeavy Metals
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
PassedMicrobiology (qPCR)
PassedFiltration and Foreign
PassedPotency (LCUV) (GA) + Potency
25 (LCUV)

Tested

SOP13.001 (LCUV)



Potency Summary

Specimen Weight: 1528.480 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta9-THCP *	15000.000	1.17E-5	0.01	111.2000	11.1200
CBGA	15.000	8.00E-5	0.0125	110.5300	11.0530
Delta-8 THC	15.000	2.60E-5	0.0125	62.8300	6.2830
CBG	15.000	2.48E-4	0.0125	8.2500	0.8250
Delta-8 THCV	150.000	4.00E-5	0.0125	2.2510	0.2251
CBC	15.000	2.76E-5	0.075	1.9600	0.1960
CBCA	150.000	1.07E-4	0.0125	1.7390	0.1739
CBDA	15.000	1.00E-5	0.0125	0.8300	0.0830
CBT	15.000	2.00E-4	0.0125	0.6125	0.0613
CBN	15.000	1.40E-5	0.0125	0.3800	0.0380
THCA-A	15.000	3.20E-5	0.0125	0.3700	0.0370
Delta8-THCP *	15.000	3.75E-4	0.0125	0.3538	0.0354
CBD	15.000	5.40E-5	0.0125	0.2300	0.0230
CBL	15.000	3.50E-5	0.0125	0.1840	0.0184
Delta-10 THC	15.000	3.00E-6	0.0125	<LOQ	<LOQ
Delta-9 THC	1500.000	2.80E-4	0.075	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDVA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			0.958	0.096
Total Active THC	15.000			0.324	0.032

Total HHC None Detected	Total Active THC 0.64 mg
Total Active CBD 0.096% 1.92 mg	Total CBG 10.530% 210.6 mg
Total CBN 0.038% 0.76 mg	Total Cannabinoids 30.172% 603.442 mg

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received. Revised report-see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

TERP NATION LLC

2500 S PARK ROAD

BAY#3

PEMBROKE PARK, FL 33009

Order # TER250421-150001

Order Date: 2025-04-21

Sample # AAGQ128

Batch # 042125PCC

Batch Date: 2025-04-21

Extracted From: HEMP

Test Reg State: Georgia

Initial Gross Weight: 31.800 g

Number of Units: 1

Net Weight per Unit: 2000.000 mg

Sampling Method: MSP 7.3.1



PCR Total Yeast and Mold

Specimen Weight: 992.500 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 20.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1179	Date: 2025-04-25 13:43:08	Analyzed By: 1179	Date: 2025-04-25 13:43:08
Reviewed By: 1225	Date: 2025-04-26 14:30:39	Lab Batch #: AAGQ128-218	Date: 2025-04-26 14:30:39



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1015.000 mg

Passed
SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	1	STEC	1	Passed



Filtration and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Passed
SOP13.020 (Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

TERP NATION LLC
2500 S PARK ROAD
BAY#3
PEMBROKE PARK, FL 33009

Batch # 042125PCC
Batch Date: 2025-04-21
Extracted From: HEMP

Test Reg State: Georgia

Order # TER250421-150001
Order Date: 2025-04-21
Sample # AAGQ128

Sampling Date: 2025-04-24
Lab Batch Date: 2025-04-24
Orig. Completion Date: 2025-05-02

Initial Gross Weight: 31.800 g

Number of Units: 1
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1



Heavy Metals

Specimen Weight: 251.300 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 19.800 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1,000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	22671.260	Hexane	0.068	25	100000	<LOQ



Mycotoxins

Specimen Weight: 607.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

TERP NATION LLC
2500 S PARK ROAD
BAY#3

Batch # 042125PCC
Batch Date: 2025-04-21
Extracted From: HEMP

Test Reg State: Georgia

PEMBROKE PARK, FL 33009

Order # TER250421-150001

Order Date: 2025-04-21

Sample # AAGQ128

Sampling Date: 2025-04-24

Lab Batch Date: 2025-04-24

Orig. Completion Date: 2025-05-02

Initial Gross Weight: 31.800 g

Number of Units: 1

Net Weight per Unit: 2000.000 mg

Sampling Method: MSP 7.3.1

HHCP

Specimen Weight: 1520.480 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 7500.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	1.9600	0.196
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

TERP NATION LLC
2500 S PARK ROAD
BAY#3
PEMBROKE PARK, FL 33009

Batch # 042125PCC
Batch Date: 2025-04-21
Extracted From: HEMP

Test Reg State: Georgia

Order # TER250421-150001
Order Date: 2025-04-21
Sample # AAGQ128

Sampling Date: 2025-04-24
Lab Batch Date: 2025-04-24
Orig. Completion Date: 2025-05-02

Initial Gross Weight: 31.800 g

Number of Units: 1
Net Weight per Unit: 2000.000 mg
Sampling Method: MSP 7.3.1

Pesticides - (GA)
Specimen Weight: 607.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	9	100	<LOQ	Fludioxonil	3.6000E-1	9.6	100	<LOQ
Acephate	1.4100E-1	9.6	100	<LOQ	Hexythiazox	1.1300E-1	9.6	100	<LOQ
Acequinocyl	2.1780E+0	9.6	100	<LOQ	Imazalil	2.5800E-1	9.6	100	<LOQ
Acetamiprid	1.4000E-1	9.6	100	<LOQ	Imidacloprid	4.0200E-1	9.6	100	<LOQ
Aldicarb	2.0300E-1	9.6	100	<LOQ	Kresoxim Methyl	1.8200E-1	9.6	100	<LOQ
Azoxystrobin	1.8800E-1	9.6	100	<LOQ	Malathion	2.2300E-1	9.6	100	<LOQ
Bifenazate	8.6000E-2	9.6	100	<LOQ	Metaxyl	2.7000E-1	9.6	100	<LOQ
Bifenthrin	1.0000E-1	9.6	100	<LOQ	Methiocarb	1.1800E-1	9.6	100	<LOQ
Boscalid	5.9500E-1	9.6	100	<LOQ	Methomyl	6.4000E-2	9.6	100	<LOQ
Carbaryl	1.2200E-1	9.6	100	<LOQ	Mevinphos	9.3000E-2	9.6	100	<LOQ
Carbofuran	8.6000E-2	9.6	100	<LOQ	Myclobutanil	5.7300E-1	9.6	100	<LOQ
Chlorantraniliprole	8.4000E-2	9.6	100	<LOQ	Oxamyl	4.1000E-2	9.6	100	<LOQ
Chlordane	1.9000E+0	9.6	100	<LOQ	Paclobutrazol	1.8600E-1	9.6	100	<LOQ
Chlorpyrifos	1.0900E-1	9.6	100	<LOQ	Permethrin	6.2400E-1	9.6	100	<LOQ
Coumaphos	2.0600E-1	9.6	100	<LOQ	Phosmet	1.2700E-1	9.6	100	<LOQ
Cyfluthrin	9.8000E-1	9.6	100	<LOQ	Piperonylbutoxide	1.4900E-1	9.6	100	<LOQ
Cypermethrin	9.8500E-1	9.6	100	<LOQ	Prallethrin	1.4760E+0	9.6	100	<LOQ
Daminozide	1.6550E+0	9.6	100	<LOQ	Propiconazole	2.9400E-1	9.6	100	<LOQ
Diazinon	2.1200E-1	9.6	100	<LOQ	Propoxur	1.0000E-1	9.6	100	<LOQ
Dichlorvos	1.1300E+0	9.6	100	<LOQ	Pyridaben	1.4000E-1	9.6	100	<LOQ
Dimethoate	6.3000E-2	9.6	100	<LOQ	Spinetoram	4.2400E-1	9.6	100	<LOQ
Dimethomorph	2.5810E+0	9.6	100	<LOQ	Spiromesifen	1.2000E-1	9.6	100	<LOQ
Ethoprophos	1.5100E-1	9.6	100	<LOQ	Spirotetramat	2.1100E-1	9.6	100	<LOQ
Etofenprox	1.7200E-1	9.6	100	<LOQ	Spiroxamine	5.3300E-1	9.6	100	<LOQ
Etoxazole	8.6600E-1	9.6	100	<LOQ	Tebuconazole	2.3000E-1	9.6	100	<LOQ
Fenhexamid	5.8800E-1	9.6	100	<LOQ	Thiacloprid	1.7000E-1	9.6	100	<LOQ
Fenoxycarb	2.7400E-1	9.6	100	<LOQ	Thiamethoxam	1.7900E-1	9.6	100	<LOQ
Fipronil	3.1700E-1	9.6	100	<LOQ	Trifloxystrobin	1.3400E-1	9.6	100	<LOQ
Flonicamid	4.6600E-1	9.6	100	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

