CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Terp Nation LLC
2500 South Park Rd Bay #3
Pembroke Park, FL 33099

Batch #: 072423FP

Laboratory Number: ATL-14555

Report Issue Date: 7/25/2023

Order Date: 7/24/2023

Analysis Date: 7/25/2023

Sample Description:

Hemp Flower HHC Fruity Pebbles Hybrid

Unit Weight: 1g / Flower

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE-22 COUNTS

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	105.790	10.479
CBG	<0.007	4.850	0.485
CBD	<0.014	79.670	7.967
THCV	<0.008	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
D9-THC	<0.014	0.700	0.070
D8-THC	<0.005	2.540	0.25
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
9S-HHC	<0.009	4.600	0.460
9R-HHC	<0.013	<LOQ	<LOQ
CBC	<0.009	<LOQ	<LOQ
CBC-A	<0.005	1.720	0.172
THC-A	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
D9-THCP	<0.009	N/D	N/D
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

	mg/flower	%
Max Active THC	0.70	0.07
Max Active CBD	79.67	7.97

	mg/flower	%
Total Active Cannabinoids	185.87	18.59
Total Cannabinoids	198.87	19.89

NOTES

9R-HHC Could not be reported due to co-elution with CBC.

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA

(954) 515 - 0200
info@accuratetestlab.com