

Gate Product Catalog



KEEDEX PRODUCTS

DOOR LOOPS




- Use Keedex Door Loops when you need to transfer low-voltage electrical current from the door frame to the door.
- Entire assembly has an attractive and durable powder coat or all stainless steel finish.
- Pre-drilled hole in base. Includes installation screws.

K-BXMOUNT



The K-BXMOUNT is a display mount for any Keedex box. The standard box mounted is the K-BXSIM and the standard finish is a black powder-coat, but can be ordered with ANY Keedex box and any other powder-coat color, including the popular Silver Vein.

DOOR LASER - # DRLSR



- Use of this laser sight tool for Core drilling doors assures accurate drilling through door, to prevent damage to either face of door .
- Designed for 1 3/4" thick doors
- Includes 1/4" bit for pilot hole drilling

BOTTLE LOCK - # BOT LOC



- Tamper evident Bottle Lock is the perfect solution to securing your fine wines, liquors, and beverages, from any and all you don't want drinking them!
- Comes in retail packaging with gift bag and combination instructions

HOSE BIBB LOCK

#K-HBL



PADLOCK NOT INCLUDED

With water prices soaring, locking access to your outside water supply is now an important part of security.

Here's how it works: The cover, padlock eye, and padlock spin freely around the fitting. The fitting cannot be unscrewed and will not leak when the Hose Bibb is locked.

Hose Bibb Lock Uses

- Stop water theft, waste and misuses.
- Stop leaky hose bibb.
- Outside or inside hose connections.
- Water heater drain valve.
- Gray water irrigation safety.
- Home owner, boat, RV.
- Rental, apartment, Condo.
- Golf Course, Park, Marina
- Municipal Buildings, Housing.

K-FB4

Four Drawer Filing Cabinet Bar Lock

Lock your filing cabinets and important document storage system with our all new Filing Cabinet Bar Lock! Unique design protects mounting screws from being tampered with. Accepts up to large padlock for locking (not included) Will not block drawers or cabinets adjacent to this one.



Table of Contents/ Guide


NEW KEEDEX PRODUCTS	2	KABA/MAS EXIT DEVICES	14
TABLE OF CONTENTS	3	LOCKNETICS	14
REFERENCE GUIDE KEY	3	MARKS	15
GUARD KNOBS	4	MISCELLANEOUS BLANK BOXES	15
TAMPER RESISTANT PRODUCTS	5	MONUMENT	15
GATE BOX RELATED PRODUCTS / INFO	6-9	NUTONE	15
ADAMS RITE	10	ONITY/TESA	15
ADAMS RITE ELECTRIC STRIKE	10	OMNIA	15
ALARM LOCK	10	OSI	15
ANSI STRIKE	11	OVESIZED CYLINDRICAL BOXES	15
ARROW	11	OVERSIZED MORTISE BOXES	16
ASSA/ABLOY HOSPITALITY	11	PRESTOMATIC LOCK	16
BALDWIN	11	RCI	16
BATON	11	SALTO SYSTEMS	16
BEST/STANLEY	11	SARGENT	16
CAL-ROYAL EXIT DEVICES	11	SCHLAGE	16
CODELOCKS	11, 12	SECURTON	16
COMPUTERIZED SECURITY SYSTEMS	12	ROFU ELECTRIC STRIKES	16
CORBIN/RUSSWIN	12	TRINE ELECTRIC STRIKES	17
DIGITAL SYSTEMS	12	ULTRA	17
EFF ELECTRIC STRIKES	12, 13	VINGCARD	17
FALCON	13	VON DUPRIN ELECTRIC STRIKES	17
FOLGER ADAMS ELECTRIC STRIKES	13	VON DUPRIN EXIT DEVICES	17
H.E.S. ELECTRIC STRIKES	13	WINFEILD MICROKEY	17
IBUTTON	13	YALE	17
IEI	13	CARBIDE TIP DRILL BITS	18
INTELLIKEY	13	GATEBOX PHOTOGRAPHS & SIZE REFERENCE GUIDE	19-30
KABA ILCO	14	KEEDEX GARAGE BOLT	30
KABA ILCO EXIT DEVICES	14	CYLINDER GUARDS	31

Reference Guide Key

How to use this guide:

If you know the manufacturer and stock number of the lock or electric strike you are trying to install, use the cross reference. The cross reference uses the lock or strike manufacturers numbers and then tells you which of our weldable boxes is best for that application. Keedex.com has the most current cross reference and notes.

If you still cannot find an appropriate box, call us @ (714) 993-4300 and we will be glad to assist you!

SGL	1- 2 1/8" Cylindrical Hole	NH	No Holes
DBL	2- Cylindrical 2 1/8" Holes	2W/-2	2" Wide Box
RHO	2 1/8" Cylindrical Hole With 6 Thru-Bolt Holes Around 2 3/4" Backset 	-2D	2" Wide Box With Cylindrical Hole Sunken To Accept A Standard 1 3/4" Lock
MOR	Mortise Side Pocket	A/R	Narrow Style Mortise Lock
AL	.125 Gauge Aluminum	CYL	Cylindrical Prep
SS	16 Gauge Stainless Steel	-925	9 1/4" High
234	2 3/4" Backset	-8155	8" X 15 1/2"
S	Slim 1 1/4" Wide	-1012	10" X 12"
ES	Extra Slim 1" Wide	BXES	Electric Strike Prep
NS	No Stop	BXED	Exit Device
All Boxes Are 14 Gauge Steel Unless Otherwise Noted			

For boxes in materials other than 14 gauge steel add a dash and the suffix for the material
 ex: The K-BXMOR1, in 10 gauge steel would be K-BXMOR1-10G, Aluminum would be K-BXMOR1-AL

KEEDEX

GUARD KNOBS

GRD-KNOB

Knob Guard for gates.
Helps protect knobs on gates. Installs
without removing lock.
Durable Aluminum powder coat finish.
Diameter: 4 17/32" Height 3 1/2"



GRD-8A

8" Knob Guard for gates. Helps
prevent reaching around to access the knob.
Durable Aluminum powder coat finish.
Diameter: 4 17/32" Height 8"



GRD-8BLK

8" Knob Guard for gates. Helps
prevent reaching around to access
the knob. Black powder coat finish
Diameter: 4 17/32" Height 8"



TAMPER RESISTANT SCREWDRIVER

- This tamper resistant screw driver comes with 11 interchangeable tips and is perfect for automotive work, access control, commercial, and institutional locksmiths.

- 6 tamper resistant Torx tips (T10, T15, T20, T25, T27 & T30)

- 3-hex tips (5/32", 3/16", & 7/32")

- 2 spanner tips (#6 and #8)



TAMPER

TAMPER RESISTANT SPANNER SCREW KIT

SSKIT


This kit contains 12 each of the following 14 different sizes of machine and wood/metal tamper resistant stainless steel screws, specifically designed to suit the needs of locksmiths.



168 screws total

- Spanner flat head machine screw 6-32 x 3/8"
- Spanner flat head machine screw 6-32 x 1/2"
- Spanner flat head undercut machine screw 8-32 x 1/4"
- Spanner flat head machine screw 8-32 x 3/8"
- Spanner flat head machine screw 8-32 x 1/2"
- Spanner flat head undercut machine screw 12-24 x 1/2"
- Spanner oval head machine screw 10-32 x 2 1/2"
- Spanner pan head machine screw 6-32 x 1/2"
- Spanner pan head machine screw 8-32 x 1/2"
- Spanner pan head machine screw 10-32 x 1"
- Spanner pan head sheet metal screw #6 x 3/4"
- Spanner pan head sheet metal screw #10 x 1 1/4"
- Spanner flat head sheet metal screw #8 x 3/4"
- Spanner flat head sheet metal screw #8 x 2"

NOTES ON ELECTRIC STRIKE BOXES



Our ANSI sized strike boxes were made specifically for name brand manufacturers electric strikes, however there are many obscure manufacturers of electric strikes. The Keedex ANSI electric strike boxes noted here are all the same size except for the cut out along the face side. This chart is designed to help you match our box with your non-brand name ANSI electric strikes.


Part Number	Inches	Millimeters
K-BXES3A	0.656	16.5
K-BXES2	0.92	23.3
K-BXES5	1.73	43.9
K-BXES6	1.21	30.7
K-BXES9	1.5	38.1
K-BXES45	1	25
K-BXES51	1.05	26.7



K-GBJ Gate Box Installation Jig

**MUST HAVE
REVOLUTIONARY
NEW TOOL!!!**

**Currently
Accommodates All
Keedex Boxes**



The Gate Box Installation Jig will quickly become the must have tool for technicians who spend any amount of their work day installing gate-boxes.

The jig attaches to the edge of the gate with 2 clamps. Then using the magnet squares included, you can hold your gate box in place, making it easy to put in to exact position and nudging it to precisely where it is desired. Now with the gate box in place, your hands are left free to weld, bolt or attach the gate box, minimizing the hassle of trying to hold and weld straight. Make your gate box install jobs look clean, precise and professional, and minimize the time necessary to complete the job, with the new Keedex Gate Box Installation Jig!

**Check out our video on
Keedex.com
or search for
Keedex on Youtube.com**

**Free your hands!
Work more efficiently,
and make your work
more precise!**



STR CUT

Straight Cut Installation Tool

The new Keedex Straight Cut Tool is designed to work with most all gate tubing up to 2" thick, this tool clamps down on the gate frame. The slot allows for a reciprocating saw blade to be inserted and used to cut completely through the frame. Hardened steel guides ensure you don't cut the tool itself. Now Simply remove the tool, put it to the other mark to complete cutting the section of the fence out, and you are done! You are ready to install your gate box!



Easy turn clamps, and a powder coated finish.

K-EOT

Emergency Override Timer



Ever been to a "gate stuck open" call, just to find the only problem was the Fire Dept. switch was engaged?

With the New Keedex K-EOT Emergency Override Timer installed, the gate will close and reset 2 hours after fire switch is activated, reducing the calls you get about gates that won't close.

Easy to install (fail safe)

Power -10 to 30 volts accordingly

iCAN

Access Control Housing



Specifications

Dimensions: 9 1/2" wide, 5" high, 3 3/8" deep

Box: 14 gauge steel.

Finish: Durable Black Powder Coat

(other colors available upon request)

Face Plate: 18 gauge stainless steel US32D finish

Lock: Stainless Steel Face Plate With Tubular Key Lock

Will Accept Two Single Gang Devices

The iCAN from Keedex allows you to install up to 2 single gang devices. Use it to install an intercom and keypad, prox reader and key-switch, or a keypad and key-switch; for Fire, Police, or Utility access. Can be used with a single device and a blank plate, allowing for future expansion. The iCAN allows you to install the hardware that you want to use.



Install a keypad & intercom



Install a key-switch & blank plate




WELDABLE GATE BOXES

SINGLE AND DOUBLE CYLINDRICAL BOXES

WHAT IS A RHO PREP?


2 1/8"
Cylindrical
Hole
with 6 Thru-
Bolt Holes
Around It
2 3/4" Backset



K-BXRHO


Part Number	Specialty/Material	Backset	Hole	High	Wide	Deep
K-BXRHO		2 3/4"	2 1/8"	4 1/8"	4 3/4"	1 3/4"
K-BXRHO-1012	Oversized Center +/Stop	2 3/4"	2 1/8"	12"	10" + 1 1/2"	1 3/4"
K-BXRHO-8155	Oversized Offset	2 3/4"	2 1/8"	15 1/2"	8"	1 3/4"
K-BXRHO-925	Oversized Offset	2 3/4"	2 1/8"	9 1/4"	5 1/2"	1 3/4"
K-BXRHO-AL	Aluminum	2 3/4"	2 1/8"	4 1/8"	4 3/4"	1 3/4"
K-BXRHO-SS	Stainless Steel	2 3/4"	2 1/8"	4 1/8"	4 3/4"	1 3/4"

Part Number	Specialty/Material	Backset	Hole	High	Wide	Deep
K-BXSGL		2 3/8"	2 1/8"	3 1/2"	4 1/4"	1 1/2"
K-BXSGL-NS	No Stop	2 3/8"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234		2 3/4"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-10SP	Heavy Duty Reinforced	2 3/4"	2 1/8"	5 1/2"	5 1/2"	2"
K-BXSGL234-112		2 3/4"	1 1/2"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-2W		2 3/4"	2 1/8"	3 1/2"	4 3/4"	2"
K-BXSGL234-925	Oversize -No Stop	2 3/4"	2 1/8"	9 1/4"	5 1/2"	1 3/4"
K-BXSGL234-AL	Aluminum	2 3/4"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-AL-2	Aluminum	2 3/4"	2 1/8"	3 1/2"	4 3/4"	2"
K-BXSGL234-BEST	Best 9K	2 3/4"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-NH	No Holes, Latch Hole Only.	2 3/4"		3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-NS	No Stop	2 3/4"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL234-SS	Stainless Steel	2 3/4"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL500		5"	2 1/8"	3 1/2"	7"	1 5/8"
K-BXSGL-AL	Aluminum	2 3/8"	2 1/8"	3 1/2"	4 3/4"	1 5/8"
K-BXSGL-ES	Extra Slim	2 3/8"	2 1/8"	3 1/2"	4 1/2"	1"
K-BXSGL-S	Slim	2 3/8"	2 1/8"	3 1/2"	4 1/4"	1 1/4"



K-BXSGL

Part Number	Specialty/Material	Backset	Hole	High	Wide	Deep
K-BXDBL		2 3/8"	2 1/8"	6 7/8"	4 1/2"	1 5/8"
K-BXDBL234	Holes, 4" Center	2 3/4"	2 1/8"	8 5/8"	4 3/4"	1 5/8"
K-BXDBL234-2W	Schlage H Series Holes, 4" Center	2 3/4"	2 1/8"	8 5/8"	4 3/4"	2"
K-BXDBL234-AL	Schlage H Series Aluminum	2 3/4"	2 1/8"	8 5/8"	4 3/4"	1 5/8"
K-BXDBL234-AL-2	Holes 4" Center Aluminum	2 3/4"	2 1/8"	8 5/8"	4 3/4"	2"
K-BXDBL234-NH	Holes, 4" Center No Cyl. Holes, 2 Latch Holes Only	2 3/8" 2 3/4"		8 5/8"	4 3/4"	1 5/8"




K-BXDBL




BLANK WELDABLE BOXES

Part Number	Specialty/Material	A	B	C
K-BX246	w/Removable Lid	6"	4"	2"
K-BX453525		4 1/2"	3 1/2"	2 1/2"
K-BX458175	Oversized	8"	4 1/2"	1 3/4"
K-BX515175	Oversized	15 1/2"	5"	1 3/4"
K-BX711150	Oversized	11"	7"	1 1/2"



Great for mounting panic hardware!
Oversize compensates for access keypads or lever hardware


UNIVERSAL MORTISE GATE BOXES



Offset

Part Number	Description	High	Wide	Deep
K-BXMOR4	Centered	8 1/8"	4 5/8"	1 3/4"
K-BXMOR4-AL	Aluminum	8 1/8"	4 5/8"	1 3/4"
K-BXMOR8155	Oversized Center	15 1/2"	8"	1 3/4"
K-BXMOR8155F	Oversized Offset	15 1/2"	8"	1 3/4"

Blank mortise boxes were designed to accommodate just about any type of stand alone access or push button mortise lock. With a standard side mortise preparation (1 1/16" x 6 11/16") only drilling the mounting holes is necessary on the face of the box. The boxes are wide enough for levers applications.




Centered

K-BXCOV PROTECTIVE LOCK COVER

- 4 Inch Projection
- Protects Keypads, Knobs and Levers
- Weather Cover
- Spy Shield
- Sun Shield for Digital Locks

CAN EITHER BE WELDED OR FASTENED





Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
ADAMS RITE		ALUMINUM	STAINLESS
4511 -31/32"	K-BXA/R-31/32"		
4511-1 1/2"	K-BXA/R-1 1/2"		
4511-1 1/8"	K-BXA/R	AL	
4710 -31/32"	K-BXA/R-31/32"		
4710-1 1/2"	K-BXA/R-1 1/2"		
4710-1 1/8"	K-BXA/R	AL	
4711 -31/32"	K-BXA/R-31/32"		
4711-1 1/2"	K-BXA/R-1 1/2"		
4711-1 1/8"	K-BXA/R	AL	
4900 SERIES 1 1/8"	K-BXA/R	AL	
1850S-1 1/2" NO HOLES	K-BXA/R-NH		
1850S-1 1/8" NO HOLE	K-BXA/R-NH		
1850S-31/32"	K-BXA/R-31-32"		
1850S-1 1/2"	K-BXA/R-1 1/2"		
1850S-1 1/8"	K-BXA/R	AL	
1851S-31-32"	K-BXA/R-31/32"		
1851S-1 1/2"	K-BXA/R-1 1/2"		
1851S-1 1/8"	K-BXA/R	AL	
1851S-1 1/2" NO HOLES	K-BXA/R-NH		
1851S-1 1/8" NO HOLES	K-BXA/R-NH		
ADAMS RITE ELECTIRC STRIKES			
7100, 7101	K-BXES3A	AL	
7140	K-BXES3A	AL	
7160	K-BXES3A	AL	
7170	K-BXES2	AL	
7240	K-BXES3A	AL	
7270	K-BXES2	AL	
ALARM LOCK			
DL1250 with 1 1/8"BS	K-BXA/R-E 1 1/8" Backset		
DL2700(T2) W/MINOR MODIFICATION	K-BXSIM	AL	SS
DL3000(3T) W/MINOR MODIFICATION	K-BXSIM	AL	SS
DL5200, DL5300 and PDL 5300	K-BXSIM	AL	SS
DL5300 & PDL5300	K-BXSIM	AL	SS
ETPDL W/ VON DURPIN 99 EXIT	K-BXED-ETPDLV99		



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
ANSI STRIKE			
WELDABLE BRACKET			
ANSI LARGE STRIKE	K-BXSTR		SS
BOX 1 1/2" DEEP	K-BXES16		
ARROW			
N40 DEADLOCK W/MOD DRILL THUMB ONLY	K-BXMOR-CDL4000		
N41 DEADLOCK W/MOD DRILL THUMB ONLY	K-BXMOR-CDL4000		
N43 DEADLOCK W/MOD DRILL THUMB ONLY	K-BXMOR-CDL4000		
N44 DEADLOCK W/MOD DRILL THUMB ONLY	K-BXMOR-CDL4000		
ASSA/ABLOY HOSPITALITY			
VINGCARD	K-BXVING	AL	
BALDWIN			
ALL	K-BXMOR5		
BATON			
1900	K-BXMOR5		
BEST/STANLEY			
BEST 93KV	K-BXBEST-93KV		
63K, 73K, 83K, 93K, LB, 2 3/4"BS - 2 1/8" HOLE	K-BXSGL234-BEST		
34H, 37H, 45H, 47H MORTISE LOCKS	K-BXMOR2		
38HM DEADBOLT MORTISE LOCK	K-BXMOR-BST38HM		
CAL- ROYAL EXIT DEVICES			
F2200 W/ENT-00L	K-BXEDCR		
F2200 W/STR-05L	K-BXEDCR		
F2200 W/PAS-30L TRIM	K-BXEDCR		
F2260V W/ENT-00L	K-BXEDCR		
F2260V W/STR-05L	K-BXEDCR		
F2260V W/PAS-30L TRIM	K-BXEDCR		
CODELOCKS			
100	K-BXULT		
200	K-BXULT		
300	K-BXULT		
410 2 3/8" Backset	K-BXDIG23	AL	
415 2 3/8" Backset	K-BXDIG23	AL	
460 1 1/8" Backset	K-BXA/R-EC		



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
CODELOCKS (continued)			
465 1 1/8" Backset	K-BXA/R-EC		
500, 510, 515 W/ 2 3/4" Backset	K-BXCL500		
2000W/LBFR70 Latch 2 3/4" Backset	K-BXCL4000		
4000 W/LBFR70 Latch 2 3/4" Backset	K-BXCL4000		
5000	K-BXSIM	AL	SS
COMPUTERIZED SECURITY SYSTEM/SAFLOK			
CONFIDANT	K-BXSAF-4		
L CLASS	K-BXSAF-R22330	R22430	
M CLASS	K-BXSAF-R22340	R22440	
MICRO CARD	K-BXSAF-MICRO	AL	
MT	K-BXSAF-MT		
SAFLOK 2500 CLASSIC	K-BXSAF-2500	AL	
SAFLOK 2500 CLASSIC	K-BXSAF-2500-2W	AL	
SAFLOK SRS	K-BXSAF-MICRO	AL	
SAFLOK <u>V</u> (ROMAN NUMERAL 5)	K-BXSAF- <u>V</u>		
CORBIN/RUSSWIN			
DL 4000 DEADBOLT	K-BXC DL4000		
5000 MORTISE SERIES	K-BXMOR2		
ML2000 MORTISE LOCKS	K-BXMOR2		
DIGITAL SYSTEM			
1150 2 3/8" Backset	K-BXDIG-1150	AL	
2210 2 3/8" Backset	K-BXDIG23	AL	
2230 2 3/8" Backset	K-BXDIG23	AL	
2330 2 3/8" Backset	K-BXDIG23	AL	
2435 2 3/8" Backset	K-BXDIG23	AL	
2835 2 3/8" Backset	K-BXDIG23	AL	
3210 2 3/8" Backset	K-BXDIG23	AL	
3230 2 3/8" Backset	K-BXDIG23	AL	
3235 2 3/8" Backset	K-BXDIG23	AL	
DC -DOUBLE SIDED ADD	K-BXDIG-DBL		
PANIC HARWARE CONFIGURATIONS	PULL-DIG23		
EFF ELECTRIC STRIKES			
11BS	K-BXES1		
33	K-BXES1		
41	K-BXES1		



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
EFF ELECTRIC STRIKES (continued)			
51	K-BXES1		
53	K-BXES1		
3314	K-BXES1		
7114	K-BXES1		
FALCON			
M SERIES	K-BXMOR2		
FOLGER ADAMS ELECTRIC STRIKES			
310-2	K-BXES10		
310-2 3/4" (1/8" THICK STEEL)	K-BXES7		
640	K-BXES12		
712	K-BXES4	AL	
712-75	K-BXES4	AL	
H.E.S ELECTRIC STRIKES			
1003	K-BXES5		
1006	K-BXES5		
4500	K-BXES45		
5000U W/501 OPTION	K-BXES3A	AL	
5900	K-BXES16		
7001 W/ 701 OPTION	K-BXES6		
7501	K-BXES9		
IBUTTON			
E-IV	K-BXDIG23		
E-III	K-BXDIG23		
IEI			
DOOR GUARD LS1	K-BXMAR-IQ	AL	
CM5196	K-BXMAR-IQ	AL	
CM5100	K-BXMAR-IQ	AL	
LS-2PM, LS-2PD MORTISE	K-BXIEI-LS		
INTELLIKEY			
LEFT HAND	K-BXINT-L		SS
RIGHT HAND	K-BXINT-R		SS
F81/F82 (100106, 101306, 100108)	K-BXRHO	AL	SS
F86 (100097, 100088, 101305)	K-BXRHO	AL	SS



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
KABA ILCO			
200 SERIES 904 2 3/8" BS	K-BXSIM-200	AL	
200 SERIES 905 2 3/8" BS	K-BXSIM-200	AL	
200 SERIES 918 2 3/8" BS	K-BXSIM-200	AL	
200 SERIES 919 2 3/8" BS	K-BXSIM-200	AL	
1000	K-BXSIM	AL	SS
1000EE	K-BXSIM-EE	AL	SS
E2000 CYLINDRICAL	K-BXE2000		
E2000 MORTISE	K-BXIL	K-BXCOB-AL w/ Modifications	
4000 *DRILL HOLE FOR (710-850-950)	K-BXSIM-4000	AL	
5000	K-BXSIM	AL	SS
5X00 CYLINDRICAL EPLEX	K-BXSIM	AL	SS
E5X86 MORTISE EPLEX	K-BXTESA-MOR w/mod	AL	
6000 SERIES 2 3/4" BS	K-BXSIM-6000		
6200 SERIES 2 3/8" BS	K-BXSIM-6218		
7004 2 3/4" BS	K-BXSIM-7004	AL	
7014 2 3/4" BS	K-BXSIM-7004	AL	
7104 2 3/4" BS	K-BXSIM-7004	AL	
700II MORTISE	K-BXIL		
710 SOLITRE MORTISE	K-BXIL-710		
710-II MORTISE	K-BXIL-710II		
E760 MORTISE	K-BXIL		
E760 CYLINDRICAL	K-BXE2000		
E770 MORTISE	K-BXIL		
ORACODE	K-BXIL		
KABA/ILCO EXIT DEVICE			
721 W/ ARROW RIM EXIT DEVICE	K-BXIL-721		
KABA MAS(MAS-HAMILTON)			
POWER LEVER	K-BXMAS		
LOCKNETICS			
KC9111	K-BXA/R-E 1 1/8" BS		
CM 5196	K-BXMAR-IQ	AL	
LS-1 DOOR GUARD	K-BXMAR-IQ	AL	
KC9111 NARROW MORTISE	K-BXA/R-E 1 1/8" BS		
PRO5100 CYLINDRICAL	K-BXLOC5100		
MPC	K-BXCOB	AL	



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
MARKS			
IQUE IQ1K CYLINDRICAL / iQUICK	K-BXMAR-IQ	AL	
22AC MORTISE	K-BXMOR6		
ML2000 MORTISE	K-BXMOR-MR3000M		
3000M MORTISE	K-BXMOR-MR3000M		
IQ2K MORTISE	K-BXIEI-LS		
MISCELLANEOUS			
BLANK BOXES FOR MOUNTING PANICS			
K-BX453525	5 1/2" X 3 1/2" X 2 1/2"		
K-BX458175	4 1/2" X 8" X 1 3/4"		
K-BX515175	5' X 15" X 1 3/4"		
K-BX711150	7' X 11" X 1 1/2"		
MONUMENT			
2210	K-BXMON		
NUTONE			
DR-1	K-BXES8		
ONITY/TESA			
READER EXIT DEVICE	K-BX9552	AL	
CYLINDRICAL	K-BXTESA-CYL	AL	
MORTISE	K-BXTESA-MOR	AL	
OMNIA			
N41 W/MOD.DRILL THUMB TURN ONLY	K-BXMOR-CDL4000		
OSI			
OMI00	K-BXOMNI-CYL		
OM300	K-BXOMNI-CYL		
OM500	K-BXOMNI-CYL		
WALL MOUNT BRACKET	K-BXOMNI-WM		
OVERSIZED CYLINDERICAL BOXES			
5 1/2" X 9 1/4" X 1 3/4" PREP NR BOTTOM	K-BXRHO-925		
10" X 12" LEVER PREP CENTERED 2 3/4" BS	K-BXRHO-1012		
8" X 15 1/2" LEVER PREP NEAR BOTTOM	K-BXRHO-8155		
5 1/2" X 9 1/4" X 1 3/4" LATCH PREP	K-BXSIM-NH (NO HOLES)		



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
OVERSIZED MORTISE BOXES			
8" X 15 1/2" MORTISE PREP CENTER	K-BXMOR8155		
8" X 15 1/2" MORTISE PREP OFFSET	K-BXMOR8155F	AL	
PRESTO-MATIC LOCK			
PRESTO-MATIC	K-BXPRES		
RCI			
4104	K-BXES2		
4304	K-BXES2		
S6514	K-BXES6		
7104	K-BXES2		
7304	K-BXES2		
SALTO SYSTEMS			
CYLINDRICAL	K-BXSAL-C	AL	
MORTISE	K-BXSAL-M	AL	
SARGENT			
45 SERIES	K-BXSAR45		
4874 MORTISE	K-BXMOR-SGT4874		
7700/7800 MORTISE	K-BXMOR1	AL	10 Gauge
8100/8200 MORTISE	K-BXMOR1	AL	10 Gauge
SCHLAGE			
LEVERSETS CYLINDRICAL ND SERIES	K-BXRHO	AL	SS
FE475	K-BXSGL234-FE		
H LOCKS INTERCONNECTED - 4" C to C	K-BXDBL234	AL	SS
H LOCKS INTERCONNECTED - 4" C to C	K-BXDBL234-2W	AL	
L SERIES MORTISE	K-BXMOR1 / K-BXMOR1-10G	AL	10 Gauge
L SERIES W/ESCUTION	K-BXSAR45		
WA5296	K-BXRHO8155 w/Modication		
SECURTON			
SABL	K-BXSABL		
ROFU ELECTRIC STRIKES			
1106	K-BXES1		
1402	K-BXES2	AL	
1501/1505	K-BXES8		
1702	K-BXES2	AL	
3402	K-BXES2	AL	



Lock Manufacturer Part Number	OUR BOX PART #	OTHER MATERIALS	
TESA/ONITY			
CYLINDRICAL	K-BXTESA-CYL	AL	
MORTISE	K-BXTESA-MOR	AL	
TRINE ELECTRIC STRIKES			
OO1	K-BXES8		
OO5	K-BXES1		
EN400	K-BXES5		
ULTRA			
PUSH BUTTON LOCK 44760	K-BXULT		
PUSH BUTTON LOCK 44765	K-BXULT		
PUSH BUTTON LOCK 44770	K-BXULT		
VINGCARD			
VING LOCK	K-BXVING	AL	
VON DUPRIN ELECTRIC STRIKES			
3140	K-BXES4	AL	
5100	K-BXES51		
6112	K-BXES14		
6211	K-BXES4	AL	
6214	K-BXES7		
6215	K-BXES10		
6224	K-BXES7		
6226	K-BXES10		
VON DUPRIN EXIT DEVICES			
99 EXIT DEVICE W/ ALARM LOCK ETPDL	K-BXED-ETPDLV99		
99 EXIT DEVICE W/990NL TRIM	K-BXED-V990NL	AL	
99 EXIT DEVICE W/992L & 996L TRIM	K-BXED-V992L	AL	
WINFIELD MICROKEY			
TUBULAR 1000 SERIES	K-BXWIN		
YALE			
46 / ALSO HEAVY DUTY 10G	K-BXMOR1		
46 / ALSO HEAVY DUTY 10G	K-BXMOR1		
4800LN (INTERCONNECTED - 4" C to C)	K-BXDBL234	AL	SS
4800LN (INTERCONNECTED - 4" C to C)	K-BXDBL234-2W	AL	
8700 /ALSO HEAVY DUTY 10G	K-BXMOR1		

Carbide Tip Drill Bits

MADE IN THE U.S.A.



Stock numbers and Sizes

Stock Number	Diameter and Length
K-18x3	1/8" x 3" Carbide Tip Safe Drill Bit
K-14x4	1/4" x 4" Carbide Tip Safe Drill Bit
K-14x6	1/4" x 6" Carbide Tip Safe Drill Bit
K-14x13	1/4" x 13" Carbide Tip Safe Drill Bit
K-316x4	3/16" x 4" Carbide Tip Safe Drill Bit
K-316x6	3/16" x 6" Carbide Tip Safe Drill Bit
K-38x4	3/8" x 4" Carbide Tip Safe Drill Bit
K-38x6	3/8" x 6" Carbide Tip Safe Drill Bit
K-B38x13	3/8" x 13" Carbide Tip Safe Drill Bit
K-38x30	3/8" x 30" Carbide Tip Safe Drill Bit
K-12x4	1/2" x 4" Carbide Tip Safe Drill Bit
K-12x6	1/2" x 6" Carbide Tip Safe Drill Bit
K-B12x13	1/2" x 13" Carbide Tip Safe Drill Bit
K-12x24	1/2" x 24" Carbide Tip Safe Drill Bit
K-516x4	5/16" x 4" Carbide Tip Safe Drill Bit
K-516x6	5/16" x 6" Carbide Tip Safe Drill Bit
K-516x13	5/16" x 13" Carbide Tip Safe Drill Bit
K-516x30	5/16" x 30" Carbide Tip Safe Drill Bit

These Carbide Tip Drill bits are specially designed for drilling through safes, hard plate, and other demanding metal work.


Sizes range from 1/8" to 5/16" in diameter, and from 3" to 30" in length. See complete product line-up to the right

The longer bits, such as the 24" & 30" bits, are ideal for access control & alarm work. With their sharpened tips, designed for opening safes, they are ideal for drilling through walls and especially helpful if you should encounter any rebar!



FLEX BIT

Keedex Flex Bits are a great new product available from Keedex. These bits are long enough for core drilling doors, drilling at (install) sites for running wiring in walls and crawl spaces



FB-38X48

Available in these sizes:

FB-14X24 - 1/4" x 24" Flex Bit

FB-38X24 - 3/8" x 24" Flex Bit

FB-14X36 - 1/4" x 36" Flex Bit

FB-38X36 - 3/8" x 36" Flex Bit

FB-14X48 - 1/4" x 48" Flex Bit

FB-38X48 - 3/8" x 48" Flex Bit



ALWAYS WEAR SAFETY GOGGLES WHEN USING THIS PRODUCT!
MADE IN CHINA



Photograph and Size Reference Guide

K-BX246




	WIDTH	HEIGHT	DEPTH
INCHES	4"	6"	2"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	WELDABLE BOX W/ REMOVEABLE LID		

K-BX458175



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	8"	1 3/4"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	BLANK BOX		

K-BX515175




	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	BLANK BOX		

K-BX515175-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE			
BACKSET			
MATERIAL	.125" ALUMINUM		
NOTE:	BLANK BOX		

K-BX711150



	WIDTH	HEIGHT	DEPTH
INCHES	7"	11"	1 1/2"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	BLANK BOX		

K-BX95552



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	8"	2"
TYPE	READER		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	SWITCH ON BACK		

K-BX95552-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	8"	2"
TYPE	READER		
BACKSET			
MATERIAL	.125" ALUMINUM		
NOTE:	SWITCH ON BACK		

K-BXA/R



	WIDTH	HEIGHT	DEPTH
INCHES	2 7/16"	7"	1 13/16"
TYPE	MORTISE		
BACKSET	1 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NARROW STYLE		

K-BXA/R / R-11 / 2



	WIDTH	HEIGHT	DEPTH
INCHES	2 7/16"	7"	1 13/16"
TYPE	MORTISE		
BACKSET	1 1/2"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NARROW STYLE		

K-BXA / R-31 / 32



	WIDTH	HEIGHT	DEPTH
INCHES	2 7/16"	7"	1 13/16"
TYPE	MORTISE		
BACKSET	31/32"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NARROW STYLE		

K-BXA / R-AL



	WIDTH	HEIGHT	DEPTH
INCHES	2 7/16"	7"	1 13/16"
TYPE	MORTISE		
BACKSET	1 1/8"		
MATERIAL	.125 ALUMINUM		
NOTE:	NARROW STYLE		

K-BXA / R-E



	WIDTH	HEIGHT	DEPTH
INCHES	2"	16"	1 3/4"
TYPE	MORTISE		
BACKSET	1 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NARROW STLYE		

K-BXA / R-EC



	WIDTH	HEIGHT	DEPTH
INCHES	2"	13"	1 3/4"
TYPE	MORTISE		
BACKSET	1 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NARROW STYLE		

K-BXA/R-NH



	WIDTH	HEIGHT	DEPTH
INCHES	2 1/16"	7"	1 13/16"
TYPE	MORTISE		
BACKSET	1 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NO HOLES		

K-BXBEST-93KV



	WIDTH	HEIGHT	DEPTH
INCHES	7 3/4"	16"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	1 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXCL4000



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	7 1/2"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	USE LBFR70 LATCH		

K-BXCL500



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	8 1/2"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXCOB



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	10 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXCOB-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	10 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXCOV



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/4"	5 3/4"	4"
MATERIAL	14 GAUGE		
NOTES:	CAN BE BOLTED, SCREWED OR WELDED. PROTECTS AGAINST WIND, RAIN, VANDALISM.		

K-BXDBL



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	6 7/8"	1 1/2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE		
NOTE:	center to center 3 1/2"		

K-BXDBL234



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	1 1/2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE		
NOTE:	center to center 4"		

K-BXDBL234-2D



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE		
NOTE:	1/4" INSET/ center to center 4"		

K-BXDBL234-2D-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125" ALUMINUM		
NOTE:	1/4" INSET/ center to center 4"		

K-BXDBL234-2W



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	center to center 4"		

K-BXDBL234-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	1 1/2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125" ALUMINUM		
NOTE:	center to center 4"		

K-BXDBL234-AL-2



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	2"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125" ALUMINUM		
NOTE:	center to center 4"		

K-BXDBL234-NH



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	1 5/8"
TYPE	2 1/8" CYLINDRICAL		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	NO HOLES. ACCESS CONTROL		

K-BXDBL234SS



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 5/8"	1 5/8"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:	center to center 4"		

K-BXDBL-ES



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	7 1/2"	1"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	center to center 3 3/8"		

K-BXDBL-S




	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	6 1/2"	1 1/4"
TYPE	2 1/8" CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	center to center 3 3/8"		

K-BXDETBR2020



	WIDTH	HEIGHT	DEPTH
INCHES	4"	13"	1 3/4"
TYPE	MORTISE		
BACKSET			
MATERIAL	8 GAUGE STEEL		
NOTE:	NARROW STYLE		

K-BXDIG-1150



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 1/2"	1 3/4"
TYPE	CYINDRICAL		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXDIG-1150-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	8 1/2"	1 3/4"
TYPE	CYINDRICAL		
BACKSET	2 3/8"		
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXDIG-DBL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	6 1/2"	N/A
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXDIG23



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	7 5/8"	1 3/4"
TYPE			
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXDIG23-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	7 5/8"	1 3/4"
TYPE	READER		
BACKSET			
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXE2000



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	10"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXEDCR



	WIDTH	HEIGHT	DEPTH
INCHES	5 3/4"	8"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXED-ETPDLV99



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

KBXED-V990NL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

KBXED-V990NL-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXED-V992L



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXED-V992L-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	15"	1 3/4"
TYPE	PANIC HARDWARE		
BACKSET			
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXES1



	WIDTH	HEIGHT	DEPTH
INCHES	3 3/4"	3 1/4"	1 9/16"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES2



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE		

K-BXES2-AL



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	.125 ALUMINUM		
NOTE:	ANSI STRIKE		

K-BXES3A



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE		

K-BXES3A-AL



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	.125 ALUMINUM		
NOTE:	ANSI STRIKE		

K-BXES4



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	6 9/16"	2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES4-11G



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	6 9/16"	2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	11 GAUGE STEEL		
NOTE:			

K-BXES4-AL



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	6 9/16"	2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXES5



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE		

K-BXES6



	WIDTH	HEIGHT	DEPTH
INCHES	1 3/4"	5 1/2"	2 3/8"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE		

K-BXES7



	WIDTH	HEIGHT	DEPTH
INCHES	2 5/8"	9 1/4"	2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES8



	WIDTH	HEIGHT	DEPTH
INCHES	1 1/2"	6 1/8"	2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES9



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI		

K-BXES10



	WIDTH	HEIGHT	DEPTH
INCHES	2"	12"	2 7/16"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES12



	WIDTH	HEIGHT	DEPTH
INCHES	2"	5"	3 1/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES14



	WIDTH	HEIGHT	DEPTH
INCHES	2 1/2"	9 1/2"	2 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXES16



	WIDTH	HEIGHT	DEPTH
INCHES	1 1/2"	5"	1 3/4"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE		

K-BXES45



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 1/2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI		

K-BXES51



	WIDTH	HEIGHT	DEPTH
INCHES	2 3/8"	5 1/16"	1 1/2"
TYPE	ELECTRIC STRIKE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI		

K-BXGIB



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXIL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	10"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXIL-710



	WIDTH	HEIGHT	DEPTH
INCHES	5"	14 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXIL-710-II



	WIDTH	HEIGHT	DEPTH
INCHES	5"	14 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXIL-710-IIAL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	14 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXIL-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	10"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXINT-L-SS



	WIDTH	HEIGHT	DEPTH
INCHES	2"	7"	1 3/4"
TYPE	MORTISE		
BACKSET			
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXINT-R



	WIDTH	HEIGHT	DEPTH
INCHES	2"	7"	1 3/4"
TYPE	MORTISE		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXINT-R-SS



	WIDTH	HEIGHT	DEPTH
INCHES	2"	7"	1 3/4"
TYPE	MORTISE		
BACKSET			
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXLOC5100



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/8"	12"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMAR-IQ



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMAR-IQ-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXMAR-IQ-SS



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXMAS



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	12 3/8"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMON



	WIDTH	HEIGHT	DEPTH
INCHES	1 3/4"	7 1/8"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR1



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR1-10G



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	10 GAUGE STEEL		
NOTE:			

K-BXMOR1-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXMOR2



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR3



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR3-10G



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	10 GAUGE STEEL		
NOTE:			

K-BXMOR4



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR4-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXMOR5



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	8 1/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR6



	WIDTH	HEIGHT	DEPTH
INCHES	5"	7 7/8"	1 1/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR8155



	WIDTH	HEIGHT	DEPTH
INCHES	8"	15 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXMOR8155F



	WIDTH	HEIGHT	DEPTH
INCHES	8"	15 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXMOR8155F-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	15 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXMOR-CDL4000



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/4"	4 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR-BST38HM



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	5 5/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR-MR3000M



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/8"	4 7/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOR-SGT4874



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	4 7/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXMOUNT



K-BXSIM STANDARD			
ALL BOXES AVAILABLE			

K-BXOMNI-CYL



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	10 3/4"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXOMNI-WM



	WIDTH	HEIGHT	DEPTH
INCHES	5 3/4"	11 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXPRES



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	7"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXRHO



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	THROUGH BOLT LEVERS		

K-BXRHO-1012



	WIDTH	HEIGHT	DEPTH
INCHES	12"	10"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXRHO-8155



	WIDTH	HEIGHT	DEPTH
INCHES	8"	15 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL APPLICATIONS		

K-BXRHO-925



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXRHO-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXRHO-SS



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXSABL



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	13 1/2"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF



	WIDTH	HEIGHT	DEPTH
INCHES	4 5/8"	11"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-2500



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-2500-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSAF-4



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-MIC-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	9 3/4"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSAF-MICRO



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	9 3/4"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-MT



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	9 3/4"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-R22330



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-R22430



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE			
BACKSET	2 3/4"		
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXSAF-R22340



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAF-R22440



	WIDTH	HEIGHT	DEPTH
INCHES	5"	11 7/8"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125" ALUMINUM		
NOTE:			

K-BXSAL-C



	WIDTH	HEIGHT	DEPTH
INCHES	8"	13 1/2"	1 3/4"
TYPE	PRODUCT SPECIFIC		
BACKSET	2 1/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	SALTO SYSTEMS		

K-BXSAL-CAL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	13 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 1/8"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSAL-M



	WIDTH	HEIGHT	DEPTH
INCHES	8"	13 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSAL-MAL




	WIDTH	HEIGHT	DEPTH
INCHES	8"	13 1/2"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSAR45



	WIDTH	HEIGHT	DEPTH
INCHES	6 1/4"	14"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	UNIVERSAL KNOB APPS.		

K-BXSGL-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSGL500



	WIDTH	HEIGHT	DEPTH
INCHES	7"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	5"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL-ES



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/2"	4 7/16"	1"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL-NS



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:	NO STOP		

K-BXSGL-S



	WIDTH	HEIGHT	DEPTH
INCHES	4 1/4"	3 1/2"	1 1/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-10SP



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	5 1/2"	2"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	10 GAUGE STEEL		
NOTE:	UNIVERSAL KNOB APPS.		

K-BXSGL234-112



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-2D



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	2"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-2D-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	2"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSGL234-2W




	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	4 1/8"	2"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-925




	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSGL234-AL-2



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	2"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSGL234-BEST



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-FE



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-NH



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	NO HOLES		

K-BXSGL234-NS



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSGL234-SS



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	3 1/2"	1 5/8"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXSIM



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSIM-SS



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXSIM-200



	WIDTH	HEIGHT	DEPTH
INCHES	4"	5 1/2"	1 3/4"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-200-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4"	5 1/2"	1 3/4"
TYPE			
BACKSET			
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSIM-4000



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-4000-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSIM-6004



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	6 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-6218



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	6 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/8"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-7004



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	6 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-7004-AL



	WIDTH	HEIGHT	DEPTH
INCHES	4 3/4"	6 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSIM-EE



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSIM-EE-AL



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXSIM-EE-SS




	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:			

K-BXSIM-NH




	WIDTH	HEIGHT	DEPTH
INCHES	5 1/2"	9 1/4"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXSTR



	WIDTH	HEIGHT	DEPTH
INCHES	7/16"	5 1/16"	3/8"
TYPE			
BACKSET			
MATERIAL	14 GAUGE STEEL		
NOTE:	ANSI STRIKE PREPARATION		

K-BXSTR-SS



	WIDTH	HEIGHT	DEPTH
INCHES	1 3/4"	5 1/8"	3/8"
TYPE			
BACKSET			
MATERIAL	16 GAUGE STAINLESS STEEL		
NOTE:	ANSI STRIKE PREPARATION		

K-BXTESA-CYL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXTESA-CYL-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXTESA-MOR



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXTESA-MOR-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXULT



	WIDTH	HEIGHT	DEPTH
INCHES	8"	14"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXVING



	WIDTH	HEIGHT	DEPTH
INCHES	8"	13"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

K-BXVING-AL



	WIDTH	HEIGHT	DEPTH
INCHES	8"	13"	1 3/4"
TYPE	MORTISE		
BACKSET	2 3/4"		
MATERIAL	.125 ALUMINUM		
NOTE:			

K-BXWIN



	WIDTH	HEIGHT	DEPTH
INCHES	5 1/8"	10 1/2"	1 3/4"
TYPE	CYLINDRICAL		
BACKSET	2 3/4"		
MATERIAL	14 GAUGE STEEL		
NOTE:			

Don't see what you need?
 Email gates@keedex.com or call us! We may have a solution! Be sure to have lock or strike number available.

HEAVY DUTY

Covered Garage Bolt # K-SSL-1P



Covered Heavy Duty Garage Bolt is non-handed for garage doors, gates, or warehouses.




Front plate protects padlock, making it difficult to cut with bolt cutters.

Extra padlock hole allows for adding second lock for extra security or lockouts



Cylinder Guards

When installed, these great looking Cylinder Guard rings spin so that would be burglars or intruders cannot break the lock with Vice Grips or other burglary tools





Keedex Inc • 510 Cameron Street • Placentia, Ca • 92807

Phone (714) 993-4300 • Fax (714) 993-4303

Email- gates@keedex.com • Web- www.keedex.com