



>> ROUGHNECK 1860 SC

### SPECS

- Variable Deadrise:** 3.5° (3.5°)
- Overall Length:** 18' (5.49 m )
- Maximum HP Capacity:** 90 HP (67.11 kw)
- Prop Minimum Horsepower:** 60 (44.74 kw)
- Approx. Basic Hull Weight:** 970 lb (439.98 kg )
- Beam:** 85" (215.90 cm )
- Max Person Capacity:** 7 (7)
- Side Depth:** 24" (60.96 cm )
- Hull Gauge:** .100" (2.54 mm )
- Transom Height:** 20" (50.80 cm )
- Max Weight Capacity:** 1578 lb (715.77 kg )
- Max Person Weight:** 950 lb (430.91 kg )
- Max HP Capacity:** 90 HP (67.11 kw)
- Fuel Capacity:** 19 gal (71.92 l )
- Bottom Width:** 60" (152.40 cm )

### DESCRIPTION

## Roughneck 1860 SC

Enjoy incredible performance and lasting value with the Roughneck 1860 SC. Like every Lowe Roughneck, the 1860 SC is built to exacting commercial-grade standards, with a variable-deadrise V-hull that provides the ultimate smooth, dry ride. You're in control with a convenient side console layout that offers an intuitive helm station, so operation is flawless. You'll never need another way onto the water once you've commanded a Lowe Roughneck.

## OVERHEADS



Storage Closed



Storage Open

## FEATURES

### CLEATS

Mooring cleats (4)

### DRIVER AND PASSENGER SEATS

Folding driver & passenger seats (Shadow Grass®)

### FORWARD AERATED LIVEWELL

Bow Aerated Livewell (19 gallon)

### FUEL

Built-in fuel tank (19 gallon)

### GAUGES

Fuel gauge

### ROD LOCKER(S)

Port rod holder (accommodates 3 rods)

### SEAT BASES

Bow deck pedestal seat base

Stern deck pedestal seat base

### STORAGE COMPARTMENTS

Bow deck storage compartments (2) w/ door seal and snap latches

Under driver & passenger seat storage

### CONSOLE

Control panel w/switches

Side console w/steering wheel

## OPTIONS

### CANVAS

Bimini Top-Dealer Installed

### COLORS

Dead Grass Green

Metallic Black Exterior - Gray Poly Roughliner Splatter Black Interior Coating

Camouflage - Mossy Oak® Break-Up®

Camouflage - Mossy Oak® Shadow Grass®

### ENGINE PRERIG

Engine Installation-Cable Steering

### FURNITURE & FLOORING

Pedestal Fishing Seat Assembly (1 each) - Gray

Pedestal Fishing Seat Assembly (1 each) - Mossy Oak® Shadow Grass®

Pedestal Fishing Seat Assembly (1 each) - Mossy Oak® Break-Up®

Pedestal Fishing Seat Assembly (2 each) - Gray

Pedestal Fishing Seat Assembly (2 each) - Mossy Oak® Shadow Grass®

Pedestal Fishing Seat Assembly (2 each) - Mossy Oak® Break-Up®

Driver & Passenger Bench Seat - Mossy Oak® Break-Up®

### ENGINES

**LOWE BOATS 2900 INDUSTRIAL DR., LEBANON, MO 65536 800 - 641 - 4372 LOWEBOATS.COM**

All specifications subject to change. Lowe Boats reserves the right to discontinue models or change specifications, materials, color or design at any time without incurring obligations. Some models are shown with optional features. All boats meet or exceed United States Coast Guard and Canadian Coast Guard regulations and National Marine Manufacturers Association Certification Standards.

Mercury® 60 ELPT FourStroke

---

Mercury® 60 ELPT Command Thrust FourStroke

---

Mercury® 90 ELPT FourStroke

---

Mercury® 90 ELPT Command Thrust FourStroke

---

Mercury® JET 80 ELPT FourStroke (Requires Jet Modification with 27" Transom and Spray Deflector)

---

#### FISHING

6 ga Trolling Motor Harness Upgrade

---

Lowrance Hook2 4X Fishfinder-Factory Installed

---

MotorGuide® X3-45FW FB (45"/45#/12V) Trolling Motor - Factory Installed

---

MotorGuide® X3-70FW FB (45"/70#/24V) Trolling Motor & 6 ga Harness - Factory Installed

---

Minn Kota Edge 45 (45"/45#/12V) Trolling Motor - Factory Installed

---

Minn Kota Edge 70 (45"/70#/24V) Trolling Motor & 6 ga Harness - Factory Installed

---

Driver & Passenger Bench Seat - Mossy Oak® Shadow Grass®

---

Roughliner Spray In Floor Liner

---

#### MISCELLANEOUS

Suremount Rod Holder Extender (Requires Suremount 45 Degree Top/Side Mount)

---

Suremount 45 Degree Top/Side Mount

---

Suremount Accessory & Drink Holder (Requires Suremount 45 Degree Top/Side Mount)

---

Suremount Rod Tube (Requires Suremount 45 Degree Top/Side Mount)

---

Suremount Rod Holder (Requires Suremount 45 Degree Top/Side Mount)

---

Suremount Three-Axis Platform (Requires Suremount 45 Degree Top/Side Mount)

---

Spray Deflector-Dealer Installed (Only Available with a Drop Ship JET Engine)

---

Spray Deflector-Factory Installed (Only Available with a Factory Installed JET Engine)

---

Transducer Bracket - Welded On (1 each)

---

Step Box

---

Windscreen - Dealer Installed

---

2-Bank Battery Charger-Factory Installed

---

Port Rod & Gun Box Storage For .125 Gauge

---

Jet Modification (w/27" Transom)

---

Universal Port Rod & Gun Storage Box

---

Heavy Duty Edition (0.125" Hull Gauge & HD Gunnels) - Excludes Receiver - Mounting Track Not Available

---

Sponson Pods

---

#### TRAILER OPTIONS

Ratchet tie downs (1 pair)

---

Spare Tire - Black

---

Spare Tire - Galvanized

---

#### TRAILERS

Painted black bunk trailer w/swing tongue & LED lights, 1800 lb. capacity

---

Galvanized bunk trailer w/swing tongue & LED lights, 1800 lb. capacity

---

Galvanized bunk trailer w/swing tongue, vinyl bunks & LED lights, 1800 lb. capacity

---