JET SKI®



JET SKI STX 160 SERIES





CHOOSE YOUR MODEL

Enjoy the outstanding features and class-leading value of the Jet Ski® STX®160 personal watercraft, or level up with adjustable electronic cruise control and comfort handle grips provided on the Jet Ski® STX®160X personal watercraft. The Jet Ski® STX®160LX personal watercraft leads the way with luxury and offers a JETSOUND® Bluetooth® audio system and a LXury seat.

SPORTY POWER

Inspired by the engine of our legendary Ninja® sportbike, the high-performance 1,498cc inline four-cylinder engine delivers a thrilling ride with class-leading power and acceleration.

CARVE WITH CONVENIENCE

A balanced and responsive-handling hull offers quick starts, outstanding straight-line stability, agile maneuvaribility and the ability to quickly achieve plane from a stop. For those enjoying tow sports, a large rear deck serves as a convenient platform and makes boarding easy.

IGNITE THE FUN

When calm waters need stirring up, look to the smooth water specialist Jet Ski® STX®160 personal watercraft for the perfect dose of fun.



■ Jet Ski® STX®160LX in Ebony/Candy Lime Green

JET SKI® STX®160LX

TRIM FEATURES

- JETSOUND® Bluetooth® Audio System
- LXury Seat
- Two-Tone LX Deck Mat
- · Comfort Handle Grips
- Electronic Cruise Control (Adjustable)

STANDARD FEATURES

- 1,498cc Inline 4-Cylinder Engine
- · Kawasaki Smart Steering®
- · Smart Learning Operation (SLO)
- · Class-Leading Storage Capacity
- Slide & Lift Seat Rear Storage



I Jet Ski® STX®160X in Ebony/Riptide Turquoise

JET SKI® STX®160X

TRIM FEATURES

- Comfort Handle Grips
- Electronic Cruise Control (Adjustable)

STANDARD FEATURES

- 1,498cc Inline 4-Cylinder Engine
- · Kawasaki Smart Steering®
- Smart Learning Operation (SLO)
- · Class-Leading Storage Capacity
- · Slide & Lift Seat Rear Storage



✓ Jet Ski® STX®160 in Gelcoat Crystal White/Sunbeam Red

JET SKI® STX®160


STANDARD FEATURES

- 1,498cc Inline 4-Cylinder Engine
- Kawasaki Smart Steering®
- Smart Learning Operation (SLO)
- · Class-Leading Storage Capacity
- Slide & Lift Seat Rear Storage
- · Electronic Cruise Control



Scan with your camera to view Jet Ski® STX®160 personal watercraft key features, photos and more.

JET SKI® ULTRA® LX



POWER THROUGH THE WATER

The four-stroke, naturally-aspirated 1,498cc engine produces abundant power with strong acceleration. With a 20.6-gallon fuel capacity, your adventures can last all day without stopping.





PACK FOR THE WHOLE DAY


All-day outings are made easy with the convenience of a sealed, industry-leading 56-gallon storage capacity. Pack what you need and head out for a day of fun on the water.

OPTIMAL PERFORMANCE

The 22.5-degree deep-V hull makes cutting through waves easier than ever. Race-inspired sponsons help maintain traction on the water when performing turns for precise handling.



JET SKI ULTRA 310 SERIES



SETTING THE SUPERCHARGED STANDARD

Leave it to the 1,498cc inline 4-cylinder supercharged engine to dominate the waters. Hit the throttle to experience exhilarating acceleration as you soak up every moment.





TOTAL CONTROL

Managed by the Electronic Control Unit (ECU), the Electronic Throttle Valve (ETV) allows multiple riding modes to be activated, such as one-touch 5 mph mode, Fuel Economy Assistance Mode, a key-activated Smart Learning Operation (SLO) and adjustable cruise control.

Professional riders on a closed course.

TOP-SHELF PERFORMANCE

The 22.5-degree deep-V hull enables the watercraft to manage swells and waves with extreme efficiency and less shock while tuned sponsons increase straight-line stability and high-grip performance during turns.



JET SKI[®] ULTRA[®] 310

SERIES



JET SKI® ULTRA® 310LX

Luxury gets a boost with the JETSOUND® Integrated Audio System Feature, industry-exclusive heat-resistant LXury seat and GPS mount. Take to the waters in unparalleled comfort.

Jet Ski® Ultra® 310LX in Ebony/Atomic Silver







JET SKI® ULTRA® 310R

Lead the competition with phenomenal power, all-digital instrumentation, gripper seat material, 18-position adjustable motocross-style handlebar and class-leading handling.

Professional riders on a closed course.

JET SKI® ULTRA® 310X

Ride with confidence in a variety of conditions. The Jet Ski® Ultra® 310X personal watercraft is one the most advanced in the world, featuring the technology to quickly and easily adjust to any situation on the water.

SUPERCHARGED THRILLS

Every Jet Ski® Ultra® 310 personal watercraft guarantees supercharged power, premium technology and agile handling. Now it's up to you to decide which model suits your style best.



✓ Jet Ski® Ultra® 310LX in Ebony/Atomic Silver

JET SKI® ULTRA® 310LX

MODEL FEATURES

- Jetsound® Integrated Audio System Feature
- GPS Mount
- LXury Seat with Heat-Resistant Material

STANDARD FEATURES

- 1,498cc, Inline 4-Cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- · Sealed 56-Gallon Storage Capacity
- · Kawasaki Smart Steering®
- · Smart Learning Operation (SLO)
- · 5-Position Adjustable Handlebar



✓ Jet Ski® Ultra® 310R in Ebony/Lime Green

JET SKI® ULTRA® 310R

MODEL FEATURES

- 12-Position Adjustable Handlebar
- Sport Performance Seat Design with Gripper-Style Material

STANDARD FEATURES

- 1,498cc, Inline 4-Cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- · Sealed 56-Gallon Storage Capacity
- · Kawasaki Smart Steering®
- · Smart Learning Operation (SLO)



✓ Jet Ski® Ultra® 310X in Ebony/Pearl Neon Yellow

JET SKI® ULTRA® 310X

STANDARD FEATURES

- 1,498cc, Inline 4-Cylinder Marine Engine with Supercharger
- Electronic Throttle Valve (ETV), Cruise Control and 5 mph Mode
- · Sealed 56-Gallon Storage Capacity
- · Kawasaki Smart Steering®
- · Smart Learning Operation (SLO)
- 5-Position Adjustable Handlebar

JET SKI® SX-R™







ULTIMATE EXHILARATION

The V-shape hull design delivers light handling and agility. The hull lowers and centralizes the engine for maximum cornering performance, handling and balance.

Professional riders on a closed course.

THE KEY TO FUN

A key-operated magnetic ignition switch is designed to deter theft. A wrist lanyard connected to the engine stop switch automatically cuts power when the lanyard is disengaged.











		Jet Ski [®] STX [®] 160	Jet Ski [®] STX [®] 160X	Jet Ski [®] STX [®] 160LX
	ENGINE	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline
	DISPLACEMENT	1,498cc	1,498cc	1,498cc
	BORE X STROKE	83.0 x 69.2mm	83.0 x 69.2mm	83.0 x 69.2mm
	COMPRESSION RATIO	10.6:1	10.6:1	10.6:1
	INDUCTION	Naturally aspirated	Naturally aspirated	Naturally aspirated
ENGINE & PROPULSION	MAXIMUM BOOST	N/A	N/A	N/A
	COOLING SYSTEM	Inducted water	Inducted water	Inducted water
& PR	FUEL SYSTEM	DFI® with 60mm throttle body	DFI® with 60mm throttle body	DFI® with 60mm throttle body
	IGNITION	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
Z	STARTING SYSTEM	Electric	Electric	Electric
	PROPULSION SYSTEM	148mm jet pump, axial-flow, single stage	148mm jet pump, axial-flow, single stage	148mm jet pump, axial-flow, single stage
	IMPELLER	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel
	THRUST	957 lb	957 lb	957 lb
	LUBRICATION	Semi-dry sump system	Semi-dry sump system	Semi-dry sump system
	COUPLING	Direct drive from engine	Direct drive from engine	Direct drive from engine
	OIL CAPACITY	5.3 qt.	5.3 qt.	5.3 qt.
S	FUEL CAPACITY	20.6 gal.	20.6 gal.	20.6 gal.
	LOAD CAPACITY	496 lb.	496 lb.	496 lb.
APA(STORAGE CAPACITY	35.0 gal.	35.0 gal.	35.0 gal.
လ လ	OVERALL LENGTH	124.1 in	124.1 in	124.1 in
SION	OVERALL WIDTH	46.5 in.	46.5 in.	46.5 in.
DIMENSIONS & CAPACITIES	OVERALL HEIGHT	45.4 in.	45.4 in.	45.4 in.
=	SEATING CAPACITY	3	3	3
	CURB WEIGHT	864.4 lb.*	864.4 lb.*	877.6 lb.*
	COLOR CHOICES	Gelcoat Crystal White/ Sunbeam Red	Ebony/Riptide Turquoise	Ebony/Candy Lime Green
DETAILS	WARRANTY	12 Month Limited Warranty	12 Month Limited Warranty	12 Month Limited Warranty
	KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	12, 24, 36, or 48 months	12, 24, 36, or 48 months

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change; full specifications available on Kawasaki.com.







		Jet Ski [®] Ultra [®] 310X	Jet Ski [®] Ultra [®] 310R	Jet Ski [®] Ultra [®] 310LX
	ENGINE	Supercharged and intercooled, 4-stroke, DOHC, four valves per cylinder, inline 4- cylinder	Supercharged and intercooled, 4-stroke, DOHC, four valves per cylinder, inline 4- cylinder	Supercharged and intercooled, 4-stroke, DOHC, four valves per cylinder, inline 4- cylinder
	DISPLACEMENT	1,498cc	1,498cc	1,498cc
	BORE X STROKE	83.0 x 69.2mm	83.0 x 69.2mm	83.0 x 69.2mm
	COMPRESSION RATIO	8.2:1	8.2:1	8.2:1
ENGINE & PROPULSION	INDUCTION	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler
	MAXIMUM BOOST	16.8 psi	16.8 psi	16.8 psi
ž	COOLING SYSTEM	Inducted water	Inducted water	Inducted water
ž	FUEL SYSTEM	DFI® with 60mm throttle body	DFI® with 60mm throttle body	DFI® with 60mm throttle body
Ä	IGNITION	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
	STARTING SYSTEM	Electric	Electric	Electric
	PROPULSION SYSTEM	160mm jet pump, axial-flow, single stage	160mm jet pump, axial-flow, single stage	160mm jet pump, axial-flow, single stage
	IMPELLER	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel
	THRUST	1890 lb	1890 lb	1890 lb
	LUBRICATION	Semi-dry sump system	Semi-dry sump system	Semi-dry sump system
	COUPLING	Direct drive from engine	Direct drive from engine	Direct drive from engine
	OII CADACITY	F2 ::1	50 -4	50 m
	OIL CAPACITY	5.3 qt.	5.8 qt.	5.3 qt.
2	FUEL CAPACITY	20.6 gal.	20.6 gal.	20.6 gal.
E	LOAD CAPACITY	496 lb.	496 lb.	496 lb.
Į,	STORAGE CAPACITY	56 gal.	56 gal.	56 gal.
N N	OVERALL LENGTH	132.7 in.	132.7 in.	132.7 in.
DIMENSIONS & CAPACILIES	OVERALL WIDTH	47.0 in.	47 in.	47.0 in.
	OVERALL HEIGHT	45.3 in.	45.3 in.	49.4 in.
	SEATING CAPACITY	3	3	3
	CURB WEIGHT	1051.8 lb.*	1047.4 lb.*	1073.8 lb.*
	COLOR CHOICES	Ebony/Pearl Neon Yellow	Ebony/Lime Green	Ebony/Atomic Silver
'n	WARRANTY	12 Month Limited Warranty	12 Month Limited Warranty	12 Month Limited Warranty
DETAILS	KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	12, 24, 36, or 48 months	12, 24, 36, or 48 months
	(2.1.0.0.1.1.1)			

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change; full specifications available on Kawasaki.com.





		Jet Ski° SX-R™	Jet Ski" Ultra" LX
	ENGINE	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline
ENGINE & PRUPULSION	DISPLACEMENT	1,498cc	1,498cc
	BORE X STROKE	83.0 x 69.2mm	83.0 x 69.2mm
	COMPRESSION RATIO	10.6:1	10.6:1
	INDUCTION	Naturally aspirated	Naturally aspirated
	MAXIMUM BOOST	N/A	N/A
	COOLING SYSTEM	Inducted water	Inducted water
	FUEL SYSTEM	DFI® with 60mm throttle body	DFI®with 60mm throttle body
	IGNITION	TCBI with digital advance	TCBI with digital advance
	STARTING SYSTEM	Electric	Electric
	PROPULSION SYSTEM	148mm jet pump, axial-flow, single stage	155mm jet pump, axial-flow, single stage
	IMPELLER	3-blade, oval-edge stainless steel	3-blade, oval-edge stainless steel
	THRUST	957 lb	957 lb
	LUBRICATION	Semi-dry sump system	Semi-dry sump system
	COUPLING	Direct drive from engine	Direct drive from engine
	OIL CAPACITY	5.3 qt.	5.3 qt.
	FUEL CAPACITY	6.1 gal.	20.6 gal.
	LOAD CAPACITY	1-person	496 lb.
	STORAGE CAPACITY	N/A	60 gal.
5	OVERALL LENGTH	104.5 in.	132.7 in.
	OVERALL WIDTH	30.1 in.	47.0 in.
	OVERALL HEIGHT	33.1 in.	45.3 in.
	SEATING CAPACITY	1	3
	CURB WEIGHT	551.3 lb.*	932.7 lb.*
DETAILS	COLOR CHOICES	Ebony/Lime Green	Ebony/Riptide Turquoise
	WARRANTY	12 Month Limited Warranty	12 Month Limited Warranty
	KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, 36, or 48 months	12, 24, 36, or 48 months
7			

^{**}Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change; full specifications available on Kawasaki.com.









TOP GUN AT SMITH MOUNTAIN LAKE,

6939 BOOKER T. WASHINGTON HIGHWAY,

WIRTZ, VA 24184 **PHONE:** (540)721-4900 **EMAIL:** info@tongunsm

EMAIL: info@topgunsml.com **WEBSITE:** www.topgunsml.com

LIMITED WARRANTY

Your new Kawasaki Jet Ski® watercraft comes with a 12-month Limited Warranty.

UP TO FOUR YEARS EXTENDED COVERAGE

Let Kawasaki protect your new Jet Ski® watercraft for years to come with Kawasaki Protection Plus™. This plan repairs or replaces covered components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24, 36, or 48 months depending on the model and plan purchased. FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

KAWASAKI CARES:

Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, and other appropriate safety apparel. Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski® watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings.







All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners. ©2021 Kawasaki Motors Corp., U.S.A., Printed in the U.S.A. 99969-3797