

WEBRAIL

PORTABLE FALL ARREST & TENSIONED GUARDRAIL



TIE DOWN





VERSATILITY

Kit fits round and square columns up to 30" in diameter and allows up to 4 workers to attach in fall arrests while working between 31 feet span of webbing.



DURABILITY

Kit uses DOT 4" webbing that is fire retardant, UV resistant, and chafe resistant for durability and longevity.



STRENGTH

Top, mid, and toe webbing are OSHA compliant and rated at **20,000 lbs**. to provide strong and secure protection.



THE WEBRAIL SAFETY SYSTEM KIT IS A REVOLUTIONARY NON-PENETRATING FALL PROTECTION SOLUTION THAT SIMULTANEOUSLY PROVIDES BOTH PASSIVE PROTECTION AND FALL ARREST FOR UP TO 4 WORKERS PER 31 FOOT SPAN OF WEBBING.



SAFETY

Kit provides both passive and fall arrest protection simultaneously and is engineered to prevent collision with lower floor or column in the event of a fall.




COMPLIANCE

Kit meets OSHA requirements, including OSHA 1926 passive fall protection (guardrail) and 1910 Fall Arrest safety standards.



PROTECTION

Kit provides up to 186 linear feet of Fall Arrest and Guardrail protection.









PERFECT TENSION, EVERY TIME

EACH SPRING TENSIONER GAUGE COMES EQUIPPED WITH AN EASY-TO-READ TENSION GUIDE TO CONFIRM THE 800 LB. TENSION REQUIRED FOR SAFE AND EFFECTIVE USE OF THE WEBRAIL FALL ARREST SYSTEM.







ADDED SAFETY PRECAUTIONS



TETHERED DETENT PIN DESIGNED TO HOLD THE
PAWL OPEN AND ALLOW
WEBBING PAYOUT DURING
INSTALLATION.
THIS PIN SAFETY FEATURE
ENSURES THE PAWL REMAINS
DISENGAGED DURING PAYOUT.


LOCK-IN, PERFECT TENSION

ONCE PERFECT TENSION IS
ACHIEVED, USE A PADLOCK TO
SECURE THE UNIT FROM BEING
TAMPERED WITH.



LOCK-OUT, TAGOUT!

OR DAMAGED, USE A
LOCKOUT TAGOUT PADLOCK
TO PREVENT UNIT FROM
BEING USED.






SCAN THE QR CODES TO SEE VIDEOS OF HOW WEBRAIL IS INSTALLED QUICKLY AND EASILY, AND VIEW SAFETY TESTING








PREVENT COLLISION, IN THE EVENT OF A FALL

ATTACHING TO THE WEBRAIL VERTICAL FALL ARREST SUPPORT VS. THE BUILDING COLUMN PREVENTS WORKERS FROM COLLISION WITH THE FLOOR OR COLUMN IN THE EVENT OF A FALL. MADE FOR USE WITH A LANYARD OR SRL VERTICAL FALL PROTECTION LIFELINE.

WEBRAIL VS.

BUILDING COLUMN





PROTECT YOUR WORKERS

SCAN THE QR CODE TO SEE AN ILLUSTRATION OF HOW WEBRAIL CAN PROTECT YOUR **WORKERS IN THE EVENT OF A FALL**








WEBRAIL KIT COMPONENTS: EVERYTHING THAT'S INCLUDED


EASY STACKABLE PALLETS



Part ID: 72810

WEBRAIL KIT
CONVENIENTLY COMES
PACKAGED ON A
STACKABLE PALLET WITH
ALL NECESSARY PARTS
AND 186 FEET OF LINEAR
PROTECTION.

STACKABLE PALLET






SCAN THE QR CODE ON THE LEFT TO SEE
WEBRAIL'S INSTALLATION & SAFETY MANUAL.
SCAN THE QR CODE ON THE RIGHT TO SEE
AN INSTALLATION VIDEO.






OPTIONAL: DEBRIS NETTING ADD-ON



DEBRIS NETTING CAN EASILY BE
ATTACHED TO OUR WEBRAIL KIT TO
PREVENT SMALL ITEMS FROM FALLING
OFF THE WORKING SURFACE.
OUR ADD-ON DEBRIS NETTING COMES
IN EASY-ATTACH 30 FT. INCREMENTS,
ELIMINATING THE NEED FOR CUTTING
AND SAVING TIME AND EFFORT WITH
SIMPLE ZIP-TIE INSTALLATION.







EASY-ATTACH SECTIONS




SAVE TIME & EFFORT





SEE ALL OF TIE DOWN'S SAFETY PRODUCTS AT WWW.TIEDOWN.COM



404-344-0000 · www.tiedown.com

ISO 9001:2015 Certification

Intellectual Property of TIE DOWN Inc. ©2018 TIE DOWN, Inc.

E1962 Rev. 6/15/23



