




Snowboard Collection

FALL WINTER
2026 - 2027

ROSSIGNOL



NEW

XV SPLIT


| | |
|---------------|-----------------------------------|
| Item # | REP201 |
| Wide Item # | REP202 |
| Sizes | 156, 159, 162 158w, 161w, 165w |
| Camber/Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Super Dir. |
| Inserts | Setback |
| Sidecut | Radcut 7.5-8.8m Progressive |



Rec. Binding:

ESCAPER SPLIT (P.10)

L RGMSNO2M (9-11 USm)



NEW

XV SLASHIMI

| | |
|---------------|------------------------------|
| Item # | REPZS01 |
| Sizes | 152, 155, 158, 161 |
| Camber/Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Dir. |
| Inserts | Setback |
| Sidecut | Radcut 5.8-8m Progressive |



Rec. Binding:

ESCAPER SPLIT (P.10)

L RGMSNO2M (9-11 USm)



NEW

AFTER HOURS

| | |
|---------------|--------------------------------|
| Item # | REPM201 |
| Sizes | 153, 156 |
| Camber/Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Dir. |
| Inserts | Setback |
| Sidecut | Radcut 5.6-6.6m Progressive |




Rec. Binding:

ESCAPER SPLIT (P.10)

M RGMSNO3M (7-9 USm)





NEW

XV

| | |
|-------------------|--|
| Item # | REPV101 |
| Wide Item # | REPV102 |
| Sizes | 156, 159, 162, 167 161W, 165W, 169W |
| Camber/ Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Super Dir. |
| Inserts | Setback |
| Sidecut | Radcut 7.5-9.3m Progressive |



Rec. Binding:

XV (P.10)

M/L RGNHC04



NEW

XV SLASHIMI

| | |
|-------------------|--------------------------------|
| Item # | REPZX01 |
| Sizes | 152, 155, 158, 161, 164 |
| Camber/ Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Dir. |
| Inserts | Setback |
| Sidecut | Radcut 5.8-8.3m Progressive |




Rec. Binding:

COBRA (P.10)

M/L RGNHC03

S/M RGNHC02



NEW

XV SUSHI

| | |
|-------------------|--------------------------------|
| Item # | REPZ101 |
| Wide Item # | REPZ102 |
| Sizes | 144 145w |
| Camber/ Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Rev. Dir. |
| Inserts | Setback |
| Sidecut | Radcut 6.8-9.5m Progressive |



Rec. Binding:

COBRA (P.10)

M/L RGNHC03

S/M RGNHC02





WUJI

| | |
|---------------|---|
| Item # | REPZV01 |
| Wide Item # | REPZV02 |
| Sizes | 139, 143, 147, 151, 155, 157, 162, 158W, 163 W, 166 W |
| Camber/Rocker | 0/20 Amptek Zero |
| Shape | Directional |
| Flex | Rev. Directional |
| Inserts | Setback |
| Sidecut | Radcut |



Rec. Binding:
WORKS BLACK/GREY (P.10)

| | |
|---|---------|
| L | RGPC210 |
| M | RGPC209 |
| S | RGPC215 |



SUPER REVENANT


| | |
|---------------|-------------------------|
| Item # | REPP303 |
| Wide Item # | REPP304 |
| Sizes | 154, 158, 159W, 163W |
| Camber/Rocker | 90/10 Amptek Elite |
| Shape | Twin |
| Flex | Twin All Mtn |
| Inserts | Setback |
| Sidecut | Radcut w/Serrated Edges |



Rec. Binding:
COBRA (P.10)

| | |
|-----|---------|
| M/L | RGNHCO3 |
| S/M | RGNHCO2 |





NEW

NEW

NEW

NEW

REVENANT

| | |
|---------------|---------------------------------|
| Item # | REPP301 |
| Wide Item # | REPP302 |
| Sizes | 154, 158, 162, 159w, 163w, 166w |
| Camber/Rocker | 90/10 Amptek Elite |
| Shape | Twin |
| Flex | Twin All Mtn |
| Inserts | Setback |
| Sidcut | Radcut w/Serrated Edges |

ONE

| | |
|---------------|---------------------------------|
| Item # | REPP101 |
| Wide Item # | REPP102 |
| Sizes | 153, 156, 159, 157w, 161w, 165w |
| Camber/Rocker | 50/50 Amptek All-Mountain |
| Shape | Directional |
| Flex | Directional |
| Inserts | Setback |
| Sidcut | Radcut w/Serrated Edges |

RESURGENCE

| | |
|---------------|---------------------------------|
| Item # | REPX501 |
| Wide Item # | REPX502 |
| Sizes | 153, 156, 159, 155w, 159w, 163w |
| Camber/Rocker | 50/50 Amptek All-Mountain |
| Shape | Directional |
| Flex | Directional |
| Inserts | Setback |
| Sidcut | Radcut w/Serrated Edges |

EVADER

| | |
|---------------|---|
| Item # | REPR201 |
| Wide Item # | REPR202 |
| Sizes | 144, 149, 154, 159, 164, 155w, 160w, 165w |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Directional |
| Flex | Directional |
| Inserts | Setback |
| Sidcut | 6.9-8.1m - Single Radius |



Rec. Binding:
COBRA (P.10)
M/L RGNHC03
S/M RGNHC02



Rec. Binding:
CUDA (P.10)
M/L RGMHC02




Rec. Binding:
WORKS BLACK/GREY (P.10)
L RGPC210
M RGPC209
S RGPC215



Rec. Binding:
WORKS BLACK/GREY (P.10)
L RGPC210
M RGPC209
S RGPC215





JUGGERNAUT

| | |
|---------------|-------------------------------------|
| Item # | REOP401 |
| Wide Item # | REOP402 |
| Sizes | 149, 152, 155, 158, 162, 158w, 161w |
| Camber/Rocker | 90/10 Amptek Elite |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidicut | Radcut 6.1-6.5m to 6.9-7.5m |



JIBSAW

| | |
|---------------|-------------------------------------|
| Item # | REON301 |
| Wide Item # | REON302 |
| Sizes | 150, 153, 155, 157, 159, 158w, 162w |
| Camber/Rocker | 70/30 Amptek Elite |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidicut | Serrated Edges |



SAWBLADE

| | |
|---------------|--------------------------------------|
| Item # | REOT801 |
| Wide Item # | REOT802 |
| Sizes | 145, 150, 155, 158, 155w, 160w, 165w |
| Camber/Rocker | 50/50 Amptek All-Mountain |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidicut | Radcut w/Serrated Edges |



AMPAGE VOL.2

| | |
|---------------|--------------------------------|
| Item # | REPX103 |
| Wide Item # | REPX104 |
| Sizes | 146, 151, 155, 159, 156w, 161w |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidicut | 6.6m to 7.9m Deep Progressive |



Rec. Binding:

CUDA (P.10)

M/L RGMHC02



Rec. Binding:

COBRA (P.10)

M/L RGNHC03

S/M RGNHC02



Rec. Binding:

WORKS BLACK/GREY (P.10)

L RGPC210

M RGPC209

S RGPC215




Rec. Binding:

WORKS BLACK/GREY (P.10)

L RGPC210

M RGPC209

S RGPC215





AMPAGE VOL.1

| | |
|---------------|----------------------------------|
| Item # | REPX101 |
| Wide Item # | REPX102 |
| Sizes | 146, 151, 155, 159 156w, 161w |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | 6.6-7.9m Deep Progressive |



JIBFLUENCE

| | |
|---------------|---------------------------------|
| Item # | REMT601 |
| Sizes | 125, 130, 135, 140, 145, 150 |
| Camber/Rocker | 50/50 Amptek All-Mountain |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | Radcut W/Serrated Edges |



ALIAS

| | |
|---------------|------------------------------|
| Item # | REPN601 |
| Sizes | 125, 130, 135, 140, 145 |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | 6.3 To 6.9m Single Radius |



SCAN

| | |
|---------------|------------------------------|
| Item # | REPN101 |
| Sizes | 70, 80, 90, 100, 110, 120 |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | 2.7 to 5.6m |



Rec. Binding:
WORKS BLACK/GREY (P.10)

| | |
|---|---------|
| L | RGPC210 |
| M | RGPC209 |
| S | RGPC215 |



Rec. Binding:
WORKS LIME/BLACK (P.10)

| | |
|---|---------|
| L | RGPC212 |
| M | RGPC211 |
| S | RGPC213 |




Rec. Binding:
WORKS LIME/BLACK (P.10)

| | |
|---|---------|
| L | RGPC212 |
| M | RGPC211 |
| S | RGPC213 |



Rec. Binding:
ROOKIE (P.11)

| | |
|----|---------|
| S | RGMRK01 |
| XS | RGMRK02 |





NEW

AFTER HOURS

| | |
|---------------|----------------------------------|
| Item #: | REPM101 |
| Sizes: | 145, 149, 153, 156 |
| Camber/Rocker | 80/20 Amptek Elite |
| Shape | Directional |
| Flex | Twin All Mtn to Rev. Directional |
| Inserts | Setback |
| Sidecut | Radcut 4.8-6.6m Progressive |



NEW

AIRIS

| | |
|---------------|------------------------------|
| Item # | REPX601 |
| Sizes | 143, 146, 149, 152 |
| Camber/Rocker | 50/50 Amptek All-Mountain |
| Shape | Directional |
| Flex | Twin All Mtn |
| Inserts | Setback |
| Sidecut | Radcut w/ Serrated Edges |



NEW

SOULSIDE

| | |
|---------------|------------------------------|
| Item # | REPT401 |
| Sizes | 141, 145, 149, 153 |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Directional |
| Flex | Dir. All Mtn |
| Inserts | Setback |
| Sidecut | 6.0-7.1m Deep Progressive |



Rec. Binding:

COBRA (P:10)

| | |
|-----|---------|
| M/L | RGNHCO3 |
| S/M | RGNHCO2 |



REC. BINDING:

WORKS BLACK/BLUE (P:11)

| | |
|---|---------|
| L | RGPC220 |
| M | RGPC218 |
| S | RGPC214 |



REC. BINDING:

WORKS BLACK/BLUE (P:11)

| | |
|---|---------|
| L | RGPC220 |
| M | RGPC218 |
| S | RGPC214 |





NEW

NEW

DIVA SAVAGE

| | |
|---------------|-----------------------------|
| Item # | REPX301 |
| Sizes | 140, 144, 148, 152 |
| Camber/Rocker | 70/30 Amptek Elite |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | Radcut w/ Serrated Edges |

DIVA

| | |
|---------------|-----------------------------|
| Item # | REOX301 |
| Sizes | 140, 144, 148, 152 |
| Camber/Rocker | 70/30 Amptek Elite |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | Radcut w/ Serrated Edges |

MERAKI

| | |
|---------------|-----------------------------|
| Item # | REPT701 |
| Sizes | 140, 145, 150 |
| Camber/Rocker | 50/50 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | Radcut w/ Serrated Edges |

ULTRAVIOLET

| | |
|---------------|---------------------------|
| Item # | REON401 |
| Sizes | 139, 144, 149, 154 |
| Camber/Rocker | 30/70 Amptek Auto-Turn |
| Shape | Twin |
| Flex | Twin |
| Inserts | Centered |
| Sidecut | 6.7-7.5m Single Radius |



Rec. Binding:

COBRA BLACK (P.10)

| | |
|-----|---------|
| M/L | RGNHC03 |
| S/M | RGNHC02 |



REC. BINDING:

DIVA (P.11)

| | |
|-----|---------|
| S/M | RGOHC01 |
|-----|---------|



REC. BINDING:

WORKS TAN/BLUE (P.11)

| | |
|---|---------|
| L | RGPC219 |
| M | RGPC217 |
| S | RGPC216 |



REC. BINDING:

WORKS TAN/BLUE (P.11)

| | |
|---|---------|
| L | RGPC219 |
| M | RGPC217 |
| S | RGPC216 |



Adult



XV

| Item # | Size |
|---------|------------|
| RGNHCO4 | M/L USM 8+ |



CUDA

| Item # | Size |
|---------|------------|
| RGMHC02 | M/L USM 8+ |



DIVA

| Item # | Size |
|---------|-------------|
| RGOHC01 | S/M USW 5-9 |



COBRA BLACK

| Item # | Size |
|---------|---------------|
| RGNHCO3 | M/L USM 8+ |
| RGNHCO2 | S/M USM 5-7.5 |



ESCAPER SPLIT

| Item # | Size |
|----------|------------|
| RGMSNO2M | L USM 9-11 |
| RGMSNO3M | M USM 7-9 |



Binding Includes:
VOILE REGULAR PUCKS
VOILE TOURING BRACKETS
VOILE CLIMBING HEELS
 (Crampons must be purchased separately.)



WORKS BLACK/GREY

| Item # | Size |
|---------|----------------|
| RGPC210 | L USM 11.5 + |
| RGPC209 | M USM 8.5-10.5 |
| RGPC215 | S USM 5.5-7.5 |



WORKS LIME/BLACK

| Item # | Size |
|---------|----------------|
| RGPC212 | L USM 11.5 + |
| RGPC211 | M USM 8.5-10.5 |
| RGPC213 | S USM 5.5-7.5 |



WORKS BLACK/BLUE

| Item # | Size |
|---------|----------------|
| RGPC220 | L USM 11.5 + |
| RGPC218 | M USM 8.5-10.5 |
| RGPC214 | S USM 5.5-7.5 |



WORKS TAN/BLUE

| Item # | Size |
|---------|----------------|
| RGPC219 | L USM 11.5 + |
| RGPC217 | M USM 8.5-10.5 |
| RGPC216 | S USM 5.5-7.5 |

Junior



ROOKIE S

| Item # | Size |
|---------|-----------|
| RGMRK01 | S USJ 2-4 |



ROOKIE XS

| Item # | Size |
|---------|-------------|
| RGMRK02 | XS USJ 13-1 |

**RS PRIMO**

Item # **RFOBH01**
 Sizes USM 5.5 - 15.5

| | |
|---------------------------------|-----------------------------------|
| Unibody shell | 20% recycled EVA Sensor 3 midsole |
| 3D molded tongue | True Form Thermo-moldable liner |
| Boa® FOCUS | Independent ankle harness |
| PVC-Free synthetic leather (PU) | Sensor 3 molded footbed |
| 20% recycled rubber outsole | PFAS-free |
| 20% recycled lining | Flex 7/10 |

**RS HYBRID**

Item # **RFOBM01**
 Sizes USM 5.5 - 15.5

| | |
|---------------------------------|-----------------------------------|
| Articulated cuff | 20% recycled EVA Sensor 3 midsole |
| 3D molded tongue | True Form Thermo-moldable liner |
| Hybrid Instep Boa® M+2 | Independent ankle harness |
| PVC-Free synthetic leather (PU) | Sensor 3 molded footbed |
| 20% recycled rubber outsole | PFAS-free |
| 20% recycled lining | Flex 9/10 |

**CRANK BOA® H4**

Item # **RFOBE01**
 Sizes USM 5.5 - 15.5

| | |
|-------------------------------------|--------------------------------------|
| Articulated cuff | 20% recycled EVA midsole |
| 3D (upper) / diecut (liner) tongues | True Form Thermo-moldable liner |
| Boa® H4 Coiler | Built-in heel harness |
| PVC-Free synthetic leather (PU) | Ortholite® dual layer diecut footbed |
| 20% recycled rubber outsole | PFAS-Free |
| 20% recycled lining | Flex 5/10 |

**ALLEY BOA® H4**

Item # **RFOBW01**
 Sizes USM 5.5 - 15.5

| | |
|-------------------------------------|--------------------------------------|
| Articulated cuff | 20% recycled EVA midsole |
| 3D (upper) / diecut (liner) tongues | True Form Thermo-moldable liner |
| Boa® H4 Coiler | Built-in heel harness |
| PVC-Free synthetic leather (PU) | Ortholite® dual layer diecut footbed |
| 20% recycled rubber outsole | PFAS-Free |
| 20% recycled lining | Flex 5/10 |

**CRANK LACED**

Item # **RFOBE02**
 Sizes USM 5.5 - 15.5

| | |
|-------------------------------------|--------------------------------------|
| Articulated cuff | EVA midsole |
| 3D (upper) / Diecut (liner) tongues | True Form Thermo-moldable liner |
| Traditional lacing | Ortholite® dual layer diecut footbed |
| PVC-free synthetic leather (PU) | PFAS-Free |
| 20% recycled rubber outsole | Flex 5/10 |

Resort

MEN U.S.: 6,5 - 7 - 7,5 - 8 - 8,5 - 9 - 9,5 - 10 - 10,5 - 11 - 11,5 - 12 - 13

WOMEN U.S.: 3,5 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 7,5 - 8 - 8,5 - 9



200 BLACK

ROSSI RESORT
RNOMB10



815 DUNE

W ROSSI RESORT
RNOWB10



715 DARK NAVY



200 BLACK

ROSSI RESORT LOW
RNOMB20



815 DUNE

W ROSSI RESORT LOW
RNOWB20



715 DARK NAVY

Chalet

MEN U.S.: 6,5 - 7 - 7,5 - 8 - 8,5 - 9 - 9,5 - 10 - 10,5 - 11 - 11,5 - 12 - 13

WOMEN U.S.: 3,5 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 7,5 - 8 - 8,5 - 9



F24 BLUE / BLACK / WHITE

M CHALET
RNPMD10



F26 GREY / BLACK / NEON RED



F27 BLACK / GREY



F61 FUCHSIA / BLACK / WHITE

W CHALET
RNPWM10



F27 BLACK / GREY



F28 WHITE / DARK NAVY / SPORTS RED

Socks

S - M - L - XL

UNISEX



100 WHITE 200 BLACK 715 DARK NAVY

PRO SKI SOCKS

RLPMX04



100 WHITE 200 BLACK F00 DAZZLE BLUE



100 WHITE F00 DAZZLE BLUE

ESSENTIAL SKI SOCKS

RLPMX01

MEN



200 BLACK 715 DARK NAVY A01 OLIVE SHADOW

M INTERMEDIATE SKI SOCKS

RLPMX03

ESSENTIAL 2 PACK SKI SOCKS

RLPMX02

WOMEN



100 WHITE 200 BLACK A26 ELECTRIC FUCHSIA

W INTERMEDIATE SKI SOCKS

RLPWX01

Gloves

XS - S - M - L - XL



200 BLACK A01 OLIVE SHADOW A33 DUSTED OCHRE

TYPE SKI GLOVES R-SHELL DRY

RLPMG12



200 BLACK A33 DUSTED OCHRE

FULL LEATHER SKI GLOVES R-SHELL DRY

RLPMG15



200 BLACK A01 OLIVE SHADOW A33 DUSTED OCHRE

TYPE MITTENS R-SHELL DRY

RLPMG13



200 BLACK A01 OLIVE SHADOW A33 DUSTED OCHRE

TYPE 3 FINGER SKI GLOVES R-SHELL DRY

RLPMG14

Snowboard Bags



01 TACTIC SNOWBOARD & GEAR BAG

| | |
|------------------------|-----------------------|
| Item # | RKLB204 |
| Dimensions | L 63" X W 15" X H 11" |
| Weight | 1.85 kg |
| 600D Ripstop w/Tarplin | |

02 BASIC SNOWBOARD SOLO BAG

| | |
|------------------------|-----------------------|
| Item # | RKLB200 |
| Dimensions | L 63" X W 15" X H 11" |
| Weight | 1.10 kg |
| 600D Ripstop w/Tarplin | |

03 TACTIC BOOT BAG

| | |
|------------------------|------------------------------|
| Item # | RKLB203 |
| Dimensions | L 15.5" X W 9.49" X H 17.32" |
| Use | Boot Bag |
| 600D Ripstop w/Tarplin | |

Backpacks / Multi Activity



01 ESCAPER UNLIMITED 18L

| | | | |
|------------------------|------------------------------|------------|---------|
| Onyx Item # | RKMCFO1 | Tan Item # | RKMCFO1 |
| Dimensions | L 10.63" X W 5.5" X H 21.65" | | |
| Weight | 0.90 kg | | |
| Use | Touring Backpack | | |
| 220D Ripstop w/Cordura | | | |

02 ESCAPER TOUR 25L

| | | | |
|------------------------|------------------------------|--------------|---------|
| Grey Item # | RKMCR01 | Umber Item # | RKMCR02 |
| Dimensions | 25L / 1830 inch ³ | | |
| Use | Touring Hydro Backpack | | |
| 220D Ripstop w/Cordura | | | |

03 ESCAPER FREE 25L

| | | | |
|------------------------|------------------------------|-------------|---------|
| Birch Item # | RKMCE02 | Pink Item # | RKMCE03 |
| Black Item # | RKMCE01 | | |
| Dimensions | 25L / 1830 inch ³ | | |
| Use | Touring Hydro Backpack | | |
| 220D Ripstop w/Cordura | | | |

Duffle Bags



DUFFLE BAG 60L

| | | | |
|--------------------|----------------------|-------------|---------|
| Black Item # | RKMCB01 | Grey Item # | RKMCB02 |
| Acinus Leaf Item # | RKMCB03 | Hero Item # | RKMCB04 |
| Dimensions | L270 X W140 X H550mm | | |
| Weight | 0.90 KG | | |

Helmets



ARCADE MIPS

| | | |
|---------------|--|---------|
| Color | Black | White |
| Item # | RKPHU01 | RKPHU02 |
| Tech | | |
| Fit System | Harmony | |
| Shell | ABS | |
| Size | S/M (51-55) - M/L (55-59) - L/XL (59-61) | |
| Weight | | |
| ASTM Approved | | |



ARCADE

| | | | | |
|---------------|--|---------|---------|---------|
| Color | Black | White | Purple | Brick |
| Item # | RKPHT01 | RKPHT02 | RKPHT03 | RKPHT04 |
| Tech | | | | |
| Fit System | Harmony | | | |
| Shell | ABS | | | |
| Size | S/M (51-55) - M/L (55-59) - L/XL (59-61) | | | |
| Weight | S/M (500g) - M/L (550g) - L/XL (620g) | | | |
| ASTM Approved | | | | |

Goggles



OTAVA BLACK

| | |
|------------|---------------------|
| Item # | RKOGN01 |
| S Item # | RKOGO01 |
| Lens | Double, Cylindrical |
| Lens Color | Photochromic |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |



OTAVA BLURRED

| | |
|------------|---------------------|
| Item # | RKOGN06 |
| S Item # | RKOGO06 |
| Lens | Double, Cylindrical |
| Lens Color | Photochromic |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |



OTAVA WHITE

| | |
|------------|---------------------|
| Item # | RKOGN02 |
| S Item # | RKOGO02 |
| Lens | Double, Cylindrical |
| Lens Color | Photochromic |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |



OTAVA PURPLE

| | |
|------------|---------------------|
| Item # | RKOGN03 |
| S Item # | RKOGO03 |
| Lens | Double, Cylindrical |
| Lens Color | S2 (Bronze) |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |















OTAVA ZEBRA

| | |
|------------|---------------------|
| Item # | RKOGN05 |
| S Item # | RKOGO05 |
| Lens | Double, Cylindrical |
| Lens Color | Photochromic |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |



SUPER OTAVA


| | |
|------------|---------------------|
| Item # | RKPGN01 |
| S Item # | RKPGO01 |
| Lens | Double, Cylindrical |
| Lens Color | S2 (Bronze) |
| Frame | Frameless |
| Foam | Dual Density Fleece |
| Strap | Silicone insert |

| BOARD | LENGTH | | | | WIDTH | | | SIDE CUT RADIUS | BASE SURFACE | STANCE | | | | | | SHAPE | FLEX | | | | AMPTK | | | | | | | |
|---|--------|----------------|------|------|-------|-------|-----------|-----------------|-----------------|---------|-----------|---------|---------|-----------|---------|-------|----------------|----------------|------------------|----------------|---------------|---------------|--------------|--------------------|-------|--------------|-----------|----------------|
| | LENGTH | EFFECTIVE EDGE | NOSE | TAIL | NOSE | WAIST | TAIL | | | MINIMUM | REFERENCE | MAXIMUM | MINIMUM | REFERENCE | MAXIMUM | | INSERT PATTERN | INSERT SETBACK | TWIN DIRECTIONAL | TWIN FREESTYLE | TWIN ALL-MTN. | DIR. ALL-MTN. | REVERSE-DIR. | REVERSE SUPER-DIR. | ELITE | ALL-MOUNTAIN | AUTO-TURN | SERRATED EDGES |
| | cm | cm | cm | cm | cm | cm | cm | m | cm ² | cm | cm | cm | inch | inch | inch | # | cm | inch | | | | | | | | | | |
| TRUE TWIN: POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JUGGERNAUT | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 149 | 111.0 | 23.0 | 23.0 | 29.2 | 25.0 | 29.2 | 6.3 - 6.7 | 3925 | | | | | | | | | | | | | | | | | | | |
| | 152 | 113.0 | 23.5 | 23.5 | 29.4 | 25.2 | 29.4 | 6.1 - 6.5 | 3973 | | | | | | | | | | | | | | | | | | | |
| | 155 | 116.0 | 23.5 | 23.5 | 29.6 | 25.3 | 29.6 | 6.4 - 7.0 | 4082 | | | | | | | | | | | | | | | | | | | |
| | 158 | 118.5 | 24.0 | 24.0 | 29.7 | 25.3 | 29.7 | 6.7 - 7.3 | 4190 | 51 | 55 | 63 | 20.1 | 21.7 | 24.8 | 6x2 | 0 | 0 | • | • | | | | | | | • | • |
| | 162 | 121.0 | 24.5 | 24.5 | 29.8 | 25.3 | 29.8 | 6.9 - 7.5 | 4343 | | | | | | | | | | | | | | | | | | | |
| | 158W | 118.5 | 24.0 | 24.0 | 30.7 | 26.3 | 30.7 | 6.7 - 7.3 | 4336 | | | | | | | | | | | | | | | | | | | |
| | 161W | 121.0 | 24.0 | 24.0 | 30.8 | 26.4 | 30.8 | 6.9 - 7.5 | 4417 | | | | | | | | | | | | | | | | | | | |
| JIBSAW | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 150 | 111.0 | 23.5 | 23.5 | 29.0 | 24.9 | 29.0 | 6.8 | 3866 | | | | | | | | | | | | | | | | | | | |
| | 153 | 114.0 | 23.5 | 23.5 | 29.3 | 25.0 | 29.3 | 7.1 | 3962 | | | | | | | | | | | | | | | | | | | |
| | 155 | 117.0 | 23.5 | 23.5 | 29.6 | 25.2 | 29.6 | 7.3 | 4080 | | | | | | | | | | | | | | | | | | | |
| | 157 | 118.5 | 23.5 | 23.5 | 29.7 | 25.3 | 29.7 | 7.4 | 4140 | 51 | 55 | 63 | 20.1 | 21.7 | 24.8 | 6x2 | 0 | 0 | • | • | | | | | | | • | • |
| | 159 | 120.0 | 23.5 | 23.5 | 29.8 | 25.4 | 29.8 | 7.5 | 4198 | | | | | | | | | | | | | | | | | | | |
| | 158W | 118.5 | 24.0 | 24.0 | 30.7 | 26.3 | 30.7 | 7.4 | 4315 | | | | | | | | | | | | | | | | | | | |
| | 162W | 120.0 | 24.0 | 24.0 | 30.9 | 26.5 | 30.9 | 7.6 | 4451 | | | | | | | | | | | | | | | | | | | |
| TRUE TWIN: PROGRESSION | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SAWBLADE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 145 | 98.0 | 23.5 | 23.5 | 29.6 | 25.3 | 29.6 | 5.4 - 5.6 | 3786 | 53 | 57 | 61 | 20.9 | 22.4 | 24.0 | | | | | | | | | | | | | |
| | 150 | 111.0 | 23.5 | 23.5 | 29.6 | 25.3 | 29.6 | 5.9 - 6.1 | 3920 | 54 | 58 | 62 | 21.3 | 22.8 | 24.4 | | | | | | | | | | | | | |
| | 155 | 116.0 | 23.5 | 23.5 | 29.6 | 25.3 | 29.6 | 6.4 - 6.7 | 4054 | 55 | 59 | 63 | 21.7 | 23.2 | 24.8 | 5x2 | 0 | 0 | • | • | | | | | | | | |
| | 155W | 116.0 | 24.0 | 24.0 | 30.7 | 26.4 | 30.7 | 6.4 - 6.7 | 4241 | 55 | 59 | 63 | 21.7 | 23.2 | 24.8 | | | | | | | | | | | | | |
| | 160W | 128.0 | 24.0 | 24.0 | 30.7 | 26.4 | 30.7 | 6.9 - 7.2 | 4354 | 56 | 60 | 64 | 22.0 | 23.6 | 25.2 | | | | | | | | | | | | | |
| AMPAGE VOL.1 & 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 146 | 109.0 | 22.0 | 22.0 | 28.9 | 24.6 | 28.9 | 6.6 | 3718 | 52 | 56 | 60 | 20.5 | 20.4 | 23.6 | | | | | | | | | | | | | |
| | 151 | 113.0 | 22.5 | 22.5 | 29.1 | 24.8 | 29.1 | 7.1 | 3874 | 54 | 58 | 62 | 21.3 | 22.0 | 24.4 | | | | | | | | | | | | | |
| | 155 | 117.0 | 23.0 | 23.0 | 29.4 | 25.0 | 29.4 | 7.5 | 4029 | 54 | 58 | 62 | 21.3 | 22.8 | 24.4 | 5x2 | 0 | 0 | • | • | | | | | | | | |
| | 159 | 121.0 | 23.5 | 23.5 | 29.7 | 25.2 | 29.7 | 7.9 | 4196 | 54 | 58 | 62 | 21.3 | 22.8 | 24.4 | | | | | | | | | | | | | |
| | 156W | 119.0 | 23.5 | 23.5 | 30.6 | 26.2 | 30.6 | 7.5 | 4246 | 54 | 58 | 62 | 21.3 | 22.8 | 24.4 | | | | | | | | | | | | | |
| | 161W | 123.0 | 24.0 | 24.0 | 30.9 | 26.4 | 30.9 | 7.6 | 4414 | 54 | 58 | 62 | 21.3 | 22.8 | 24.4 | | | | | | | | | | | | | |
| TRUE TWIN: YOUTH | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JIBFLUENCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 125 | 86.0 | | | | | | 3.6 - 3.7 | 3083 | 40.5 | 44.5 | 47.5 | 16.5 | 17.5 | 19.7 | | | | | | | | | | | | | |
| | 130 | 91.0 | | | | | | 4.0 - 4.1 | 3204 | 43 | 47 | 51 | 16.9 | 18.5 | 20.1 | | | | | | | | | | | | | |
| | 135 | 96.0 | 23.0 | 23.0 | 28.3 | 24.0 | 28.3 | 4.2 - 4.5 | 3337 | 44 | 48 | 52 | 17.3 | 18.8 | 20.5 | 5x2 | 0 | 0 | • | • | | | | | | | | |
| | 140 | 101.0 | | | | | | 4.9 - 5.0 | 3459 | 46 | 50 | 54 | 18.1 | 19.6 | 21.3 | | | | | | | | | | | | | |
| | 145 | 106.0 | | | | | | 5.4 - 5.6 | 3585 | 48 | 52 | 56 | 18.8 | 20.4 | 22.0 | | | | | | | | | | | | | |
| 150 | 111.0 | | | | | | 5.9 - 6.1 | 3712 | 50 | 54 | 58 | 19.7 | 21.3 | 22.8 | | | | | | | | | | | | | | |
| ALIAS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 125 | 93.0 | 20.0 | 20.0 | 25.8 | 22.8 | 25.8 | 6.3 | 2948 | 40 | 44 | 48 | 15.7 | 17.3 | 18.9 | | | | | | | | | | | | | |
| | 130 | 96.0 | 21.5 | 21.5 | 26.1 | 23.0 | 26.1 | 6.9 | 3032 | 42 | 46 | 50 | 16.5 | 18.1 | 19.7 | | | | | | | | | | | | | |
| | 135 | 101.0 | 20.0 | 20.0 | 27.1 | 23.2 | 27.1 | 6.5 | 3215 | 44 | 48 | 52 | 17.3 | 18.9 | 20.5 | 5x2 | 0 | 0 | • | • | | | | | | | | |
| | 140 | 108.0 | 20.0 | 20.0 | 28.5 | 24.4 | 28.5 | 6.4 | 3533 | 46 | 50 | 54 | 18.1 | 19.7 | 21.3 | | | | | | | | | | | | | |
| | 145 | 110.0 | 20.5 | 20.5 | 28.9 | 24.6 | 28.9 | 6.7 | 3695 | 48 | 52 | 56 | 18.9 | 20.5 | 22.0 | | | | | | | | | | | | | |
| SCAN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 70 | 44.0 | 17.0 | 17.0 | 19.0 | 17.8 | 19.0 | 3.4 | 1229 | 24 | 24 | 28 | 9.4 | 9.4 | 11.0 | | | | | | | | | | | | | |
| | 80 | 50.0 | 18.0 | 18.0 | 20.0 | 18.0 | 20.0 | 2.2 - 2.7 | 1451 | 26 | 26 | 30 | 10.2 | 10.2 | 11.8 | | | | | | | | | | | | | |
| | 90 | 58.0 | 19.0 | 19.0 | 21.0 | 18.5 | 21.0 | 2.5 - 3 | 1704 | 28 | 28 | 32 | 11.0 | 11.0 | 12.6 | 4x2 | 0 | 0 | • | • | | | | | | | | |
| | 100 | 67.0 | 19.0 | 19.0 | 23.4 | 21.5 | 23.4 | 6.0 | 2077 | 31 | 31 | 35 | 12.2 | 12.2 | 13.8 | | | | | | | | | | | | | |
| | 110 | 77.0 | 19.0 | 19.0 | 24.4 | 22.0 | 24.4 | 6.1 | 2378 | 34 | 34 | 38 | 13.4 | 13.4 | 15.0 | | | | | | | | | | | | | |
| | 120 | 87.0 | 19.0 | 19.0 | 25.5 | 22.5 | 25.5 | 6.2 | 2695 | 37 | 37 | 41 | 14.6 | 14.6 | 16.1 | | | | | | | | | | | | | |
| WOMEN: ALL MOUNTAIN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFTER HOURS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 145 | 105.0 | 27.0 | | 29.0 | 24.2 | | 4.8 - 5.3 | 3635 | 46 | 50 | 58 | 18.1 | 19.7 | 22.8 | | | | | | | | | | | | | |
| | 149 | 107.0 | 29.0 | | 29.1 | 24.4 | | 5.2 - 5.7 | 3754 | 46 | 50 | 58 | 18.1 | 19.7 | 22.8 | 6x2 | 1.0 | 0.4 | • | • | | | | | | | | |
| | 153 | 109.0 | 31.0 | 22.0 | 29.2 | 24.6 | | 5.6 - 6.1 | 3863 | 48 | 52 | 60 | 18.9 | 20.5 | 23.6 | | | | | | | | | | | | | |
| | 156 | 111.0 | 32.0 | | 29.3 | 24.8 | | 6.0 - 6.6 | 3960 | 48 | 52 | 60 | 18.9 | 20.5 | 23.6 | | | | | | | | | | | | | |
| AIRIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 143 | 108.0 | | | 27.9 | 23.9 | 27.9 | 6.6 | 3557 | 46.5 | 50.5 | 58.5 | 18.3 | 19.9 | 23.0 | | | | | | | | | | | | | |
| | 146 | 111.0 | | | 28.1 | 24.0 | 28.1 | 6.7 | 3657 | 47 | 51 | 59 | 18.5 | 20.1 | 23.2 | 6x2 | 1.0 | 0.4 | • | • | | | | | | | | |
| | 149 | 114.0 | 22.5 | 21.5 | 28.3 | 24.1 | 28.3 | 6.9 | 3759 | 47.5 | 51.5 | 59.5 | 18.7 | 20.3 | 23.4 | | | | | | | | | | | | | |
| | 152 | 115.5 | | | 28.4 | 24.2 | 28.4 | 7.2 | 3855 | 48 | 52 | 60 | 18.9 | 20.5 | 23.6 | | | | | | | | | | | | | |
| SOULSIDE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 141 | 108.0 | 21.5 | 19.5 | 27.9 | 23.4 | 27.9 | 6.0 | 3432 | 44 | 48 | 52 | 17.3 | 18.9 | 20.5 | | | | | | | | | | | | | |
| | 145 | 111.0 | 22.0 | 20.0 | 28.1 | 23.6 | 28.1 | 6.4 | 3557 | 46 | 50 | 54 | 18.1 | 19.7 | 21.3 | 5x2 | 1.0 | 0.4 | • | • | | | | | | | | |
| | 149 | 114.0 | 22.5 | 20.5 | 28.2 | 23.8 | 28.2 | 6.8 | 3679 | 48 | 52 | 56 | 18.9 | 20.5 | 22.0 | | | | | | | | | | | | | |
| | 153 | 117.0 | 23.0 | 21.0 | 28.5 | 24.0 | 28.5 | 7.1 | 3813 | 50 | 54 | 58 | 19.7 | 21.3 | 22.8 | | | | | | | | | | | | | |
| WOMEN: TRUE TWIN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DIVA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 140 | 105.0 | 21.5 | 21.5 | 27.7 | 23.8 | 27.7 | 4.5 - 6.0 - 6.9 | 3443 | | | | | | | | | | | | | | | | | | | |
| | 144 | 108.0 | 22.0 | 22.0 | 28.0 | 24.0 | 28.0 | 4.5 - 6.2 - 7.2 | 3577 | 48 | 52 | 60 | 18.9 | 20.5 | 23.6 | 6x2 | 0 | 0 | • | • | | | | | | | | |
| | 148 | 111.0 | 22.5 | 22.5 | 28.3 | 24.2 | 28.3 | 4.6 - 6.4 - 7.3 | 3717 | | | | | | | | | | | | | | | | | | | |
| | 152 | 114.0 | 23.0 | 23.0 | 28.7 | 24.4 | 28.7 | 4.8 - 6.5 - 7.4 | 3861 | | | | | | | | | | | | | | | | | | | |
| MERAKI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | 140 | 101.0 | 23.0 | 23.0 | 28.3 | 24.0 | 28.3 | 4.9 - 5.0 | 3459 | 46 | 50 | 54 | 18.1 | 19.7 | 21.3 | | | | | | | | | | | | | |
| | 145 | 106.0 | 23.0 | 23.0 | 28.3 | 24.0 | 28.3 | 5.4 - 5.6 | | | | | | | | | | | | | | | | | | | | |

RADCUT

TURN TECHNOLOGY

A traditional sidecut between the inserts fuses with multiple reverse sidecuts toward the tip and tail, providing real time sidecut adjustment to the ride, ie. longer when faster, shorter when slower, and delivering the perfect cut at all times. RadCut is offered in multiple versions, each tailored for individual riding styles. More aggressive sidecut blends deliver quicker, livelier turns while smoother sidecuts offer a more fluid, relaxed ride.




SERRATED EDGES

EDGE TECHNOLOGY

Snowboarding's premium edge hold technology maximizes edge grip between your feet for increased control and stability in the gnarliest conditions. Rossignol is the only brand to deliver continuous edge grip in multiple versions.

*More Bumps = Increased Edge Hold.
Fewer Bumps = More Forgiving.
Bigger Bumps = Better Bite.
Smaller Bumps = Smoother Ride.*



CORE PROFILES

We offer eleven different wood core profiles. Each is suited to a specific riding style and price point. All are built from sustainably harvested wood, originating from responsibly managed forests.



AMPTEK

INTENSITY TECHNOLOGY

Rossignol's award-winning camber/rocker blends are each tailored to a specific riding style. Rocker at the tip and tail offers increased maneuverability, floatation, and fun. Camber between the inserts guarantees stability and edge grip. New for 2026, AmpTek Zero combines the forgiving feel and stability of the flat camber with the effortless float of the rockered tip for a great backcountry freestyle vibe.

AMPTEK ELITE




Featured on: XV, XV Split, XV Slashimi, XV Slashimi Split, XV Sushi, XV Sushi Split, Revenant, Super Revenant, Diva, Juggernaut, Jigsaw, After Hours, After Hours Split

AMPTEK AUTO-TURN



Featured on: Jibfluence, Alias, Scan, Soulside, UltraViolet, Evader, Ampage

AMPTEK ALL-MOUNTAIN



Featured on: One, Resurgence, Sawblade, Jibfluence, Airis, Meraki

AMPTEK ZERO




Featured on: Wuji

CORE

L.I.T.E. TECHNOLOGY

A stripe of urethane runs through the core of the board, delivering full length edge shock absorption (Frame) or enhancing edge hold (Grip), improving ride quality and board maneuverability without sacrificing performance. L.I.T.E. Tech core structure is not only another visibly breaking through innovation brought to you by your friends from Rossignol, it is also the most advanced ride control feature you can ask for these days.

LITE FRAME



Featured on: One, Diva, XV Sushi

LITE GRIP



Featured on: XV, XV Slashimi, XV Slashimi Split, After Hours


FLEX PROFILES

Our five different flex profiles are micro-adjusted to ensure each board is in tune with its specific rocker, sidecut, base, and edge technologies.

DIRECTIONAL ALL-MOUNTAIN

- Stiff under the back foot for control
- Stiffer waist for stability at high speed
- Softer under the front foot for easier turns.


Featured on: One, Resurgence, Evader and Soulside



TWIN ALL-MOUNTAIN

- Stiffer under feet for punch and grip
- Stiffer waist for stability at high speed.


Featured on: Revenant, After Hours 45/49, Airis



REVERSE SUPER DIRECTIONAL

- Extremely stiff under the front foot for confident control and maximum power
- Stiff waist for stability at high speed
- Medium stiff under the rear foot for smoother turns and nimble maneuverability.


Featured on: XV & XV Split



REVERSE DIRECTIONAL

- Stiff under front foot for confident control
- Softer waist for easy manipulation
- Medium stiff under the rear foot for smoother turns and nimble maneuverability


Featured on: XV Slashimi, XV Sushi, Wuji, After Hours Split, After Hours 53/56



TWIN FREESTYLE

- Stiffer under feet for pop and balance
- Softer waist for easy manipulation and control.

Featured on: Juggernaut, Jigsaw, Sawblade, Ampage, Jibfluence, Alias, Scan, Diva, Meraki, UltraViolet



ROSSIGNOL

GROUP ROSSIGNOL

1413 CENTER DRIVE - PARK CITY, UT - USA
T : 435-252-3300 - FAX : 435-252-3301

GROUP ROSSIGNOL

60 RUE DE LA RIVE DROITE - BROMONT, QUEBEC J2L 0A3
T : 514-933-9971

PHOTOS: ©Florian Monot, Colin Olivero, Marika Godin, Carlos Blanchard, ANTH Films, Jérémy Bernard, Keegan Rice

NORAM