

24  
25



Hardgoods  
Workbook  
FW 2024/25

**SWIX**

Perfectly  
prepared since 1946

# P R O

BY



## TST

TOP SPEED  
TURBO



## TS

TOP SPEED



## TSB

TOP SPEED  
BLACK



## HS

HIGH SPEED



## PS

PERFORMANCE  
SPEED



In 2021/2022, we stopped all sales of fluorinated waxes to our wholesale, retail and webshop sales channels. In 2022/2023, our Racing Service team stopped selling fluorinated waxes to professional athletes on the World Cup. Even though the proposed fluoro ban was reverted last season, we stood by our decision to keep our faith in the fluoro-free future. By using all available resources to develop products with new technology, we were one step ahead of our competitors when the FIS and IBU finally put the fluoro ban into effect for 2023/24.

Learn more about our sustainability and responsibility platforms at [swixsport.com](https://swixsport.com)

## How to clean fluoros from skis and tools

Learn how to become perfectly prepared for the fluoro-free era. As we approach the 2023/2024 ski season, all FIS and IBU races will use new fluoro-free waxes. It's essential to prepare your skis to match the new standards. The rule before any competition is clear: You cannot start any race with fluoros on your skis.

Working with the Norwegian National Team

Together with the Norwegian Ski Association (NSF) and the Norwegian Biathlon Association (NSSF), we've made a guide to help skiers and wax technicians switch to fluoro-free waxes. Following our guide closely will help you avoid using outdated fluoro waxes and prevent mixing up old and new products. Our guide is based on the latest knowledge and will be updated as technology and methods improve.

How to clean your skis of fluoro

Treat your skis with our I94 Pro Cleaner or the I84 Glide wax cleaner.  
Note: The brush you use in step A will be contaminated with fluoride. You must not use a new brush that must be fluoro free for these steps. Instead, use an old brush in step A before switching to new, fluoro-free brushes in step B and beyond.

A  
Apply I94 Pro Cleaner or the I84 Glide Wax Cleaner over the entire ski with a fiberelene paper. Brush the cleaner well into the sole with a steel brush. Wait until the ski is dry before cleaning it with the steel brush. You can use a roto brush or a hand brush.

Note  
The brush used in this step will be contaminated with fluoro and must not be used later in the cleaning process.

B  
Apply our PS10 glider on the ski base using a waxing iron. Let it cool, then scrape and brush it off.

C  
Apply our PS6 glider on the ski base using a waxing iron. Let it cool, then scrape and brush it off.

D  
Repeat step A, but now with clean brushes.

E  
Apply the day's wax if you're skiing today. If storing your skis, apply our Base Protection Liquid or a layer of PS6.  
Well done. You've successfully cleaned your skis of fluoro.

Note  
Repeat the process  
If your skis have been waxed with fluoro-rich products, they can still have traces of fluoro. These fluoro compounds will rise to the surface of the skis. It's crucial to keep using non-fluoro waxes over time to ensure your skis are completely fluoro-free. This is vital for skis used in unique conditions or only occasionally. If your racing skis have been treated with fluoro waxes, wax, and ski on them with non-fluoro waxes several times before an FIS or IBU race. You risk not being allowed to start if the test machine finds a fluoro concentration above the limit value. You should do this process less than 24 hours before the start.

Perfectly Prepared to stay

# FluoroFree

## Clean your cabin, tools and clothes

Don't forget to clean all your gear for fluoro. Here's a check list:

- 1  
Dispose of outdated fluorinated products. Get rid of all products that contain fluoro. Be aware, as some age-old cleaners and kick waxes might have fluoros. Dispose of such products in alignment with local regulations.
- 2  
Clean your waxing cabin, ski bags, and working clothes. Deploy air blowers and vacuums to cleanse your wax cabin, waxing tables, ski profiles, and bags of minuscule particles. Wiping every surface with our Base Cleaner is imperative. And yes, freshen up those work clothes with a proper round in the washing machine.
- 3  
Clean and replace your brushes. We have tested several different cleaning approaches to find the best result. We strongly recommend replacing brushes that have been used with fluoro products with new, clean brushes to guarantee fluoro-free skis. However, because a substantial amount of fluoros will be transferred from the ski to the brushes in the initial steps of the ski cleaning process, we recommend that you use your old brushes there.
- 4  
Clean your scrapers. Shed wax residues and clean every scraper with our Base Cleaner.



P R O  
TOP SPEED

# TSP

WHEN EVERY TENTH OF A  
SECOND COUNTS

### HF Wax Replacement

The TSP series are great powders for competition that work well in fresh, old or man made snow.

The speed of the iron should be approx. 8-10 sec. on skis and snowboards.

It is important to have a quality iron to get efficient melting of the powder.



**TSP05-4** 40 g/1.4 oz. 1 pcs.

TSP05-4  
-10°C to -18°C (14 to 0°F)  
TSP5 is the hardest powder in the TSP line, and a great choice in cold conditions, both for alpine and cross country. It is loved by servicemen, due to its great durability and dry friction properties. It is made as a powder to make it easier to apply, without sacrificing the great glide properties. For fresh, old or artificial snow. The speed of the iron should be approx. 8-10 sec. on a skating ski. Important to have a good iron to get an efficient melting of the powder. TSP5 can be used as a race powder alone or as a base for top coats.

Recommended iron temp: 160°C (320°F).



**TSP06-4** 40 g/1.4 oz. 1 pcs.

TSP06-4  
-6°C to -12°C (21°F to 10°F)  
TSP6 is a very good powder for both alpine and cross country, which has shown great performance on artificial snow in addition to natural snow. The speed of the iron should be approx. 8-10 sec. on a skating ski. Important to have a good iron to get an efficient melting of the powder. TSP6 can be used as a race powder alone, or as base for top coats.

Recommended iron temp: 160°C (320°F).



**TSP07-4** 40 g/1.4 oz. 1 pcs.

TSP07-4  
-2°C to -8°C (28°F to 18°F)  
TSP7 is a versatile powder suited for normal winter conditions below the freezing point. Powder makes it convenient to work with and easy to get a good end-result. For fresh, old or man made snow. Good in clean snow. The speed of the iron should be approx. 8-10 sec. on a skating ski. It is important to have a good iron to get an efficient melting of the powder. TSP7 can be used as a race powder alone or as a base for top coats.

Recommended iron temp: 160°C (320°F).



**TSP08-4** 40 g/1.4 oz. 1 pcs.

TSP08-4  
-4°C to +4°C (25°F to 39°F)  
TSP8 has a softness and racing formula that makes it perfect in conditions on both sides of the freezing point. The speed of the iron should be approx. 8-10 sec. on a skating ski. It's important to have a good iron to get an efficient melting of the powder. TSP8 can be used as a race powder alone, but is often used as a base for top coats

Recommended iron temp.: 160°C (320°F).



**TSP10-4** 40 g/1.4 oz. 1 pcs.

TSP10-4  
0°C to +10°C (32°F to 50°F)  
TSP10 is made harder than the standard for a 10 wax. The adjusted hardness makes the wax more durable and absorbs less dirt. The solid lubricant additive reduces the friction in contaminated snow. Excellent results in artificial snow as well as natural transformed older snow, especially noticeable when used alone.

Recommended iron temp: 160°C (320°F).

P R O  
TOP SPEED

# TST

WHEN EVERY TENTH OF A  
SECOND COUNTS

### HF Wax Replacement

Top Speed Turbo (TST) is a racing wax line developed especially for roto wool application, meaning that waxing iron is not needed.

TST offers a unique combination of water repellency, dirt repellency, durability, and exceptional hardness. This combination makes TST our fastest and most advanced next-generation racing wax.

It can be used as a top coat or base layer under other glide products, such as like TS liquid.



**TST05-2**

TS5 TURBO TURQUOISE  
-8 °C/-15°C, 20g.

Swix TS5 Turbo is a racing wax for cold and dry snow and temperatures between -8 °C and -15°C. Top Speed Turbo (TST) is the fastest and most advanced next-generation Swix racing wax. TST05 is developed especially for roto wool application.



**TST07-2**

TS7 TURBO VIOLET,  
-2°C/-7°C, 20g

Swix TS7 Turbo is a racing wax for dry snow below the freezing point and temperatures between -2°C and -7°C. Top Speed Turbo (TST) is the fastest and most advanced next-generation Swix racing wax. TST07 is developed especially for roto wool application.



**TST10-2**

TS10 TURBO YELLOW,  
0°C/+10°C, 20g

Swix TS5 Turbo is a racing wax for wet and dirty snow and temperatures between 0°C and +10°. Top Speed Turbo (TST) is the fastest and most advanced next-generation Swix racing wax. TST10 is developed especially for roto wool application.



**TST06-2**

TS6 TURBO BLUE,  
-4°C/-12°C, 20g

Swix TS6 Turbo is a racing wax for medium cold and dry snow and temperatures between -4°C and -12°C. Top Speed Turbo (TST) is the fastest and most advanced next-generation Swix racing wax. TST06 is developed especially for roto wool application.



**TST08-2**

TS8 TURBO RED,  
-4°C/+4°C, 20g

Swix TS8 Turbo is a racing wax for dry snow on both sides of the freezing point and temperatures between -4°C and +4°C. Top Speed Turbo (TST) is the fastest and most advanced next-generation Swix racing wax. TST08 is developed especially for roto wool application.



**T18W**

ROTO BRUSH MERINO  
WOOL, 100MM

The World Cup version of roto wool. Longer hair and more fluffy. The first choice for for applying TS Turbo.

P R O  
TOP SPEED LIQUID

# TS

WHEN EVERY TENTH OF A  
SECOND COUNTS

### HF Wax Replacement

High Performance Racing Gliders. Easy to work with, very time efficient and extremely durable.

PRO Top Speed liquid racing gliders that can be used alone, or as base for SWIX powders and top coats. The line was developed in close collaboration with our World Cup team, proving impressive test results.

Recommended for WC and national level athletes, ambitious citizen racers and dedicated enthusiasts.



**TS06L-12US** 50ml/1.7 US fl.oz. 1 pcs.

TS6 LIQUID BLUE  
-4°C to -12°C (25°F to 10°F)  
A liquid racing wax with spray-on applicator that can be used alone or as a base for topcoats.

TS6L is especially developed for colder conditions, down to minus 12°C (10°F). Below this point liquids are normally outperformed by traditional paraffin waxes. TS06L is a versatile wax that works in all snow conditions, but performs at its best when the humidity is high.

**TS07L-12US** 50ml/1.7 US fl.oz. 1 pcs.

TS7 LIQUID VIOLET  
-2°C to -8°C (28°F to 18°F)  
A liquid racing wax with spray-on applicator, that can be used alone or as a base for topcoats.

TS7L performs at it's best when typical winter conditions are below the freezing point. Can handle various of snow conditions and are not humidity sensitive. A safe choice that rarely underperform within its core area of use.

**TS08L-12US** 50ml/1.7 US fl.oz. 1 pcs.

TS8 LIQUID RED  
-4°C to +4°C (25°F to 39°F)  
A liquid racing wax with spray-on applicator, that can be used alone or as a base for topcoats.

TS8L is an extremely versatile wax on both sides of the freezing point with exceptional feedback from racing. It performs in older snow below freezing, new falling snow above and everything between. Basically a must have in conditions you will meet often.

**TS10L-12US** 50ml/1.7 US fl.oz. 1 pcs.

TS10 LIQUID YELLOW  
0°C to +10°C (32°F to 50°F)  
A liquid racing wax with spray-on applicator, that can be used alone or as a base for topcoats.

TS10L is developed for skiing when the snow is very wet and transformed. Ideal for spring skiing when the dirt content typically is high, as it collect less pollution from the snow than comparable paraffin waxes. A great choice in warm weather that never underperforms.

PRO  
TOP SPEED

# TSB

WHEN EVERY TENTH OF A  
SECOND COUNTS

### HFBW Wax Replacement

The TSB series are gliders for competition that works extremely well on dirty snow and when dry friction conditions.

The speed of the iron should be approx. 8-10 sec. on skis and snowboards.

It is important to have a quality iron to get an efficient melting of the wax.



**TS05B-4** 40 g/1.4 oz. 1 pcs.  
**TS05B-18** 180 g./6.3 oz. 1 pcs.

TS5 BLACK  
-10°C to -18°C (14°F to 0°F)  
The 5 series is the hardest wax in the TSB line, and is a great choice in cold conditions, both for alpine and cross country. Used a lot by professional wax technicians on the highest level, due to its great durability and properties when the snow is dirty. This is achieved thanks to the black solid lubricant additive that also reduces friction in very cold snow. Despite being a wax for cold conditions, the melting point makes it easier to apply than many competitors in this area, without sacrificing the great glide properties.

TS5B can be used as race wax alone, but is often used as a base for top coats.

Recommended iron temp.: 160°C (320°F)TS5B can be used as race wax alone, but is often used as a base for top coats. Recommended iron temp.: 160°C (320°F)



**TS06B-4** 40 g/1.4 oz. 1 pcs.  
**TS06B-18** 180 g./6.3 oz. 1 pcs.

TS6 BLACK  
-6°C to -12°C (21°F to 10°F)  
The TS6B is the second hardest wax in the TSB line, and is a great choice in typical winter conditions, both for alpine and cross country. Used a lot by professional wax technicians on the highest level, due to its great durability and properties when the snow is dirty. This is achieved thanks to the black solid lubricant additive that also reduces friction in very cold snow. Despite being a wax for cold conditions, the melting point makes it easier to apply than many competitors in this area, without sacrificing the great glide properties.

TS6B can be used as race wax alone, but is often used as a base for top coats.

Recommended iron temp.: 155°C (311°F)

## PRO Marathon Wax

Hard and extra durable glide waxes.

Great test results!

- Easy application with roto- wool  
- Works extremely well in all temperature ranges



Newer and clean snow



Dirty contaminated snow



Great for cold application with roto-wool



**DHFF-4  
DHP-4**

Marathon 40 g/1.4 oz. 1 pcs.  
Marathon Powder 40g/1.4 oz. 1 pcs.

A hard and extra durable glide wax for long distance racing. Developed especially for longer distances in newer and clean snow. Great in warmer conditions, but often competitive also in colder weather. The speed of the iron should be approx. 8-10 sec. on a skating ski. The wax can be re-heated after cooling to room temperature (10 min) for better durability. Scraping after approx. one minute. Important to have a good iron to get an efficient melting of the wax.

Marathon waxes can be used as a race wax alone or as a base for top coats.

Recommended iron temp: 155°C (311°F).



NEW

**DHB-24-4  
DHPB-24-4**

Marathon Black 40 g/1.4 oz. 1 pcs.  
Marathon Black Powder 40g/1.4 oz. 1 pcs.

A hard and extra durable glide wax with additive for long distance racing. Developed especially for wet dirty contaminated snow. The additive is reducing friction against dirt particles. Great in warmer conditions, but often competitive also in colder weather. The speed of the iron should be approx. 8-10 sec. on a skating ski. The wax can be re-heated after cooling to room temperature (10 min) for better durability. Scraping after approx. one minute. Important to have a good iron to get an efficient melting of the wax.

Marathon waxes can be used as a race wax alone or as a base for top coats. NB! For FW24/25 Marathon Black has a new and improved recipe.

Recommended iron temp: 155°C (311°F).



**TS07B-4** 40 g/1.4 oz. 1 pcs.  
**TS07B-18** 180 g./6.3 oz. 1 pcs.

TS7 BLACK  
-2°C to -8°C (28°F to 18°F)  
TS7B is a versatile wax suited for normal winter conditions below the freezing point. Its hardness makes it convenient to work with and easy to get a good end-result. The solid lubricant additive reduces the friction in cold conditions and in contaminated snow. It's a very popular wax both in alpine and cross country and has shown good properties on artificial snow in addition to natural, transformed older snow.

TS7B can be used as race wax alone, but is often used as a base for top coats.

Recommended iron temp: 150°C (302°F)



**TS08B-4** 40 g/1.4 oz. 1 pcs.  
**TS08B-18** 180 g./6.3 oz. 1 pcs.

TS8 BLACK  
-4°C to +4°C (25°F to 39°F)  
TS8B is made harder than the standard for an 8 wax. The adjusted hardness makes the wax more durable and absorbs less dirt. The solid lubricant additive reduces the friction in contaminated snow. Excellent results in artificial snow as well as natural transformed older snow, especially noticeable when used alone.

TS8B can be used as race wax alone, but is often used as a base for top coats.

Recommended iron temp: 150°C (302°F)



**TS10B-4** 40 g/1.4 oz. 1 pcs.  
**TS10B-18** 180 g./6.3 oz. 1 pcs.

TS10 BLACK  
0°C to +10°C (32°F to 50°F)  
TS10B is made harder than the standard for a 10 wax. TS10, as the adjusted hardness makes the wax more durable and absorbs less dirt. The solid lubricant additive reduces the friction in contaminated snow. Excellent results in artificial snow as well as natural transformed older snow, especially noticeable when used alone.

TS10B can be used as race wax alone, but is often used as a base for top coats.

Recommended iron temp: 165°C (329°F)



## Roto wool application

A new and revolutionary easy way to apply TS Turbo and other hard glide waxes. Wool application has been used a lot for racing in the last seasons. It gives a very good feeling on the skis. It is also a very efficient way to apply wax on the skis. For maximum performance, we highly recommend using a drill machine with a minimum rotation speed of 1800 rpm. On pre-waxed bases we recommend applying TS Turbo or Marathon as a top coating, using a roto wool for the best performance. No ironing, and no polish brushing needed.

- 1: Clean and refresh the base structure lightly with a fine steel brush. We recommend T0191B since it cleans deep into the ski base structure.
- 2: Apply the Marathon glider to the roto wool by pressing the wax block against half the width of the roto wool while running the drill at a low speed.
- 3: Use the waxed side of the roto wool on the ski with medium pressure and medium drill speed. Start with the back of the ski, and continue with the front.
- 4: Finish off by polishing the whole ski with the clean side of the roto wool. Use very light pressure and maximum drill speed.



T18W Roto brush merino wool, 100 mm





PRO  
HIGH SPEED

HS

BEST VALUE RACE WAX

LF Wax Replacement

The HS series are great gliders for training and competition with very good glide properties.

The speed of the iron should be approx. 8-10 sec. on skis and snowboards. The wax can be re-heated after cooling to room temperature (10 min.) for better durability. Scraping after approx. one minute.

It is important to have a quality iron to get an efficient melting of the wax.

PRO  
HIGH SPEED LIQUID

HS

BEST VALUE RACE WAX

LF Wax Replacement

Great liquid gliders that are very durable.

Quick and easy to apply. Developed together with our World Cup Racing Service Team, with impressive test results.

Recommended for ambitious citizen racers, dedicated enthusiasts and recreational skiers.






**HS05-6** 60 g/2.1 oz. 10 pcs.  
**HS05-18** 180 g./6.3 oz. 10 pcs.  
**HS05-90** 900 g./31.5 oz. 1 pcs.

HS5 TURQUOISE  
-10°C to -18°C (14°F to 0°F)

HS5 is the hardest wax in the HS line, and is a great choice in cold conditions, due to its great durability and dry friction properties. It's a great choice both for alpine and cross country. Despite being a wax for cold conditions, the melting point makes it easier to apply than many competitors in this area, without sacrificing the great gliding properties. For fresh, old or artificial snow.

HS5 can be used as a race wax alone or as a base for top coats.

Recommended iron temp: 160°C (320°F).



To obtain the best performance it's important to allow the wax film to dry entirely. Apply the product in temperatures above 10°C (50°F) and wait 15 minutes for the film to dry before polishing with a blue nylon brush.

ADD-ON PRODUCT



Rectangular Fine Red Nylon Brush (T0190B) or Oval Fine Red Nylon Brush (T01900).



**HS06-6** 60 g/2.1 oz. 10 pcs.  
**HS06-18** 180 g./6.3 oz. 10 pcs.  
**HS06-90** 900 g./31.5 oz. 1 pcs.

HS6 BLUE  
-6°C to -12°C (21°F to 10°F)

HS6 is very versatile. Its area of use stretches from underlayer for powder to racing wax and base prep wax for cold skis. HS6 has a good durability and offers great performance on natural and artificial snow.

HS6 can be used as a race wax alone or as a base for top coats.

Recommended iron temp: 155°C (311°F).



**HS06L-125US** 125 ml/4.2 US fl. oz. 1 pcs.

HS6 LIQUID BLUE  
-4°C to -12°C (25°F to 10°F)  
A liquid spray-on training and racing wax that can be used as a race wax alone or as a base for top coats.

HS6L is especially developed for cold conditions, down to -12°C (10°F). Below this point liquids are normally outperformed by traditional paraffin waxes. HS6L is a versatile wax that works in all snow conditions, but performs at its best when the humidity is high.



**HS07-6** 60 g/2.1 oz. 10 pcs.  
**HS07-18** 180 g./6.3 oz. 10 pcs.  
**HS07-90** 900 g./31.5 oz. 1 pcs.

HS7 VIOLET  
-2°C to -8°C (28°F to 18°F)

HS7 performs great in normal winter conditions below the freezing point. Its hardness makes it convenient to work with and easy to get a good end-result. Can be used as a racing wax at low air humidity, but will also serve the purpose as a brilliant training wax.

HS7 can be used as a race wax alone or as a base for top coats.

Recommended iron temp: 150°C (302°F).



**HS07L-125US** 125 ml/4.2 US fl. oz. 1 pcs.

HS7 LIQUID VIOLET  
-2°C to -8°C (28°F to 18°F)  
A liquid spray-on training and racing wax that can be used as a race wax alone or as a base for top coats.

HS7L performs at its best when typical winter conditions below the freezing point. Can handle various snow conditions and is not humidity sensitive. A safe choice that rarely underperform within its core area of use.



**HS08-6** 60 g/2.1 oz. 10 pcs.  
**HS08-18** 180 g./6.3 oz. 10 pcs.  
**HS08-90** 900 g./31.5 oz. 1 pcs.

HS8 RED  
-4°C to +4°C (25°F to 39°F)

HS8 is a great wax for both base-prep and training. It can also be used as a race wax, preferably used with a top coat. Easy to melt and very convenient to work with.

HS8 can be used as a race wax alone or as a base for top coats.

Recommended iron temp: 150°C (302°F).



**HS08L-125US** 125 ml/4.2 US fl. oz. 1 pcs.

HS8 LIQUID RED  
-4°C to +4°C (25°F to 39°F)  
A liquid spray-on training and racing wax that can be used as a race wax alone or as a base for top coats.

HS8L is an extremely versatile wax on both sides of the freezing point with exceptional feedback from racing. It performs in older snow below freezing, new falling snow above freezing and everything between. Basically a must have in conditions you will meet often.



**HS10-6** 60 g/2.1 oz. 10 pcs.  
**HS10-18** 180 g./6.3 oz. 10 pcs.  
**HS10-90** 900 g./31.5 oz. 1 pcs.

HS10 YELLOW  
0°C to +10°C (32°F to 50°F)

HS10 is a great base prep wax, but also a great training wax. Ideal in warm conditions, typically during spring skiing.

HS10 can also be used as a race wax, preferably used with a top coats.

Recommended iron temp: 150°C (302°F).



**HS10L-125US** 125 ml/4.2 US fl. oz. 1 pcs.

HS10 LIQUID YELLOW  
+2°C to +10°C (36°F to 50°F)  
A liquid spray-on training and racing wax that can be used as a race wax alone or as a base for top coats.

HS10L is a wax for very wet conditions when the snow has turned transformed. Ideal for spring skiing when the dirt content typically is high, as HS10L collect less pollution from the snow than comparable paraffin waxes. A great choice in warm weather that never underperforms.



Application Video

PRO  
PERFORMANCE SPEED

PS

VERSATILE TRAINING/  
RECREATIONAL WAX

CH Wax Replacement

The PS series are great gliders for training and competition with good glide properties.

The speed of the iron should be approx. 8-10 sec. on skis and snowboards. The wax can be re-heated after cooling to room temperature (10 min.) for better durability. Scraping after approx. one minute.

It is important to have a quality iron to get an efficient melting of the wax.

PRO  
PERFORMANCE SPEED

PSL

Our PS Liquid is a new easy to use glide wax for recreational skiing.

These liquid gliders doesn't require using waxing iron or any type of heat.

The 80 ml bottle comes with sponge applicator for easy application on cross country skis.

The 250 ml bottle has a wide opening for easy application on alpine skis.



**PS05-6** 60 g/2.1 oz. 10 pcs.  
**PS05-18** 180 g./6.3 oz. 10 pcs.  
**PS05-90** 900 g./31.5 oz. 1 pcs.

PS5 TURQUOISE  
-10°C to -18°C (14°F to 0°F)

PS5 is the hardest wax in the line, and is a great choice in cold conditions, due to its great durability and dry friction properties. It's a great choice both for alpine and cross country. Despite being a wax for cold conditions, the melting point makes it easier to apply than many competitors in this area, without sacrificing the great glide properties. For fresh, old or artificial snow.

Recommended iron temp: 150°C (302°F).



**PS06L-80US**  
**PS06L-250US**

PS6 Liquid Blue, 80ml / 250ml  
-6°C to -12°C (21°F to 10°F) 10 pcs.

PS6 liquid is a very versatile liquid glide wax. PS6 liquid provides good durability and excellent glide on natural and artificial snow. PS6 can be used as a racing wax alone or as a base wax for final wax layers.

PS06L-80 comes in a 80 ml bottle with an applicator for easy application on cross country skis. Applies to all 80ml (6-10). PS06L-250 comes in a 250 ml bottle with a wide opening for easy application on alpine skis.



**PS08L-80**  
**PS08L-250**

PS8 Liquid Red, 80ml/250ml  
-4°C to +4°C (25°F to 39°F) 10 pcs.

PS8 liquid is a very versatile liquid glide wax. PS8 liquid provides good durability and excellent glide on fine grained snow. PS10 can be used as a racing wax alone or as a base wax for final wax layers. PS08L-80 comes in a 80 ml bottle with an applicator for easy application.



**PS06-6** 60 g/2.1 oz. 10 pcs.  
**PS06-18** 180 g./6.3 oz. 10 pcs.  
**PS06-90** 900 g./31.5 oz. 1 pcs.

PS6 BLUE  
-6°C to -12°C (21°F to 10°F)

PS6 is very versatile. Its area of use stretches from base for powder to racing wax and base prep wax for cold skis. PS6 has a good durability and offers great performance on natural and artificial snow.

Recommended iron temp: 145°C (293°F).



**PS07L-80US**  
**PS07L-250US**

PS7 Liquid Violet, 250ml / 80ml  
-2°C to -8°C (28°F to 18°F) 10 pcs.

PS7 liquid is a very versatile liquid glide wax. PS7 liquid provides good durability and excellent glide on natural and artificial snow. PS7 can be used as a racing wax alone or as a base wax for final wax layers. PS07L-250 comes in a 250 ml bottle with a wide opening for easy application on alpine skis and snowboards.



**PS10L-80**  
**PS10L-250**

PS10 Liquid Yellow, 80ml/250ml  
0°C to +10°C (32°F to 50°F) 10 pcs.

PS10 liquid is a very versatile liquid glide wax. It provides good durability and excellent glide on fine grained snow. PS10 can be used as a racing wax alone or as a base wax for final wax layers. PS10L-80 comes in a 80 ml bottle with an applicator for easy application.



**PS07-6** 60 g/2.1 oz. 10 pcs.  
**PS07-18** 180 g./6.3 oz. 10 pcs.  
**PS07-90** 900 g./31.5 oz. 1 pcs.

PS7 VIOLET  
-2°C to -8°C (28°F to 18°F)

PS7 is a wax that performs great in normal winter conditions below the freezing point. Its hardness makes it convenient to work with and easy to get a good end-result. PS7 is an economic training and racing wax as well as an all round base prep wax.

Recommended iron temp: 140°C (284°F).



**PS08-6** 60 g/2.1 oz. 10 pcs.  
**PS08-18** 180 g./6.3 oz. 10 pcs.  
**PS08-90** 900 g./31.5 oz. 1 pcs.

PS8 RED  
-4°C to +4°C (25°F to 39°F)

PS8 is an economic training and racing wax as well as base prep wax for warm skis. Easy to melt and very convenient to work with.

Recommended iron temp: 130°C (266°F).






**PS10-6** 60 g/2.1 oz. 10 pcs.  
**PS10-18** 180 g./6.3 oz. 10 pcs.  
**PS10-90** 900 g./31.5 oz. 1 pcs.

PS10 YELLOW  
0°C to +10°C (32°F to 50°F)

PS10 is an economic training and racing wax as well as base prep wax for warm skis. Easy to melt and very convenient to work with.

Recommended iron temp: 120°C (248°F).

#### APPLICATION



Application Video



**PSP-3** 30 g/1.06 oz. 10 pcs.

PS POLAR POWDER  
-14°C/-32°C (7°F to -26°F).

PSP is a special powder wax to add to other waxes to increase their durability, and to protect the base from ice abrasion.

For especially abrasive snow, such as new artificial snow, apply the wax of choice and then iron. While the wax is still in liquid form, or at least still warm, sprinkle the PSP powder over the wax. Even a generous amount will not effect glide. Then iron the powder into the wax layer. Allow cooling, then scrape and brush away the excess.

Recommended iron temp: 150°C (302°F).



**PSP-6** 60 g/2.1 oz. 10 pcs.  
**PSP-18** 180 g./6.3 oz. 10 pcs.

PS POLAR  
-14°C/-32°C (7°F to -26°F).

PS Polar is a wax for extreme cold conditions, which can perfectly be used alone as a race wax when the air humidity is low. It performs very well on artificial snow and has a great durability

The speed of the iron should be approx. 8-10 sec. on a skating or alpine ski. The wax can be re-heated after cooling to room temperature (10 min.) for better durability. Scraping after approx. one minute. It's important to have a good iron to get an efficient melting of the wax. In the warmer part of the temperature range, and when high air humidity, a powder or other top coat product will increase the performance.

Recommended iron temp: 155°C (311°F).



# BP

## BASE PREP WAXES

This family of waxes has been designed for prepping ski bases, for racers at a performance oriented level.

Base prep waxes should be used as prep wax before applying the wax of the day.



**BP077-18** 180 g./6.3 oz. 10 pcs.  
**BP077-900** 900 g./31.5 oz. 1 pcs.

### BASE PREP COLD

A harder Baseprep for new DH, GS and SL skis used for all conditions. Can also be used for glacier training. The wax is easy to work with and gives the ski bases a nice looking finish.

Best first wax after skis have been stone ground.



**BP088-180** 180 g./6.3 oz. 10 pcs.  
**BP088-900** 900 g./31.5 oz. 1 pcs.

### BASE PREP

Normal. For normal winter conditions, 0°C to -10°C (32°F to 14°F). The All Round Base Prep wax for most skis/boards. Used on new skis and as travel wax.

Great travel wax



**BP099-18** 180 g./6.3 oz. 10 pcs.  
**BP099-900** 900 g./31.5 oz. 1 pcs.

### BASE PREP WARM

Soft wax with low melting point. Recommended as the first wax on all new skis to make the base accustomed to hot irons.

BP99 is also recommended for skis or boards in the "Hot Box". The temperature in the Hot Box should never be higher than 55°C/130°F. Higher temps than 55°C in the hot box can cause delamination of the base.

Best first wax for brand new skis & excellent wax for thermo-bag use as it has a low melting point.



**BPL-500** 500 ml/16.9 US fl. oz. 1 pcs.  
**BPL-80** 80 ml/2.7 US fl. oz. 10 pcs.

### BASE PROTECTION LIQUID

Liquid transportation wax. Leaves a thin layer of wax when the solvent evaporates. 80 ml. bottle with sponge applicator for easy application. 500 ml. bottle to be used as a refill station for BPL-80.

Excellent training wax or quick travel wax.



Application Video

## Universal Glide Waxes



**U60** 60 g./2.1 oz. 10 pcs.  
**U180** 180 g./6.3 oz. 10 pcs.  
**U900** 900g  
**U900c** 900g

### REGULAR ALL CONDITION UNIVERSAL WAX

White. Biodegradable. Universal hydrocarbon wax for all skis and snowboards.



### U5000

#### WORK SHOP WAX

All conditions. Fast melting, uni wax. Pellets. Quality, fully refined clean wax. Good for the shop environment. 5 kg /11 lbs.



### U5000c

#### WORK SHOP WAX

Cold conditions. Fast melting, cold wax. Pellets. Quality, fully refined clean wax. Good for the shop environment. 5 kg /11 lbs.



### U2250

Uni Wax 2250g Warm (9x250g)



### U2250c

Universal wax 2250g Cold (9x250g)





# NORTH 100% Natural Wax

## Introducing the Swix 100% Natural Ski Wax: Your Natural Performance Solution

Elevate your skiing experience with the revolutionary NORTH 100% Natural Universal glide wax – a cutting-edge formula meticulously crafted from 100% natural ingredients. This wax contains a harmonious blend of ethically and sustainably sourced beeswax, carnauba wax, sunflower seed wax, and juniper oil, this creation embodies our commitment to both performance and environmental responsibility.

**Unlock the Power of Nature**  
Each ingredient in this ski wax was thoughtfully selected, ensuring a ski wax that not only enhances your glide but also preserves the planet we cherish. We’ve taken an extra step by infusing a touch of juniper oil, handpicked and distilled in the breathtaking landscapes of Alvdal, Norway. This natural antiseptic oil brings a fresh scent while enriching the wax with superior rheological properties.

**Peak Performance, Every Descent**  
Experience the alpine world like never before with the NORTH 100% Natural glide wax advantage. Our expertly balanced combination of natural waxes guarantees exceptional performance across all snow conditions. Whether you’re carving down the slopes or embracing the backcountry, this new

glide wax empowers you to conquer with confidence. **Simplicity in Application**  
Effortless application is at your fingertips. The NORTH 100% Natural Ski Wax is designed for ease, making your pre-adventure routine smooth and hassle-free. Applying, scraping off, and brushing the wax is a breeze, allowing you more time to relish every exhilarating moment on the mountain.

**A Versatile Choice**  
Tailored to meet the needs of alpine skiers, snowboarders, and cross-country enthusiasts alike, NORTH 100% Natural Ski Wax offers unbeatable versatility. From the meticulously groomed slopes to the untouched serenity of the backcountry, trust in this new natural glide wax to elevate your performance.

**Join the Movement**  
Embrace the natural evolution of skiing performance. Choose NORTH 100% Natural Ski Wax and embark on a journey that melds excellence, sustainability, and the unspoiled beauty of our world’s snowy landscapes.

Elevate your glide. Elevate your journey.



**100N-24-60** 100N NATURAL WAX, 60G  
**100N-24-180** 100N NATURAL WAX, 180G

100% natural wax, complete with a biodegradable, cardboard package. Universal temperature range.



**NO-6C** NORTH FREERIDE WAX COLD, 60G  
**NO-18C** NORTH FREERIDE WAX COLD, 180G  
**NO-900C** NORTH FREERIDE WAX COLD, 900G

North Freeride Wax - Cold  
Temperature Range: -4F/21F  
BIODEGRADABLE WAX & CARDBOARD PACKAGE



**NO-6U** NORTH FREERIDE WAX U, 60G  
**NO-18U** NORTH FREERIDE WAX U, 180G  
**NO-900U** NORTH FREERIDE WAX U, 900G

North Freeride Wax - U  
Temperature Range: All Temperatures  
BIODEGRADABLE WAX & CARDBOARD PACKAGE



**NO-6W** NORTH FREERIDE WAX WARM, 60G  
**NO-18W** NORTH FREERIDE WAX WARM, 180G  
**NO-900W** NORTH FREERIDE WAX WARM, 900G

North Freeride Wax - Warm  
Temperature Range: 32F/50F  
BIODEGRADABLE WAX & CARDBOARD PACKAGE

# F4 & Universal Glide Wax



**F4-23-100** F4 Glidewax Liquid 100ml, 21 pcs.  
**F4-23-250** F4 Glidewax Liquid 250ml, 10 pcs.

F4-23-100 has a sponge foam applicator on one side of the bottle for applying wax, and a felt pad on the other side for polishing. A handy pocket-size.

F4-23-250 comes in a bottle with a wide opening for easy application on alpine skis.

Apply a thin layer over the base surface. Let it dry for approx. 2 minutes. Finish by polishing with the felt pad. Apply F4 to the steel edges when storing your skis or board after the season. This prevents the edges rusting.



**F4-23-150** F4 Glidewax Aerosol 150ml, 10 pcs.

F4-23-150 has a sponge foam applicator for wax application. Apply a thin layer over the base. Let it dry for approx. 5 minutes. Finish by polishing with Fiberlene T0151 or Nylon Brush T0166B. Apply F4 to the metal edges before storing your skis or board after the season. This prevents the edges rusting.



**F4-23-60** F4 Glidewax Rub-on w/cork 60g, 10 pcs.

The F4-23-60 has cork on the back-side of the box. Rub or dab the glide wax on the base. Polish the wax and the base with the cork.



**F4-23-180** F4 Glidewax 180g, 10 pcs.  
**F4-23-900** F4 Glidewax 900g, 1 pcs.

F4-23-180 and F4-23-900 is intended for heat application with a waxing iron. The temperature of the waxing iron is 130°C. Scrape off excess wax with plexi scraper T0823D and finish off with combi brush T0159B.



**T0149-F4** F4 Tuning Vise

F4, two-piece vise based on friction. For freeride and alpine skis. Option to work on side edges. Lightweight and compact, made of rock-solid ballistic plastic. Easy to bring while traveling.

**F4-23-40** F4 Glidewax Paste 40g, 10 pcs.  
**F4-23-75** F4 Glidewax Paste 75ml, 20 pcs.

F4-23-40 and F4-23-75 has a foam applicator for applying wax. Apply a thin layer over the base. Let it dry for approx. 5 minutes. Finish by polishing with Fiberlene T0151 or Nylon Brush T0166B. Apply F4 to the metal edges before storing your skis or board after the season. This prevents the edges rusting.





Nordic Easy Glide



**N3NC** 80 ml/2.7 US fl. oz. 15 pcs.  
NORDIC EASY GLIDE LIQUID  
For waxless skis. With applicator.

**N4C** 150 ml/5 US fl. oz. 10 pcs.  
NORDIC SCHUPPEN SPRAY  
For waxless skis.



**N5NC** 10 pcs.  
CARE KIT FOR WAXLESS SKIS.  
Contents: 80 ml Easy Glide liquid,  
70 ml Base Cleaner, and Fiberlene  
towel.




Zero Ski Easy Waxes & Skin Care



**N6C** 70 ml/2.4 US fl. oz. 10 pcs.

ZERO 70 ECONOMY SPRAY  
To be used in the kick section of touring classical  
skis with mechanical grip from factory or skis  
abraded with sandpaper. Let dry for two minutes.  
With upside down applicator.



Zero Ski

Zero ski is a racing or touring ski with a kick zone having a rough, somewhat flexible  
polymer material. The particles, responsible for the grip mechanism are distributed  
through the whole base cross-section. Within a certain range of snow conditions this  
material is sufficient to give a grip, similar to a ski wax. The best results are obtained  
around 0°C.



**N21US** 80 ml/2.7 US fl. oz. 10 pcs.

SWIX SKIN BOOST  
Improves the skins gliding properties. Fast and can  
be applied anywhere. Protects integrated skins  
from icing and improves glide properties.  
Recommended maintenance for skin skis to  
extend their life span and get a better ski experi-  
ence. To be applied before skiing on a regular  
basis.



**N20US** 80 ml/2.7 US fl. oz. 10 pcs.

SWIX SKIN IMPREGNATION 80ml  
Deep impregnation of your integrated skins. Long  
lasting. Improves water resistance and reduces  
dirt uptake. Developed to protect integrated skins  
from icing and to improve the glide properties.  
The risk of icing is in particular present around  
zero. To be used after cleaning the skins. Repeat  
after approx. 10 ski trips. Does not include  
Fiberlene.



**N19US** 100 ml/3.38 US fl. oz. 10 pcs.

GLIDE WAX FOR SKIN SKIS  
SWIX glide wax for skin skis is especially devel-  
oped for skis with integrated skins, and is devel-  
oped purely for the glide section of the ski. It is  
an all temperature product offering great gliding  
properties no matter what the weather condi-  
tions are. The practical foam applicator ensures  
a great product distribution, and the felt polisher  
at the bottle bottom ensures excellent product  
durability.



**P15N**  
KIT FOR SKIN SKIS  
Maintenance kit for skis with integrated skins.  
Contains Skin Boost (N21), Skin Cleaner (N22),  
glide wax (N19) and Fiberlene paper for appli-  
cation. Everything you need to get a better ski  
experience.




**N22** 70 ml/2.37 US fl. oz. 10 pcs.

SWIX SKIN CLEANER  
Removes dirt and wax residues picked up from  
the snow. Cleans integrated skins in a gentle way  
without affecting the skin glue. Restores the  
properties of -the skin and increases its efficiency.  
To be used after skiing. Includes Fiberlene.


Maintenance  
of waxless skis

Like waxable skis, waxless skis  
require maintenance. Waxless ski  
bases can dry out causing the  
base to oxidize and absorb dirt.  
Dirty oxidized skis are slower and  
harder to turn, creating more work  
for the skier.  
SWIX Easy Glide and Base Cleaner  
will solve this problem. Use these  
products to refurbish old waxless  
ski bases.




**1: BEFORE SKIING**  
Apply Easy Glide on the total length of the ski  
base including the grip section. A one minute  
job. Go skiing!

Easy Glide will make the glide sections perform  
better and avoid icing in the grip section.



**2: AFTER SKIING**  
Clean bases with Base Cleaner.  
Wipe off with Fiberlene cleaning towel.





VP Line // Hard Kick Waxes

VR KICK WAX REPLACEMENT

The VP waxes are made for top racing, but have also proved interesting for Recreational and Sport skiers because of excellent properties. The wax contains a new additive designed to impart maximum lubricity. This improves the stick-slip properties of the wax and gives an excellent feeling.


Each VP wax has two specified temperature ranges. One for falling and new fallen snow, characterized by sharp snow crystals with relatively strong penetration capacity. The other range is for older snow, when the crystals are rounded off and have lesspenetration power.



The VP line covers all temperatures from -10°C to +3°C.

“The hook”

The lid of all SWIX hard kick waxes is equipped with a hook which makes it easier to tear the boxes.







New and new fallen fine-grained snow  
-8°C to -16°C (18°F to 3°F)


Old/partly transformed snow  
-12°C to -20°C (10°F to -4°F)




VP30

43 g/1.5 oz.

Min. 10.

Light blue kick wax designed for dry and cold to extremely cold conditions.





New and new fallen fine-grained snow  
-1°C to -5°C (30°F to 23°F).


Old/partly transformed snow  
-3°C to -8°C (27°F to 18°F).




VP45

43 g/1.5 oz.

Min. 10.

Purple-blue kick wax designed for normal winter conditions well below the freezing point. An obvious “next step” if VP40 does not provide a safe kick.





New fallen and finegrained snow  
1°C to -2°C (34°F to 28°F).


Old/partly transformed snow  
0°C to -5°C (32°F to 23°F)




VP55

43 g/1.5 oz.

Min. 10.

Dark purple kick wax designed for moist, and new or new fallen snow around zero. Can also be used on older snow just below the freezing point without sacrificing glide.





New fallen and finegrained snow  
0°C to 2°C (32°F to 36°F).


Old/partly transformed snow  
0°C to -4°C (32°F to 25°F).




VP65

43 g/1.5 oz.

Min. 10.

Red/black kick wax with extraordinary properties when tricky conditions around the freezing point. Also brilliant on the cold side when high humidity and older/transformed snow. The black additive speaks for versatility and great anti-icing properties. VP65 works best on top of a couple of layers of a slightly harder wax. It also works great as a cover on top of klisters.





New and new fallen fine-grained snow  
-4°C to -10°C (25°F to 14°F).


Old/partly transformed snow  
-5°C to -14°C (23°F to 7°F).




VP40

43 g/1.5 oz.

Min. 10.

Blue kick wax designed for dry and cold winter conditions. A safe choice for normal midwinter inland conditions.





New and new fallen fine-grained snow  
0°C to -3°C (32°F to 27°F).


Old/partly transformed snow  
-1°C to -6°C (30°F to 21°F).




VP50

43 g/1.5 oz.

Min. 10.

Purple kick wax designed for conditions a few degrees below the freezing point. Provides perfect kick until you experience moderate shiny tracks.





New fallen and finegrained snow  
2°C to -1°C (36°F to 30°F).

Old/partly transformed snow  
-1°C to -4°C (34°F to 25°F).


VP60

43 g/1.5 oz.

Min. 10.

Purple-red kick wax working very well in moist, new snow and shiny tracks. Will also work on older, slightly transformed snow some degrees below the freezing point. If tricky conditions around zero, VP65 is recommended.





New fallen and finegrained snow  
0°C to 3°C (32°F to 38°F).

Old/partly transformed snow  
2°C to -1°C (36°F to 30°F).

VP70

43 g/1.5 oz.

Min. 10.

Yellow klister-wax designed for moist and beginning wet, new snow. Can also be used in moderate transformed snow until just below the freezing point. If you experience very wet, new snow or coarse transformed snow klister is recommended.


V Line // Hard Kick Waxes



Easy to use with two temperature intervals: NEW and OLD snow. Old, transformed snow is snow older than one day.

The V-Line of hardwaxes is the traditional line of hard kick-waxes, made for racing and recreational skiing. Although they do not have any fluorine

additives, their quality is very high due to fully refined petroleum waxes, synthetic rubbers and pharmaceutical quality oils. The V-waxes, in certain the cold-snow waxes are frequently used in top racing, alone or in combination with VR-waxes.

TIP: In old snow you always wax softer!





New fallen snow  
-12°C to -25°C (10°F to -12°F).


Old fine grained snow  
-15°C to -30°C (5°F to -22°F).



V0005

43 g/1.5 oz.

Min. 10.

V05 POLAR  
As the name indicates, this is hardwax made for the coldest conditions. Frequently used in the polar regions of Europe and North America.





New fallen snow  
-8°C to -15°C (18°F to 5°F).


Old fine grained snow  
-10°C to -18°C (14°F to 0°F).



V0020

43 g/1.5 oz.

Min. 10.

V20 GREEN  
The well known cold snow wax, used for more than fifty years, has been modernized several times with new components.





New fallen snow  
-2°C to -10°C (28°F to 14°F).


Old fine grained snow  
-5°C to -15°C (23°F to 5°F).



V0030

43 g/1.5 oz.

Min. 10.

V30 BLUE  
Another truly classic SWIX wax. To be used on moderate cold snow when skiing is at its best.





New fallen snow  
-1°C to -7°C (30°F to 19°F).


Old fine grained snow  
-3°C to -10°C (27°F to 14°F).



V0040

43 g/1.5 oz.

Min. 10.

V40 BLUE EXTRA  
The most popular V-wax. A very flexible and versatile wax covering a large temperature- range on the cold side of freezing. To be utilized close to 0°C, demands relatively new snow and low air humidity (below 45-50%).





New fallen snow  
0°C to -3°C (32°F to 27°F).


Old fine grained snow  
-2°C to -6°C (28°F to 21°F).



V0045

43 g/1.5 oz.

Min. 10.

V45 VIOLET SPECIAL  
Also a very frequently used wax, both in racing and touring. When Blue Extra becomes somewhat slippery, a thin layer of Violet Special probably is the right wax.





New fallen snow  
0°C (32°F).


Old fine grained snow  
-1°C to -3°C (30°F to 27°F).



V0050

43 g/1.5 oz.

Min. 10.

V50 VIOLET  
For many years a secret weapon in the wax-box of World Cup Servicemen. To be used when the snow is in a stage going from cold to wet, around freezing (32°F).





New fallen snow  
0°C to +1°C (32°F to 34°F).


Old fine grained snow  
0°C to -2°C (32°F to 28°F).



V0055

43 g/1.5 oz.

Min. 10.

V55 RED SPECIAL  
For moist new snow up to +1°C (34°F) and down to -2°C (28°F) in older more transformed granular snow.





New fallen snow  
0°C to +3°C (32°F to 37°F).

Old fine grained snow  
+1°C to -1°C (34°F to 30°F).


V0060

43 g/1.5 oz.


Min. 10.

V60 RED/SILVER  
For wet new snow up +3°C (38°F) and down to -1°C (30°F) in older more transformed granular snow. Apply thicker the warmer it is to secure grip.


KICK ZONE FOR HARD WAXES - TOURING:




APPLICATION OF HARDWAXES  
After finishing all brushing on the glide zones, sand the grip zone area with #120 grit sandpaper (SWIX T0011SP). This will make the difference for a long-lasting wax application.



1:  
In cold conditions, the application normally starts by using VG30 or V40. More coarse grained snow normally requires a base binder as the first layer: VG35.



2:  
For extra durability: Iron the first layer of wax into the base. This process will increase contact between base and wax. Temperature setting of the iron is approx. 100°C.



3:  
Select and apply the actual kick wax of the day. Preferably 4-8 thin, even layers. When 0°C (32°F) two layers are sufficient. Cork each layer.




NERO Klisters



**KN33**  
55 g/1.9 oz. 10 pcs.

NERO  
+1°C to -7°C (34°F to 19°F).  
Klister for competition and training.



**KN44**  
55 g/1.9 oz. 10 pcs.

NERO  
-3°C to +5°C (27°F to 41°F).  
Klister for competition and training.

Revolutionary klisters with a black ingredient that has shown an impressive performance. The key properties are enhanced in all aspects of the products

VERSATILE  
It can handle changing snow conditions very well and it has great anti-icing properties.



EXCELLENT DIRT MANAGEMENT  
It collects significantly less dirt from the snow than traditional klisters.



NO FLOATING KLISTER  
It is durable and stays better within the kick-zone than other klisters.



GREAT KICK OVER TIME: It provides a secure kick over longer time than traditional klisters, due to its special characteristics.



KX Klister Line


This is a complete klister line based upon formulas that has a logical build up going from hard to soft, from cold corn snow to extreme wet corn snow. The higher the number, the softer the wax.

The KX line is designed for top level competitions as well as recreational skiing.


- Better kick and glide!
- More fun - less mess.
- New packaging.
- Smaller opening on tubes for better control when applying.
- Includes scraper.

APPLICATION OF KLISTER

Sand the kick zone with #100/120 grit paper.



1 | Apply the base klister very thin, just covering the sandpapered area.



2 | Select and apply the klister of the day. One layer normally is enough. The product is applied in a "fish-bone"-like pattern, or as a thin string on each side of the groove. Use your fingers, the T0087 scraper or the KP10 klister brush to even out the klister.



**KP10**  
KLISTER BRUSH, 2 PACK  
Package includes two klister brushes for evening out klisters on the ski base. Gives the perfect end result. Red brush for KX65 and KX75 klisters, and black brush for Universal, and KX20 to KX45 klisters.



**KX20**  
55 g/1.9 oz. 10 pcs.  
BASE KLISTER. Green.

Base klister for cold and warm conditions. To be used as first layer for other klisters. Always to be applied thin with an iron or heat gun. High wear resistance and adhesion.



**KX30**  
55 g/1.9 oz. 10 pcs.  
BLUE KLISTER  
-4°C to -12°C (25°F to 10°F).

For frozen, icy tracks and cold conditions. Can be used as base klister on wet snow.



**KX35N**  
55 g/1.9 oz. 10 pcs.  
BLUE EXTRA KLISTER  
0°C to -8°C (32°F to 18°F).

Versatile klister, more tolerant to colder and fine grained snow than the earlier version (KX35). Hard and durable. As a top layer klister it performs best on fine grained snow from around the freezing point and colder. Also great as a middle layer klister on top of KX20 or KB20, covered with kickwax, or as a top layer universal klister.



**KX45N**  
55 g/1.9 oz. 10 pcs.  
VIOLET SPECIAL KLISTER  
+1°C to -4°C. (34°F to 25°F).

Particularly suitable for coarse-grained snow when the air temperature goes from minus to plus. Also used as a middle layer on top of KX20 or KB20, before wet-snow klister is applied as a top layer.



**KX40S**  
55 g/1.9 oz. 10 pcs.  
VIOLET SILVER KLISTER.  
+2°C to -4°C (36°F to 25°F).

Developed for transformed and fine grained snow. Very good when warmer than 0°C and relatively fine grained snow. The klister that goes the farthest into dry snow without icing!



**KX65**  
55 g/1.9 oz. 10 pcs.  
RED KLISTER  
+1°C to +5°C (34°F to 41°F).

For wet and moist coarse corn snow.



**KX75**  
55 g/1.9 oz. 10 pcs.  
RED EXTRA WET KLISTER  
+2°C to +15°C (36°F to 59°F).

Wet snow klister. Used when the snow has a high water content such as slush, and the air temperature is well above freezing. Late spring klister.



**KX55**  
55g/11.9 oz.  
VIOLET EXTRA KLISTER  
-4c - +4

A racing klister covering a wide range of snow conditions. Compared to the popular K22 universal klister, our KX55 are working in colder temperatures and more fine-grained snow.





KB Base Binder

Unlocking the secrets of base binder

It’s not just about ensuring your kick wax stays put during icy challenges or long distance races; it’s about optimizing every kick you make. For the ideal waxing experience with your kick skis, always begin with a base binder. Dive deeper into our VG-VP concept to explore more of our binders.

Base binders are designed to hold the hard kick wax on the base when the snow is coarse and abrasive.



**KB20C** 70 ml /2.4 US fl. oz. 10 pcs.  
**KB20-150C** 150 ml/5 US fl. oz. 10 pcs.

GREEN BASE KLISTER SPRAY  
Makes other klisters last longer! First klister layer to be applied. To be used with regular klister on top, or aerosol Quick Klister. For Racing, Sport and Recreation. Used in World Cup.

KX Klister Line



**K65C** 150 ml/5 US fl. oz. 10 pcs.


UNIVERSAL QUICK KLISTER  
-5°C to +10°C (23°F to 50°F).  
Quick and easy application. Ideal for applying when you need more wax on the trail.



**K70C** 150 ml/5 US fl. oz. 10 pcs.

RED QUICK KLISTER  
0°C to +15°C (32°F to 59°F).  
For very wet granular snow.  
Easy to apply as K65C.

Upside down spray applicator for controlled spray-on application. The Base klister is applied by holding the bottle upside down and move it slowly along the ski on both sides of the groove. Distance between the base and nozzle should be 4-5 cm.




Tip: Klister Application

For optimal klister application, work indoors and ideally at room temperature. This ensures the klister remains pliable and easy to handle.

Tools like a waxing table, waxing profile, waxing iron, heat gun, and the T60 Wax Machine streamline the process and enhance the result. Read more about the wax machine further down in the workbook.

Begin with applying a base klister – KB20C serves as an outstanding binder. You can directly spray it onto the ski.



**K22** 55 g/1.9 oz. 10 pcs.

VM UNIVERSAL KLISTER  
+10°C to -3°C (50°F to 27°F).  
For coarse, granular snow changing from wet to crust. A very popular and “flexible” klister. Used in racing as well as recreational skiing.

**K21S** 55 g/1.9 oz. 10 pcs.

SILVER UNIVERSAL KLISTER  
+3°C to -5°C (38°F to 23°F).  
A very flexible klister with silver, working on both sides of freezing when conditions are changing between coarse and transformed moist to wet fine grained snow.

Kits



T440F-US HOT WAX KIT

Swix Hot Wax Kit is filled with all necessary equipment you need to start hot waxing your skis.

Hot waxing is the next level of taking care of your skis and snowboard and improving the performance for even more fun, whether you do cross-country skiing, alpine skiing or snowboard. The kit contains T77 Waxing iron Economy, PS6 Blue (60g), PS8 Red (60g), T824 D Plexi Scraper, T162B Bronze brush, T87 All purpose scraper and T151 Fiberlene paper. All products are perfectly fitted into a 100% recycled plastic case.



**P0019** 10 pcs.  
GUNDE PACK  
Content: V40, V45, V55, T10 in zip lock bag.



**P0035** 1 pcs.  
CROSS COUNTRY WAX KIT  
All you need to make classic skiing easy.  
Complete wax kit for the recreational classic skier.

Content: V40, V50, V60, K22, F4-60, T11, I61C, T151, T86.



**P0027** 10 pcs.  
WAXPACK  
Content: V40, V55, K22, T10 in zip lock bag.



**P0034** 1 pcs.  
WAXPACK  
Content: V40, V60, K22, T10, T151, I61C, T87 2 pcs. In fanny pack.



Removers & Cleaners



**I74N**  
CITRUS SOLVENT BASE  
CLEANER, liquid.  
  
500 ml/16.9 US fl. oz.10 pcs.



**I61C**  
BASE CLEANER,  
  
70 ml/2,5 US fl. oz. 10 pcs.  
aerosol.



**I64N**  
BASE CLEANER, liquid.  
  
500 ml/16.9 US fl. oz. 10 pcs.



**I67N**  
1000 ml/33.8 US fl. oz.  
10 pcs.  
  
BASE CLEANER, liquid.



**I91C.**  
BASE CLEANER SET,  
25 pcs containing  
I62C and T151  
Fiberlene.



**I25 HAND CLEANER**  
  
HAND CLEANER CREAM  
75 m 100% natural product.  
Very effective for removing  
klister and other dirt!  
Practical tube, 75 ml.



**I63C**  
150 ml/5 US fl. oz. 10 pcs.  
  
BASE CLEANER  
with Fibertex scrub  
applicator for efficient  
removal.



**I62C**  
150 ml/5 US fl. oz.10 pcs.  
BASE CLEANER,  
aerosol.



**T0150**  
FIBERLENE CLEANING TOWEL  
Large roll  
40 m/130 feet.



**T0150B**  
FIBERLENE CLEANING TOWEL  
X-large roll.  
200 m/650 feet. 1 pcs.



**T0151**  
FIBERLENE CLEANING AND  
IRONING TOWEL  
20 m/65 feet. 15 pcs.



NEW

**T0156P-24**  
Racing Polishing cloth 20m Roll

- Sought after in the market.
- Better absorption properties than fiberlene.
- Several competitors offer something similar.
- Made of viscose fibers, using dissolving pulp derived from wood

- Available in Non-ozone depleting aerosols
- Lightly scented
- Dearomatized hydrocarbons
- Available in many sizes to fit your budget
- Available in bulk
- Available in Citrus based formula
- Increased product shelf life



**I84-70N**  
70 ml/2,4 US fl. oz. 18 pcs.

CLEANER FOR GLIDE WAX  
/ CONDITIONER FOR RACING SKIS  
Liquid. Pump spray (no propellant liquid).



NEW

**I94-250**  
PRO CLEANER 250ml, 1 pcs.

The new Pro Cleaner is designed to effectively remove fluoros, dirt, wax, and silicones from the ski while adding a thin and strong protective wax layer on the ski base. The Norwegian Ski Association's wax team recommended using Pro Cleaner to remove fluoros from the ski base. The image may differ from the actual bottle.



**I84-150N**  
150 ml/5 US fl. oz. 10 pcs.

CLEANER FOR GLIDE WAX /  
CONDITIONER FOR RACING SKIS,  
liquid. Pump spray (no propellant liquid).




**I84N**  
GLIDE WAX CLEANER /  
CONDITIONER FOR RACING SKIS  
500 ml liquid, 1 pcs.



Cleaning Fluoros:


Cleaning your ski base




1: Brush lightly with the Steel Brush (T0179).




2: Moisten a piece of Fiberlene (T0150) and apply to the glide zone of the base.




3: Rub forward and backward a few times with a Steel Brush (T191B).



4: Wipe off as much as possible with Fiberlene (T0150).



Let the ski dry for 5-10 minutes.



5: Brush firmly with the Steel Brush (T0179 or T0162). The ski is now ready for application of new glide wax.

\*Image for illustration purposes only by alexandercho on Freepik



Surface tools

CORKS



**T0012**  
SYNTHETIC RACING CORK  
with higher density. Min. 10.



**T0011**  
Synthetic Combi Cork with #120 grit sandpa-  
per attached with Velcro®. A combi cork with  
sandpaper to be used on the kick zone before  
applying kick wax; Will make the kick wax  
adhere better to the base. Min. 10.



**T0011SP**  
Replacement sandpaper #120 for T0011.  
3 pcs. Min. 10.

SANDING PAPER

There are many uses for sandpaper with skis  
and boards. For alpine, freeride, and boards  
the fine abrasive papers can be wrapped  
around a file and used to deburr and polish  
the edges. Sandpaper can be used to dull  
the edges at the tip and tail to reduce erratic  
handling of skis and boards. Sandpaper can  
also be used after polyethylene repairs to the  
base to blend the repair into the base and add  
some texture (structure). It is also possible the  
sand the entire base surface of skis and boards  
to remove scratches and old oxidized material.  
However, deburring, or removing polyethylene  
micro fibers, with Swix Fibertex is very import-  
ant following base sanding.

Swix has selected silicon carbide abrasives  
for its sandpaper. This very hard and sharp  
abrasive is best suited for working on bases  
and edges.



**T0020**  
GLIDE WAX CORK  
Natural cork. Min. 10.



**T0022**  
Snowboard polishing cork. Min. 10.



**KP10**  
KLISTER BRUSH, 2 PACK  
Package including two klister brushes for even  
out klister on the ski base. Gives the perfect end  
result.

Red brush for KX65 and KX75 klisters, and black  
brush for Universal, and KX20 to KX45 klisters.

SANDING PAPER FOR MAKING ZERO SKIS

To be used on normal skis to make your own  
mechanical grip when 0°C and falling moist  
snow. Size 45 mm x 66 mm.  
Fits corker T0011.



**T0306**  
3 pcs. #60 paper.  
Normally first paper on falling wet snow.



**T0308**  
3 pcs. #80 paper. Second paper.  
To be used after #60.



**T0021**  
Combi Felt and Cork.  
For application of liquids - spray liquid waxes onto  
the felt side of the cork & rub on to the ski base.



**T0023**  
Snowboard Combi Felt and cork.  
For application of liquids - spray liquid waxes onto  
the felt side of the cork & rub on to the ski base.



**T0330**  
5 pcs. #100. Ea.

**T0350**  
5 pcs. #180. Ea.



ACRYLIC PLEXI SCRAPERS



**T0823D**  
Plexi scraper, 3 mm. Min. 10.




**T0824D**  
Plexi scraper, 4 mm. Min. 10.



**T0825D**  
Plexi scraper, 5 mm. Min. 10.



**SB034D**  
Snowboard plexi scraper. Min. 10.



**T0408**  
Plexi Sharpener. 40 mm.



**T410**  
PLEXI WORLD CUP SHARPENER  
Two walls for stable position makes it easy to  
sharpen precise. With long 100 mm quality file.

- T412-110-24**  
World Cup Electric Scraper Sharpener 110V
- Stronger engine
  - Faster running knives
  - Smoother finish
  - Sharper plexi scraper for more efficient wax scraping

**T412-110**  
Electric Scraper Sharpener 110V

GROOVE & SIDE EDGE SCRAPERS



**T0087**  
Groove/All purpose scraper in  
polycarbon.  
Min. 10.



**T0088**  
Pencil groove scraper. Min. 10.

CORK & SCRAPERS FOR RECREATION



**T0035**  
Handy scraper. For hardwax and  
klister.  
Cross country. Min. 10.



**T0030**  
Universal scrap-  
er with bottle opener. Min. 10.



**T0086**  
Plastic scraper for removal of kick wax  
or wax on the sides. Min. 10.

METAL SCRAPERS



**T0080**  
Steel scraper for peeling or straightening bases. Min. 10.



How to:  
Scrape Alpine Skis




Brushes



**T0019S**  
STEEL BRUSH, 100 MM, 1 pcs.  
To refresh bases before waxing. Second brush on wax after horsehair T0016M. The steel brush is used as the first brush after hot waxing and scraping before the horsehair brush. And also for deep cleaning of the base after cleaning the glide zone. For really soft waxes, we recommend using a horsehair brush as the first brush before using the steel and then finishing with the horsehair or nylon brush. We recommend using a drill with a minimum rotation speed of 1800 rpm for best results. Move the brush in overlapping movements from the tip to the tail of the ski. Warning: We recommend lightly dulling a new roto steel brush with sandpaper #100 before using it for the first time. The steel brush should always be used in the same rotating direction.



**T0016M**  
HORSEHAIR BRUSH, 100 MM, 1 pcs.  
The horsehair brush is mainly used as the second brush after steel when brushing out the wax after hot waxing. We recommend using a drill with a minimum rotation speed of 1800 rpm for best results. Move the brush in overlapping movements from the tip to the tail of the ski.



**T0017W**  
BLUE NYLON BRUSH, 100 MM, 1 pcs.  
The nylon brush is a universal brush for the final polishing of the base after applying liquids, hot waxes, or using roto fleece. We recommend using a drill with a minimum rotation speed of 1800 rpm for best results. Move the brush in overlapping movements from the tip to the ski's tail.



**T0018F-2**  
HARD ROTO FLEECE, 100 MM, 1 pcs.  
For top coats. The roto Fleece is an excellent brush for improving the performance and durability of liquid glide waxes. Always do the final polishing with a nylon brush after using the roto fleece. We recommend using a drill with a minimum rotation speed of 1800 rpm for best results. Move the brush in overlapping movements from the tip to the ski's tail. Warning: Don't put too much force against the base when roto fleecing since this will create a lot of heat and possibly damage the base.



**T18W-140**  
ROTO BRUSH MERINO WOOL, 140MM, 1 pcs.



**T18W**  
WORLD CUP ROTO BRUSH MERINO WOOL, 100MM.  
The World Cup version of roto wool. Longer hair and more fluffy. The first choice for for applying TS Turbo.

RACING TIPS


- It is recommended to use separate brushes for paraffin waxes and for powder waxes.
- Always use safety glasses & a mask when Roto brushing.
- Don't press down too hard. Let the brush do the work.
- Brush from tip to tail, with the brush rotation throwing the wax particles towards the tail.
- REPLACE BRUSHES THAT HAVE BEEN USED WITH FLUORO WAXES IN YEARS PAST. Replacing old brushes used with fluoro waxes will help prevent testing positive for fluoro use if racing.



**T0019S-XC**  
STEEL BRUSH, 70MM, 1 pcs.



**T0016M-XC**  
HORSEHAIR BRUSH, 70MM, 1 pcs.



**T0017W-XC**  
BLUE NYLON BRUSH, 70MM, 1 pcs.



**T0018F-XC**  
HARD ROTO FLEECE, 70MM, 1 pcs.



**T18W-100**  
ROTO BRUSH MERINO WOOL, 100MM, 1 pcs.  
A new and revolutionary way of applying waxes without the need of a waxing iron. The method is tailor-made for harder waxes, such as the Marathons, or TS Turbo, and is applied onto the skis in a few simple steps: Start by applying the glider to the roto wool by pressing the wax block against half the width of the roto wool while running the drill at a low speed. Use the waxed side of the roto wool on the ski with medium pressure and medium drill speed. Start with the back of the ski, and continue with the front. Finish off by polishing the whole ski with the clean side of the roto wool. Use very light pressure and maximum drill speed.

ROTO COVER WITH SUCTION

- A totally redesigned cover with air suction functionality.
- Creates a strong vacuum around the brush, and removes close to 100 % of all particles that occurs during roto brushing.
- The air suction functionality is a great add-on to take care of the working environment in the waxing cabin. Highly recommend able for professional waxers.



<b>T15-100</b>	100 mm	1 pcs.
<b>T15-140</b>	140 mm	1 pcs.

ROTO COVER W/SUCTION  
Ergonomic roto handles with driveshaft and protective cover, that fits SWIX' 100mm and 140 mm roto brushes.



**T0014HPS-3**  
Handle, cover, shaft.  
100 mm, 1 pcs.



**T0014HN-3** 1 pcs.  
ROTOHANDLE  
Handle for Roto brushes without drive shaft. Features two inner ball bearings for optimum stability. Fits all Swix hexagonal drive shafts.



**T0014SS**  
Hexagonal drive shaft, 100 mm, 1 pcs.



**T0015HPS-3**  
Handle with driveshaft 140 mm and protection cover. For 140 mm brushes double Roto brushes 70 mm + 70 mm, 1 pcs.



**T0012PS-3** 100 mm 1 pcs.  
Cover for rotobrush, 100mm  
Protective cover for Roto brushes, 100 mm.



**T0014SM**  
Hexagonal drive shaft, 140mm, 1 pcs.



Scan to watch the roto suction in action



**T15-LN** 100 mm, 1 pcs.  
Racing Twist Lock for Roto Cover. L-bend twist-lock adapter for connecting SWIX roto covers to Swix Snap-Lock and our suction system.



**T0050** 100 mm, 1 pcs.  
GRIP COVER  
A highly practical cover to protect the skin section while hot waxing in the glide section. Also ideal when traditional kick wax or klister has been applied, and it is needed to re-wax the glide section. Very easy to attach to the ski with 4 tightening clamps. Length can be adjusted from 45-68 cm.



**T0014SL**  
Hexagonal drive shaft, 210 mm, 1 pcs.



There is a wide selection of Swix brushes, offered at different price levels, for all types/levels of skiing and snowboarding. Our Race Service team recommends having at least three brushes, a stiff metal bristle brush (first brush after scraping), a medium bronze brush (second brush) & a fine nylon polishing brush (final brush). It is helpful to think of brushing ski bases like wood working. In wood working you typically start with course sandpaper and work your way to a finer grit. The same applies to ski brushing, start with firm bristle brushes and work your way to finer bristle brushes. I

Swix brushes are designed for brushing wax out of the structures (base patterns) in ski bases and snowboards after you have used the plexi scraper: Should be used in one direction, from tip to tail.

- After scraping the wax with a plexi scraper use a steel brush (T0179) or a bronze brush (T0162). Steel is more efficient and longer lasting than bronze. The “after scraping brush” is the most important brush!
- For finish use a fine nylon brush (T0160).

- **REPLACE BRUSHES THAT HAVE PREVIOUSLY BEEN USED WITH FLUORO WAXES.**

**AFTER SCRAPING**

**T0191B**  
RECTANGULAR FINE STEEL BRUSH, 1 pcs.  
Ø 0.06 mm. Ultra fine bristles. Goes deep into the base structure. Cleans and refreshes the base. Often used as second brush on wax. 4 to 5 strokes.

**T0179B**  
RECTANGULAR STEEL BRUSH, 1 pcs.  
Ø 0.18 mm. Used as first brush on wax after scraping. 5-6 strokes. High quality steel brushes that has had an excellent reception in racing.

**T01790**  
OVAL STEEL BRUSH, 1 pcs.

**T0158D**  
RECTANGULAR COARSE BRONZE BRUSH

**T01580**  
OVAL COARSE BRONZE BRUSH. Ø 0.18 MM, 1 pcs.  
For alpine skis and snowboard. Use as a first brush on wax after scraping. For removing wax in the structure. 10 brush strokes recommended.

**T0162D**  
RECTANGULAR MEDIUM BRONZE BRUSH, 1 pcs.  
Ø 0.15 mm. First brushes used after scraping. 10 strokes.

**T01620**  
OVAL MEDIUM BRONZE BRUSH, 1 pcs.

**T01600**  
OVAL FINE BLUE NYLON BRUSH, 1 pcs.

**T0160D**  
RECTANGULAR FINE BLUE NYLON BRUSH, 1 pcs.  
Ø 0.12 mm. Polish brushes for all waxes. 5 to 10 strokes.

**T0190B**  
RECTANGULAR FINE RED NYLON BRUSH, 1 pcs.  
Ø 0,12mm. Special developed for polish liquid waxes. Fine bristles that goes deep in the structure and make a smooth and glossy surface. Can be used as a final step polishing for all types of wax.

**T01900**  
OVAL FINE RED NYLON BRUSH, 1 pcs.

**SWIX BRUSH CHART - ALPINE AND CROSS COUNTRY**

WORLD CUP



T0179B



T0191B



T0160B

RACING



T0162B



T0157B



T0160B



T0196B



T0190B

RECREATION



T0159B



T0161B



T0166B



T0191B



T0179B




T0158D



T0162B



T0160D




T0190B



T01790



T01580



T01620



T01600



T01900



**T0157D**  
RECTANGULAR HORSEHAIR, 1 pcs.  
Ø ca. 0.15 mm. Second brush or all round brush on top coat. 5 to 10 strokes.



**T01570**  
OVAL HORSEHAIR BRUSH, 1 pcs.



**T0164D**  
RECTANGULAR WILD BOAR, 1 pcs.



**T01640**  
OVAL WILD BOAR BRUSH, 1 pcs.



**T0161D**  
Nylon, all round brush, 1 pcs.



**T01610**  
Nylon, all round brush, 1 pcs.



**T0194D**  
RECTANGULAR BLACK NYLON



**T01840**  
OVAL BLACK NYLON BRUSH

**THERMOMETER / HYGROMETER**



**T0095**  
Snow thermometer with protective case. Ea.

**POLYSTICKS**



**T1716**      Ø 6 mm  
Polystick, black. One package: 4 pcs.

**T1716B**      Ø 6 mm  
Polystick, black, bulk. One package: 10 pcs.

**T1706**      Ø 6 mm  
Polystick, transparent. One package: 4 pcs.

**T1706B**      Ø 6 mm  
Polystick, transparent. One package: 10 pcs.

**BASE (ECONOMY) BRUSHES**



**T0196B**  
COMBI BRUSH / CORK AND NYLON, 1 pcs.  
For application of rub-on waxes. This brush has natural cork on one side and short, fine nylon bristles on the other



**T0166B**  
F4 COMBI BRUSH, 1 pcs.  
This is the ideal brush when applying any F4 product. White felt for spreading the F4 product evenly on the base and for polishing. The nylon for brushing and removing excess wax from the structure. This process can increase the durability of any F4 product.



**T0159B**  
Combi. Bronze and Nylon, 1 pcs. All round brush.

**SWIX FIBERTEX**



**T0266**  
3 Pads. 110 x 150 mm    10 pcs.  
Fibertex Fine. White. To remove polyethylene hairs after stone grinding



**T0266N**  
3 Pads. 110 x 150 mm    10 pcs.  
Fibertex Coarse. Violet. For Scratched and damaged bases. Finish with T0264N and T0266

**HOW TO BRUSH SKIS:**

Brushing Alpine Skis & Snowboards



Brushing Nordic Skis





Cross Country Structure Tools



**T0401U**  
SWIX SUPER RILLER LINEAR (BASE)  
The first commercial rilling tool on the market and still popular. When warmer than 0°C, the 2 mm structure steel is used. Gives a major improvement. Blisterpacked. Ea.

**T0401-1U**  
1 mm insert structure steel (standard), 1 pcs.


**T0401-2U**  
2 mm insert structure steel, 1 pcs.



**T0424**  
STRUCTURE ROLLER TOOL, 1 pcs.  
An ergonomic, high quality structure tool for cross-country skis. Easy to change between different rollers. All rollers have ballbearings for easy rolling. Delivered with 1mm linnear structure roll. An arrow show the correct direction of movement. Structure imprint will disappear after rewaxing with iron. For all levels. Structure rollers from T0410 fit to this handle and can be used if you want more options.



**T0424S**  
Structure kit with three rollers, 1 pcs.  
T0424050V, 0,5mm for very cold snow.  
T0424100G, 1,0mm linear for cold snow.  
T0424200G, 2,0mm linear for wet snow.



**T0424050V**  
0,5mm broken structure roller, 1 pcs.



**T0424100G**  
1,0mm linear structure roller, 1 pcs.



**T0424200G**  
2.0mm linear structure roller

Snow condition	CLASSSIC			SKATING	
	Linear	Linear broken V	Screw	Linear	Linear broken V
0°C to -18°C (32°F to 0°F)  New snow Fine grained Glazed tracks	T0401-2U	T0410-030V	T0410-050SR+	T0401-2U	T0424050V
	T0424100G		T0410-050SL	T0424100G	T0410-030V
	T0410-050G			T0410-050G	
	T0410-075G			T0410-075G	
0°C to -10°C (32°F to 14°F)  Coarse, old snow Artificial snow	T0401-1U	T0424050V	T0410-100SL+	T0401-1U	T0424050V
	T0401-2U	T0410-050V	T0410-150SL	T0424100G	T0410-030V
	T0424100G		T0410-100SR+	T0410-075G	T0410-050V
	T0410-075G		T0410-150SR	T0410-100G	
	T0410-100G				
+1°C to +15°C (34°F to 59°F)  Wet coarse snow	T0401-1U	T0410-100V	T0410-100SL+	T0401-1U	T0410-100V
	T0401-2U		T0410-150SL	T0401-2U	
	T0424100G		T0410-100SR+	T0424100G	
	T0424200G		T0410-150SR	T0424200G	
	T0410-075G		T0410-150SR+	T0410-075G	
	T0410-100G		T0410-150SL	T0410-100G	
T0410-200G		T0410-200G			

Structure Tools

WORLD CUP



T0410

WC ADJUSTABLE STRUCTURE TOOL, 1 pcs.

Consistent pressure when structuring a ski base is very important and the new Swix structure tool allows you to set the pressure that is maintained throughout the process. The set comes with 4 different rollers. 1.0mm G, 1,0mm SR, 1,5mm SR and 0,5mm broken V structure roller. The Swix Structure tool will give you consistent structure and will improve the glide on both skating and classic skis. In cold new snow, we recommend you set the tool on lighter pressure and in warm-er conditions and transformed snow, we recommend greater pressure. You can easely adjust the preasure by moving the handle on the side up and down. **Made in Norway.**

Included structure rollers are:  
T0410-050V. 0.5mm broken V structure  
T0410-100G. 1.0mm linear structure  
T0410-100SR. 1.0mm thread right  
T0410-150SR. 1.5mm thread right



T0410-030V



T0410-050V



T0410-100V



T0410-050G



T0410-075G



T0410-100G



T0410-200G



T0410-050SR



T0410-100SR



T0410-150SR



T0410-050SL



T0410-100SL



T0410-150SL

Additional rollers: , (1 pcs.)

T0410-030V. 0,3mm V structure  
T0410-050V. 0.5mm V structure  
T0410-100V. 1.0mm V structure

T0410-050G. 0.5mm linear structure  
T0410-075G. 0.75mm linear structure  
T0410-100G. 1.0mm linear structure  
T0410-200G. 2.0mm linear structure

T0410-050SR. 0,5mm thread right  
T0410-050SL. 0,5mm thread left

T0410-100SR. 1.0mm thread right  
T0410-100SL. 1.0mm thread left

T0410-150SR. 1.5mm thread right  
T0410-150SL. 1.5mm thread left



File Guides and Sidewall Cutters



**TA3007**  
SWIX PHANTOM EDGE FILE HOLDER  
Economy side edge sharpener with 80 mm file. Easy adjustment from 85 to 90 degrees. Ergonomic, longer holder for stability and good grip. Protects the hand. Takes files and stones up to 6 mm thickness. Easy tightening of files.




**TA3001N**  
POCKET EDGER  
Pocket size file holder with 40 mm file. Side-edge 87 and 88 degrees. Easy to work with. Blister packed.



**TA3008**  
SWIX PHANTOM R EDGE FILE HOLDER  
Economy edge sharpener with ball bearings and 80 mm file. Easy adjustment from 85 to 90 degrees. Ergonomic, longer holder for stability and good grip. Protects the hand. Takes files and stones up to 6 mm thickness. Easy tightening of files.



**TA3005SD**  
SPARE DIAMOND SQUARE.  
Spare part for TA3005N.



**TA3005SA**  
SPARE ABRASIVE SQUARE.  
Spare part for TA3005N.




**TA3010SD**  
SPARE DIAMOND 80mm.  
Spare part for TA3010N.




**TA3010N**  
COMPACT EDGER KIT  
Ergonomic file holder with 80 mm file, Diamond stone for polishing and abrasive stone for deburring the edge. Ski brake retainer included.



**TA3005N**  
POCKET EDGER KIT  
Pocket size file holder with 40 mm file, diamond stone for polishing and abrasive stone for deburring the edge. Ski brake retainer included.



**TA3010SA**  
SPARE ABRASIVE 80mm.  
Spare part for TA3010N.



**TA3010SF**  
SPARE FILE 80mm.  
Spare part for TA3007, TA3008, TA3009N, TA3010N.



**SIDE EDGE FILE GUIDE WC**

<b>TA685</b>	85°
<b>TA686</b>	86°
<b>TA687N</b>	87°
<b>TA688N</b>	88°



**WORLD CUP SIDE EDGE FILE GUIDE WITH STAINLESS STEEL PLATE**

<b>TA785</b>	85°
<b>TA786</b>	86°
<b>TA787</b>	87°
<b>TA788</b>	88°



**RACING SIDE EDGE FILE GUIDE IN HARD ALUMINUM**

<b>TA586</b>	86°
<b>TA587</b>	87°
<b>TA588</b>	88°
<b>TA589</b>	89°

WORLD CUP



**TA100R**  
Spare blade round for TA103, TA101N and TA104.



**TA022**  
File Clamp with spring. Ea.



**T0165N**  
Ski brake retainers. 10pcs

**TA101N**  
SWIX SIDEWALL CUTTER RACING  
Sidewall cutter that removes plastic from the sidewalls of skis and snowboards. Ergonomically designed.



**TA103**  
SWIX SIDEWALL CUTTER WITH ROLLERS  
Sidewall cutter that removes plastic from the sidewalls of skis and snowboards. Ergonomically designed.



**TA104**  
WORLD CUP SIDE WALL CUTTER  
Tool used by World Cup service men. For cutting side walls of skis and snowboards to expose more of the steel edge for easier filing. Ea.



**HOW TO:**  
Remove Sidewall Material

Stones

PRO RACING LINE  
Metal Support.



**TAA100N**  
X-Coarse 100 grit. Deburring and sharpening diamond stone. Works great for removing case hardening in the tip and tail from grinding stone entry and exit of the ski at the manufacturing facility, and from hitting rocks. 100 mm. Ea.



**TAA200N**  
Coarse 200 grit. Deburring and maintenance stone. One of two stones that can do it all in the diamond category. Works great for maintaining sharpness and smoothness. 100 mm. Ea.



**TAA400N**  
Medium 400 grit. 2nd in your must have diamonds to maintain a smooth and sharp edge. Starts to bring out that high polish shine. 100 mm. Ea.



**TAA600N**  
Fine 600 grit. First diamond stone when you have smooth, clean edge to start honing and polishing the set edge. Great grit for finishing tech skis. 100 mm. Ea.



**T0998**  
Ceramic stone fine. A must-have to use for final passes on side and base edge. Hones and polishes the edge to refine the exact edge geometry from previous tools. Ea.



**TAA1000N**  
X-Fine 1000 grit. Final diamond polish when looking for that mirror finish. Extremely exact edge accuracy. Used on alpine skis to achieve that super smooth finish. 100 mm. Ea.



**T0240**  
Dual sided stone, fine and coarse in the same tool. Best use for efficiency after a ski comes out of the stone grinding machine, and for removal of rock damages spots on the edge before filing. A back shop work horse, heavy durable and long lasting. Ea.

ECONOMY DIAMOND STONE LINE  
Plastic Support. New surface.



**TA200E**  
Red Economy Coarse, 100 mm.



**TA400E**  
Yellow Economy Medium, 100 mm.



**TA600E**  
White Economy Fine, 100 mm.



**TAA400SU**  
Universal Performance Diamond Stone. For polishing edges, removing case hardening and deburring tips and tails. 70 mm. Ea.



**T0992**  
Grey Gummy. Every person should own one of these. Great for removing rust and burrs. Also works well for feathering back (detuning) the tips and tails. Ea.



**T0994**  
A hard gummy for polishing and light to medium edge clean up. Can be used after filing to remove micro burrs. Ea.



**T0995**  
Extra hard gummy. Used after filing to remove micro burrs. Makes the steel edges more durable. Ea.



Files

RACING PRO FILES WORLD CUP - CHROMED

Swix Racing files are made by the finest file makers in the world. The non-tang file offers a truer and flatter file. This translates to precise edge geometry that is demanded from the World Cup level to the enthusiast level. Best chrome and non-chrome files on the market today.


TPI = Teeth per inch  
TPCm = Teeth per centimeter



**T0103X100B**  
Fine, 100mm, 17 Tpi, World Cup Racing Pro file. Steel. Extremely sharp fine high quality file for edge geometry set up. New generation of files that reduces the need for second use of files for finish. Last 10 times as long as regular files, Ea.



**T104X**  
6"/15 cm. 20 tpcm, fine cut. Chromed Finishing File, shorter in length, increased TPCm to smooth out all Striations left by 2nd cut file. Most durable, best cutting 6" file Swix offers. Ea.



**T106X**  
8"/20 cm. 16 tpcm, 2nd cut. Chromed all purpose file. Best all round shop/consumer file produced by Swix. Side beveling, base beveling set up before diamond work. Durable beyond all other files offered. A retail must for consumers. Ea.



**T107X**  
8"/20 cm. 13 tpcm. Chromed Bastard removal/setup file. Best file for setting side angle. Non-tang files offer a truer, flatter file for exact degree application. Best file for initial side bevel. Ea.



**T104RSC**  
4" (100 mm x 25 mm x 3.5 mm) 16 tpcm. Racing Pro file fine Cut 2. Light chrome. Ea.



**T106RSC**  
4" (100 mm x 25 mm x 3.5 mm) 14 tpcm. Racing Pro file Cut 1. Light chrome. Ea.



**T107RSC**  
4" (100 mm x 25 mm x 3.5 mm) 10 tpcm. Racing Pro file Bastard Cut 0. Light chrome. Ea.

EXTRA COARSE RACING FILES

Working files, these files are to be used by the hands of advanced to professional ski and snowboard tuners.



**T0108**  
12"/30 cm non chromed panzer file. All back shops need this. Super durable, can do it all. Top sheet clean up on rental skis to removing heaving burring. Ea.



**T108SB**  
4" (100 mm x 30 mm x 4.5 mm) non chromed panzer file. Great for use in side-edge beveling guides that have integrated clamp. Min. 12.



**T106N**  
8"/20 cm. 14 tpcm. Swix Viala file Medium 2nd cut. Traditional ski file. Excellent for doing it all. Side and base-edge beveling. 2nd option for price point retail file. One of the most popular files in the program. Much used in World Cup. Ea.



**T104**  
6"/15 cm. 14 tpcm. Swix Viala file, fine. Traditional chromed tang file for finish work and light touch up. Much used in World Cup. Ea.



**T0206XS**  
1.4" (40 mm x 22 mm x 3.3 mm). Replacement files for file holder TA3001. Fits also most other file holders for beginning tuners. Blister packed. Ea.



T0177B  
File Brush, Ea.



**WORLD CUP BASE EDGE FILE HOLDERS**  
Precise and light weight. Aluminum all the way. No plastic. No parts to be replaced. The most precise Base Edge File Holder on the market.

- TA05N 0.5°
- TA075N 0.75°
- TA10N 1°
- TA15N 1.5°
- TA20N 2°



**TA0520**  
BASE FILE GUIDE, 0.5° TO 2.0°  
Adjustable base edge file holder for racing from 0,5° to 2,0°. Easy to adjust the angle. For skiers and servicemen. Quality construction.

EVO Pro Edger



TA3012-110 110 Volt

**EVO PRO EDGE TUNER**  
Swix Evo Pro Edge tuner is a high precision electrical side edge tuner, developed to restore, maintain and to give the edge a World Cup finish. The EVO is very easy to operate, due to its ergonomically design, quick disc change and easy angle set-up. A key is also that the long lasting diamond disc is independent from the user pressure, as it is attached to a spring, making it impossible to mistakenly change the radius of the ski.  
The EVO is equipped with a high quality diamond disc, and by using a diamond material, the edge becomes harder and more durable. This ensures enhanced performance, especially on ice and artificially snow.  
The EVO comes with a FINE polishing disc included. As spare parts COARSE, MEDIUM, FINE and EXTRA FINE are available.



**TA3014**  
Box for EVO Pro Edger with pre-cut foam insert for great protection. Space for two extra EVO discs.



**TA3013XF**  
Spare disc EXTRA FINE for EVO Pro Edger. Super fine polisher and edge hardener, especially great for speed disciplines.



**TA3013F**  
Spare disc FINE for Evo Pro Edger. Super precise World Cup polishing and edge hardener.




**TA3013M**  
Spare disc MEDIUM for Evo Pro Edger. General maintenance, and is great when you need to fresh up the edge a bit more than just polishing.



**TA3013G**  
Spare disc COURSE for Evo Pro Edger. Angle set-up on new skis or when changing the angle. Also great for deburring when the edge is damaged.

**HOW TO:**  
Sharpen using the EVO Pro Edger





Waxing Irons



**T70110-2**  
**T70220-2**

The World Cup T70 Extreme waxing iron lives up to its name. Made for professional use at the highest level in the World Cup. 220 Volt, 1,000 Watt, digital display, and a new movement sensor. The new movement sensor will automatically drop the temperature to 120 degrees after 15 minutes of inactivity to increase the iron's lifespan. When you turn on the iron, the temperature goes up to the last set temperature. A 35 mm thick plate provides a stable temperature and optimal control when applying glide products. Temperature set-



**T71110A** 110 Volt  
**T71220A** 220 Volt

“T71” ALPINE WORLD CUP WAXING IRON  
For professional racing. 1000 Watt. 50% textured in front. “Floats” better when working with regular waxes on large bases. Angled in front and back. Rounded corners for smooth application. A 25 mm thick plate gives stable temperature and optimal control when applying wax. Temperature adjustment from 80°C to 180°C. Easy to set temperature with LED buttons.



**T77110** 110 Volt

WAXING IRON ECONOMY  
Great economy iron which is competitive with far more expensive models. Redesigned from scratch with an ergonomic body and a wide metal plate that suits both alpine, snowboard and nordic. Angled at one side to make it easier to keep a constant speed when melting the wax. The thick metal plate ensures a stable heating. Plate dimension 100x160 mm. Output: 1000W.



**HOW TO:**  
Wax application using an iron



**T72110** 110 Volt  
**T72220** 220 Volt

“T72” RACING DIGITAL IRON 550 Watt.  
A 12 mm plate gives optimal temperature stability. The iron is controlled by a micro processor and has digital temperature regulation. Temperature adjustment from 110°C to 170°C. Angle on heating plate facilitates optimal application. In front the plate is straight to control glide zone waxing



**T77110N0** 110 Volt

NORTH WAXING IRON ECONOMY  
Great economy iron, redesigned from scratch with an ergonomic body and a wide metal plate. Designed to suit alpine, snowboard and nordic, with a freeride look. Angled at one side to make it easier to keep a constant speed when melting the wax. The thick metal plate ensures a stable heating. Plate dimension 100x160 mm. Output: 1000W.



**T73D110** 110 Volt  
**T73D220** 220 Volt

“73D” DIGITAL SPORT WAXING IRON  
1000W (220 V version), 850W (110 V version). A economy digital iron with an 18 mm thick plate for a great heat distribution, and with a digital micro-processor that ensures a very precise temperature control. The digital display is controlled by the adjustment wheel. Operating temperatures are 80°C to 170°C.



**R0384N**  
IRON COVER  
Protects iron when traveling. Keeps cord and iron together. Heat resistant bottom for quick stow away Fits all Swix Irons.

ting between 80°C and 200°C. A sensor located near the bottom guarantees correct temperature measurement. An angle of 7°on the iron ensures easier melting of the wax. A good view in front of and behind the plate makes it easy to work in both directions. A width of 70 mm provides better control when waxing cross-country skis. Ergonomic handle. It is supplied in a robust plastic case.

Wax Machine



Maintenance of Waxing Irons

It is important to take care of the waxing iron. Just a like a car or a bicycle, the iron needs to be maintained. This will secure better performance and longer life. If you do not follow these guidelines, the guarantee is no longer valid:

HOW TO:  
IRON CLEANING

- Do not leave the iron at high temperatures when not in use. Adjust down to 120°C or turn it off. Particularly important after waxing at high temperatures.
- Always clean the iron with fiberlene paper after use. If not, small wax particles will remain on the iron giving out fumes. Over time the wax particles will fasten to the iron and make it black.
- If the iron becomes black, polish the plate with orange fibertex.
- Try to avoid getting wax between the metal plate and the plastic top.
- When the iron is not in use keep it in upwards position: The upward position is important as it reduces the heating of the inside electronics.
- Place the iron where it is safe for not falling to the ground; The new iron holder for T70-H2 is recommended.
- If you have scratches in the base plate, use a fine sanding paper like grit 500.
- Be careful with use of solvents as this can have impact on the inside components.
- Hold the iron in the handle, never lift it by the cord.
- Avoid unnecessary bending of the cable, as it over time can lead to breakage of the cable.

HOW TO:  
Glide wax application



HOW TO:  
Klister application



Recommended temperature* on wax machine	
TEMPERATURE	KLISTER
110	KX20
100	KX30
90	KN33 KX35N KX40S KX45N
80	K21S KN44 KX55
70	K22
60	KX65 KX75

\* Recommended temperatures are for indoor use. If used outside or if you want a thicker or thinner layer, adjust the temperature approx +/- 10 degrees.





**T60-110-24** 110 Volt NEW

WORLD CUP SWIX WAXING MACHINE  
The latest version boasts enhanced functionality and flexibility, featuring an **easily accessible on/off switch**, **adjustable legs**, and an **expanded temperature range**. These additions will boost the quality of outcomes and expand the range of possibilities. Easily let you apply the wax onto cross-country and alpine skis. Works perfectly for both glide-wax and Klister. The wax tray is exchangeable and comes with a lid, which allows for dedicated trays for specific waxes, and therefore no need for cleaning in between use. Extra trays are sold separately. Temperature range from 50 to 170 degrees Celsius.

**T60-110** 110 Volt

WAXING MACHINE  
Very efficient digital wax roller, which easily let you apply wax onto both cross country and alpine skis. The wax tray is exchangeable and comes with a lid, which allows for dedicated trays for specific waxes, and therefore no need for cleaning in between use. Extra trays are sold separately



**HS06-1050**  
**PS06-1050**  
Blocks for wax machine. Temperature range from -6°C to -12°C (21°F to 10°F). 1100 g/2.42 lbs. (30 x 37 g).



**T60-LID**  
Racing T60 Tray Spare Lid  
Spare lid for T60-TRAY.  
**NB: ONLY THE LID.**



**T60-TRAY**  
WAX TRAY FOR T60 WAX MACHINE  
Spare tray with rollers and lid included.



# Waxing cabin setup

## Confession time

We might be a tad geeky about this, but there's a special kind of joy in stepping into a neat, clean, and well-organized waxing cabin, that's stocked with everything you need. We know many share this sentiment. However, not everyone has the luxury of having such a dedicated space. Introducing our clever solutions: a wall-mounted foldable waxing table and shelves to keep everything in place!

Welcome, step into the world of smarter solutions.



T0077-FR  
Ski Storage  
Rack

T793-2  
Alu Waxing  
Profile XC

T0077S-24  
Racing Wax  
Shelf

T0076W-24  
Wall mounted  
waxing table

T07655-24  
Racing XC  
Floor Rack

Say yes  
to the perfect  
waxing cabin



Waxing Tables



**T0076-3**  
RACING WAXING TABLE  
A solid waxing table with improved stability. Upgraded version of one of our most sold waxing table. Highly improved stability by adding two more support bars. All adjustable feet with rubber feet for anti-slip. Solid table top made of pressed wood.


Tabletop: 120 cm x 45 cm. Fits two sets of T0766 Profiles.  
Net. weight: 13.3 kg/29.7 lbs.



**T00754**  
ECONOMY WAXING TABLE  
One leg height adjustment. Great for snowboards. Height: 83 cm. Tabletop: 96 cm x 45 cm. Fits two sets of T0766 Profiles. Net. weight: 11.5 kg/25.3 lbs.

**T0077-FR**  
SKI STORAGE RACK  
The ski storage rack can be mounted on any SWIX waxing table. Practical when there are many skis or boards to prepare. An enhanced version that also can be wall-mountable. When mounted on the wall, you can easily attach the Racing Wax Shelf to the screw clamps to create additional storage space for your wax.


**T0077-3**  
WORLD CUP WAXING TABLE. (LEFT)  
Solid and stable. Prolongment for long skis. For professional servicemen. New top plate in aluminum for weight reduction and easier carrying. More durable in all weather conditions.



**T0075W**  
WAXING TABLE CONSUMER  
Comes with four rubber feet for anti slip. Adjustable height: 87 cm, 85 cm or 75 cm. One leg adjustable. Table top 120 cm x 35 cm. Fits two sets T0766 Profiles. Net. weight: 11 kg/24 lbs.



**T0076BN**  
Bag for easier transport of T0076, T0076-2, T0076-3, T0077-3, & T0075W waxing tables.



**T0075-WH**  
Waste bag holder



**T70-H2**  
Practical Waxing Iron Holder for mounting on to waxing table or workbench. Reduces the risk of dropping a valuable iron on the floor.

Vises



**T0149-50**  
VISE 3-PARTS, 50MM JAWS  
Swix three piece vise with 50 mm wide jaws. Opens from 40 to 100 mm, for better grip and stability when working on carving skis and radial alpine skis. 60 and 90 degrees side edge working position. Ea.




**T0149-50UA**  
UNIVERSAL ADAPTER  
For World Cup Ski Vise T0149-50. Converts your alpine vise into a snowboard or cross country vise. Made of solid plastic and quality rubber.



**T0149-20**  
JAW ECONOMY VISE  
Three pcs. vise with jaw fixation. 20 mm wide jaws. Opens from 35 mm to 90 mm. 60 and 90 degrees side edge working position. Light weight and compact. Ea.



**T149-70**  
BACKCOUNTRY SKI VISE  
The Swix 3 piece Backcountry ski vise offers a easy “click” system to fix backcountry skis to the vise. Made of light and durable ballistic plastic. 60 and 90 degrees side edge working position.



**T149-75**  
BACKCOUNTRY SKI VISE, CENTER PIECE.  
The Center piece of the Swix 3 piece Backcountry vise is the most important product and can be combined with your existing end supports if you already have a Swix standard vise. Made of light and durable ballistic plastic.



**HOW TO:**  
Backcountry touring vise





**SB031**  
PRO SNOWBOARD VISE  
Adjustable width for better stability. Fixed when working on side edges. Keeps the board in horizontal position based upon friction.



**T0149-F4**  
F4 TUNING VISE  
F4, two-piece vise based on friction. For freeride and alpine skis. Option to work on side edges. Lightweight and compact, made of rock-solid ballistic plastic. Easy to bring while traveling.



**T0149-90N**  
POWER VISE  
For wide skis up to 155 mm. Supports in front and back with screw fixation. Perfect for jumping skis and free ride skis. Ea



## Cross Country Profiles

### WORLD CUP



**T0795**  
WORLD CUP PROFILE  
Lightweight aluminum. Front and back part are both adjustable. Can be used both ways without turning the profile. New movable fixing mechanism. Takes skis without bindings. Practical in small waxing rooms. Fits to T0079-1 legs or T0790-K clamps. Takes skis from 150 cm to 210 cm. Weight: 4.5 kg/10 lbs.

### RACING



**T0793-2**  
CROSS COUNTRY WAXING PROFILE  
Same profile in front and back. Lightweight aluminum. Front and back part are both adjustable. Fixation in binding. Takes skis from 140 cm to 210 cm. Fits to T0079-1 legs or T0790-K clamps. Weight: 3 kg/7 lbs

### RECREATION



**T0767-3**  
CROSS COUNTRY WAXING PROFILE  
Stable economy profile in aluminum and thermo plastic. Light and easy to adjust. Same profile in front and back for use both ways. Two parts that fit into each other. Each part is approx. 110 cm. Takes skis from 150 cm to 210 cm. Fits to T0079-1 legs or T0790-K clamps. Weight 1,8 kg/ 4 lb.



**T0766**  
THERMO PLASTIC PROFILE FOR CROSS COUNTRY SKIS  
Fits into waxing tables T0076, T0076-2, T00754, T0075W. Same profile both in the front and back. Includes holder for fixing the binding. Suitable for both classic and skating skis in lengths from 170-210 cm. Lightweight and very stable to work with. Weight: 1.4 kg/3.2 lbs.



**T00785N**  
CROSS COUNTRY PROFILE TRAVEL KIT  
Three-piece alu profile to put in wax box. Ideal for traveling and to provide secure waxing conditions.



Accessories for Profiles and Tables




**T007654N**  
Floor rack for cross country racing skis (44 mm).  
Takes 30 pairs.  
100 cm wide, 28 cm deep.  
Weight: 5 kg



**T0152**  
Waxing carpet in plastic, 1 x 3 m. Ea.



**T007655**  
Screw, 6 mm for T0076, T0075  
T00754 waxing tables.



**T07655-24**  
Racing XC Floor-Rack 14 pairs  
Tailored to hold 14 pairs Perfect for both competitive  
and recreational enthusiasts. Precision meets  
organization.

NEW



**T00775-24**  
Racing Wax Shelf for T77-FR  
Maintain a tidy waxing station with this handy shelf.  
It's tailored to fit the T77-FR Ski storage rack.

NEW



**T0079NU**  
Nut, 8 mm for adjusting profile on T0793-2,  
T0079-1. Ea.



**T0790T-75**  
Holder, 75 mm, for fixing binding in profile T793-2  
and T0766.



**T0769T**  
Holder for fixing binding in profile T0767-3.



**T0790-K**  
Clamps for fixing T0793-2, T0795 or  
T0767-3 profiles to table.



**T0793-2RK**  
Slider for fixing profile in T0793-2.  
Screw height 45 mm.

**T0793RK**  
Slider for fixing profile in T0795.  
Screw height 30 mm.



**T0079-1**  
Folding legs for cross country profiles T0793-2,  
T0795 and T0767-3. Now with two stabilizer  
arms and stronger legs.

SWIX Bulk Wax – Backshop Program

ALL CONDITION WORK SHOP WAXES



**HS06-1050**  
**PS06-1050**  
Blocks for wax machine.  
Temperature range from -6°C to  
-12°C (21°F to 10°F).  
1100 g/2.42 lbs. (30 x 37 g).



**F4-23-900**  
F4 Universal All Temperature Solid  
Wax. For skis and snowboards.  
All snow conditions.  
900 g/2 lbs (5 x 180 g).



**U900**  
Universal wax 900g. (5x180g)  
**U900C**  
Uni Wax 900g.Cold (5x180g)

Universal glide wax for prepping  
workshops. Quality wax that gives  
off minimal emissions and is there-  
fore great for the ski store environ-  
ment.snowboards.



**U5000**  
WORK SHOP WAX  
All conditions. Fast melting, uni wax.  
Pellets. Quality, fully refined clean  
wax. Good for the shop environment.  
5 kg /11 lbs.




**U5000C**  
WORK SHOP WAX  
Cold conditions. Fast melting, cold  
wax. Pellets. Quality, fully refined  
clean wax. Good for the shop  
environment.  
5 kg /11 lbs.



**T0150B**  
Fiberlene cleaning XL 200m  
Large roll of fiberelene paper used for cleaning  
and prepping skis



**U2250**  
Uni Wax 2250g Warm (9x250g)



**U2250C**  
Universal wax 2250g Cold (9x250g)



**I68N**  
Base Cleaner Liquid 2500ml  
Effective wax remover and cleaner.



**T0140N**  
WORK SHOP VISE  
Adapts to all types of skis and snowboards for side-edge or base-edge tuning,  
waxing, or adjusting bindings. Included:

- Central double vise with 90 mm jaws
- 2 adjustable supports with special rubber for better grip
- 4 additional grey jaws used for skis with plates
- 2 additional white jaws used for snowboard



Waxing and Personal Protection

BEST



T41-MASK

PRO MASK WITH FAN  
CE-Approved mask for professional skiwaxers that provides the best protection. Professional protection system that protects against vapor and dust related to ski waxing. The system comes ready to use with two combination filters for gas and particles. We recommend to replace filters minimum once before, and halfway through the skiing season. Occupational waxers should replace filters every month. The system includes a full face mask, hosing, and a belt with a battery driven ventilation unit.

ALL OF OUR MASK AND FILTERS ARE CE-APPROVED AND PROTECTS YOU AGAINST ALL GAS AND PARTICLES, RELATED TO SKIWAXING WITH SWIX PRODUCTS AFTER OUR RECCOMENDATIONS.

BETTER



T43-MASK

PROFESSIONAL MASK WITH REPLACEABLE FILTER.  
Professional mask that gives you the best protection against particle and vapour related to waxing skis. There are two filters included (gas and particle) that should be combined for the best protection. Filters should be replaced at least once a year. For frequent waxers we recommend an additional exchange during the skiing season. The package includes the mask, a storage box and two filters. Protection level: Gas: ABEK1. Particles: P3 R. Safety datasheet can be provided upon request.

ALL OF OUR MASK AND FILTERS ARE CE-APPROVED AND PROTECTS YOU AGAINST ALL GAS AND PARTICLES, RELATED TO SKIWAXING WITH SWIX PRODUCTS AFTER OUR RECCOMENDATIONS.

GOOD



T42-MASK

ECONOMY MASK WITH REPLACEABLE FILTER  
Economy mask that gives great protection against particles and vapor related to ski waxing. There are two filters included (gas and particles) that should be combined for the best protection. Filters should minimum be replaced once a year. For serious waxers we recommend an additional exchange during the skiing season. The package included the mask, a storage box and two filters. They have protection level: Gas: ABEK1. Particles: P3 R.

ALL OF OUR MASK AND FILTERS ARE CE-APPROVED AND PROTECTS YOU AGAINST ALL GAS AND PARTICLES, RELATED TO SKIWAXING WITH SWIX PRODUCTS AFTER OUR RECCOMENDATIONS.



**T41-FGP**  
WORLD CUP T41 SPARE FILTER GAS AND PARTICLE  
Filter pack for T41-MASK. The package contains two gas filters and two-particle filters for T41-MASK. We recommend changing the filter before a new season and once during skiing season. Professional waxers should change the filter once a month. Protection level of the filters, Gas: ABE1, Particle: P3 R.



**T42-2F**  
FILTERS FOR ECONOMY MASK T42- AND T43 -MASK  
The kit contains both gas and particle filters for T42- AND T43 -MASK, that should be combined for the best protection. Filters should minimum be replaced once a year. For serious waxers we recommend an additional exchange during the skiing season. Filters have protection level: Gas: ABEK1. Particles: P3 R.

ALL OF OUR MASK AND FILTERS ARE CE-APPROVED AND PROTECTS YOU AGAINST ALL GAS AND PARTICLES, RELATED TO SKIWAXING WITH SWIX PRODUCTS AFTER OUR RECCOMENDATIONS.

GENERAL GUIDE FOR CHANGING FILTERS

AMATEUR WAXERS	RECREATIONAL WAXERS	PROFESSIONAL WAXERS
• Can use the same filter all season. (wax skis occasionally)	• Should change the filter once per season. (wax skis regularly)	• Should change the filter every 14th day. (wax skis for others(teams or clubs)

Accessories



**R0386**  
Base protect tape. 50 mm wide. Adjusted.

**\*\*Be sure to replace any ski straps that would have been previously used on skis with fluoro waxes.**



**R0389**  
38 mm wide tape to hold skis together. Strong. 66 meters.



**R0391**  
Long ski strap for freeride, carving and jumping. Takes skis 135 mm wide. Strap width: 50 mm. Tab for easy opening. Min. 25.



**R0400**  
Simple and easy strap for XC. Takes skis 45 mm wide. No padding and no Velcro. Min. 50.



**R0393**      Surmount Ski Touring Strap 50 cm  
  
Super tough and flexible strap for all purposes. Perfect for securing your skis to your backpack as well as holding your skis together. It also works perfectly as a brake retainer while tuning the edges of your skis. The strap stays flexible even in cold temperatures. Great product to always bring in your backpack. Comes in packs of 20



**R0392**  
Ski straps for Carving skis. With base protector. Strap width: 50 mm. Takes skis 120 mm wide. Min. 25.



**R0402**  
Racing Pro ski straps for cross country skis. Takes skis that are 45 mm wide. Min. 12.



**R0385**  
R0385 Ski Wall Rack, 8 XC-Pairs



**R0395**  
Ski straps for Cross Country skis. With base protector. 35 mm height. Min. 25.



**R0397**  
Ski straps for both Alpine and Cross Country skis. Pair. 20 mm height. Min. 50.






North mountain wax and tools is a contemporary interpretation of our passion for wax and tool making. The perfect blend of tradition and modernity, North marks a return to the pure essence of what we love; crafting edges and bases for snow so nothing holds you back from the best on mountain experience possible.

Find your North




NO-6C NORTH FREERIDE WAX COLD, 60G  
NO-18C NORTH FREERIDE WAX COLD, 180G  
NO-900C NORTH FREERIDE WAX COLD, 900G

North Freeride Wax - Cold  
Temperature Range: -4F/21F  
BIODEGRADABLE CARDBOARD PACKAGE




NO-6U NORTH FREERIDE WAX U, 60G  
NO-18U NORTH FREERIDE WAX U, 180G  
NO-900U NORTH FREERIDE WAX U, 900G

North Freeride Wax - U  
Temperature Range: All Temperatures  
BIODEGRADABLE CARDBOARD PACKAGE



NO-6W NORTH FREERIDE WAX WARM, 60G  
NO-18W NORTH FREERIDE WAX WARM, 180G  
NO-900W NORTH FREERIDE WAX WARM, 900G

North Freeride Wax - Warm  
Temperature Range: 32F/50F  
BIODEGRADABLE CARDBOARD PACKAGE



100N-24-60 100% NATURAL WAX, 60G  
100N-24-180 100% NATURAL WAX, 180G

100% natural wax universal glide wax, complete with a biodegradable, cardboard package.



NO70C  
PUCK WAX  
UNIVERSAL PASTE 70ml  
Don't say it 3 x fast.  
Temperature Range:  
All Temperatures



NO100C  
E - Z FLOW WAX  
UNIVERSAL LIQUID 100ml  
Easiest wax to apply.  
Temperature Range:  
All Temperatures



NO150C  
MOUNTAIN FREEDOM WAX  
UNIVERSAL LIQUID 150ml  
The name says it all!  
Temperature Range:  
All Temperatures



NORTH  
FORGED BY *Swix*



TA3001NO-N  
NORTH POCKET EDGER  
ALL in ONE Tool  
Pocket size file holder with 40 mm file  
Side-Edge 87° – 88° degrees  
Easy to work with  
Min. 12 pcs. Blister packed



TA3003NO  
NORTH DIAMOND POCKET EDGER  
Pocket size diamond sharpener  
Side-Edge 87° – 88° degrees  
Giving you a razor sharp edge for hard packed conditions.



SB031NO  
T BAR FREERIDE SNOWBOARD/SKI VISE  
Light weight and compact. Works on all Freeride skis and Boards for both waxing and tuning!



T77110-NO-24  
WAXING IRON 110W  
The most important function of a waxing iron is temperature control! Variable temperature function for all wax types and an ergonomic shaped handle for easy movement along the base. Don't use Mom's iron on your valuable piece of equipment!

NEW




SB034NO  
PLEXI SCRAPER  
We call it our wax remover. This sharp Acrylic scraper removes excess wax from the base to provide optimum gliding. Works great as a windshield scraper on those frosty mornings!



T0022NO  
POLISHING CORK  
Our "Rub Out" cork provides the friction required to smooth out any liquids, paste and solids waxes. Essential tool!



T0166NO  
FELT/NYLON BRUSH  
The ideal brush when applying any North liquid or paste wax. Spread the wax evenly on the base using the felt pad then brush clean with the Nylon brush side. Using this brushes increases the durability of the wax.



T0159NO  
BRONZE/NYLON BRUSH  
This combi-brush is our best all-around brush. It will polish the liquid/pastewaxes and will also work on the harder melt on waxes. The has both bronze and nylon brittles for all waxes. An essential piece of equipment!

ski & snowboard tools



waxing & tuning kits



NOKT11  
THE PIT KIT  
NO70C - Puck Wax  
TA3001NO-N - Pocket Edge Sharpener  
T0022NO - Polishing Cork



NOKT21  
FACTORY TEAM WAX KIT  
NO150C - Mountain Freedom Wax  
TA3001NO-N - Pocket Edge Sharpener  
TA3005SA - Abrasive Square  
T0080 - Metal Scraper  
T0166NO - Felt/Nylon Brush  
x2 P-Tex Sticks  
T0992 - Gray Gummy Stone



NOKT3-2.0  
MASS TRANSIT KIT  
NO-18U - 180 gram Universal Wax  
TA3001NO-N - Pocket Edge Sharpener  
TA3005SA - Abrasive Square  
T0080 - Metal Scraper  
T0159NO - Bronze/Nylon Brush  
x2 P-Tex Sticks  
T0992 - Gray Gummy Stone  
T75110NO - Waxing Iron  
SB034NO - Plexi Scraper



NOKT41  
GRAND MARSHAL WAX & TUNE  
KIT  
NO-18U - 180 gram Universal Wax  
TA3001NO-N - Pocket Edge Sharpener  
TA3005SA - Abrasive Square  
TA3005SD - Diamond Square  
T0080 - Metal Scraper  
T0159NO - Bronze/Nylon Brush  
x2 P-Tex Sticks  
T0992 - Gray Gummy Stone  
T75110NO - Waxing Iron  
SB034NO - Plexi Scraper  
SB031NO - Ski/Snowboard Vise



NORDIC POLE MODEL  
COMPARISON GUIDE

	2022-2025 POLE MODELS		2021 POLE MODELS	
TRIAC	TRIAC 4.0	RCT41-00	TRIAC 4.0	RCT40-00
	TRIAC TRIANGALO	RCTT10-00	TRIAC 3.0	RCT30-00
	TRIAC GIRO	RCTC10-00	QUANTUM 1	RCQ10-00
QUANTUM	QUANTUM 1	RCQ11-00	QUANTUM 2	RCQ20-00
	QUANTUM 2	RCQ21-00	QUANTUM 3	RCQ30-00
DYNAMIC	DYNAMIC D1	RCD10-00	QUANTUM 4	RCQ40-00
	DYNAMIC D2	RCD20-00	QUANTUM 5	RCQ50-00
	DYNAMIC D3	RCD30-00	QUANTUM 6	RCQ60-00
FOCUS	FOCUS	RCF100-00	QUANTUM 7	RCQ70-00
INFINITY	INFINITY SONIC	IT111-00	ELITE SONIC	ET111-00
	INFINITY SONIC TOURING	IT111-01	ELITE SONIC TOURING	ET111-01
	INFINITY JUST CLICK	IT111-10	ELITE JUST CLICK	ET111-10
	INFINITY TOURING	IT111-21	ELITE TOURING	ET111-21
FOCUS	INFINITY BASIC	IT111-30	ELITE BASIC	ET111-30
	FOCUS NORDIC	STF102-00	NORDIC STANDARD	ST102-00
JUNIOR POLES	TRIAC JR TCS	JCT40-01	TRIAC 4.0 AERO JR TCS	JCT40-00
	TRIAC JR TBS	JCT41-01	TRIAC AERO JR TBS	JCT41-00
	QUANTUM JR	JCQ10-00	TRIAC JR COMPOSITE	JCT16-00
	DYNAMIC D1 JR	JLD10-00	QUANTUM 1 JR	JLQ10-00
	DYNAMIC D2 JR	JLD20-00	QUANTUM 5 JR	JLQ50-00
	FOCUS CROSS JR	JLF204-00	JUNIOR CROSS	JL204-00
	FOCUS SNOWPATH JUNIOR	JLF304-00	SNOWPATH BLUE	JL304-00
			SNOWPATH PURPLE	JL314-00



# Selecting Poles for Nordic Disciplines

Selecting a ski pole is a question of the amount and type of skiing activity involved. Important considerations are weight, stiffness, strength, pendulum, and comfort. Any decision will involve assessing shaft, strap, basket and handle. SWIX guarantees superior quality throughout the product range.



## Which shaft suits your needs the best?

Selecting an ideal shaft also depends on the amount and type of use. The most important shaft properties are stiffness, weight and strength. Weight has an affect on shaft balance – a lighter shaft ensures a better pendulum.

### Composite shafts

The lightest shafts are made of 100% carbon fiber. The disadvantage of shafts made of extremely light composite materials is that they are easily damaged by sharp-edged impact. For high-level competition racing, we recommend the new Swix Triac 4.0 Aero or the Swix Quantum 1, which are shafts built using a carbon fiber that ensures high stiffness properties (Ultra High Modulus Carbon Fiber). Weight, stiffness and balance are optimal. The aerodynamic properties of the Triac 4.0 Aero offers the absolute best pendulum properties.

The Quantum 2 shaft is little heavier than Swix Triac 4.0 Aero and Quantum 1, but is more resistant to impact. The new Quantum 3 still have excellent stiffness and pendulum properties in addition to high impact strength. The penalty is a slightly higher weight.

## Which basket suits your needs the best?

If you primarily ski on groomed trails, we recommend using poles with small, asymmetrical baskets. Small baskets are light and add a lighter feel and speed to the pendulum, while at the same time provide a solid platform on groomed snow. The disadvantage is that small baskets easily penetrate through loose snow.

If you ski in loose tracks and off-track now and then, we recommend large asymmetrical baskets that give good support to various surfaces. Large baskets weigh more and will reduce the speed of the pendulum. The recommended basket here is Tour Basket RDTR400N, which also works well on groomed trails.

If you need poles for skiing primarily on ungroomed trails, loose snow and varying snow conditions, we recommend large baskets. The leather basket provide the best support on varied snow conditions ranging from deep or grainy snow through to crusty snow conditions. Generally baskets of this type are not recommended for skiing on groomed trails, but the leather basket will work even in groomed trails.

### SWIX Triac® Basket System - TBS

TBS is a patented interchangeable basket system, allowing the user to change basket in just a few seconds. The non-glue system makes it very easy for the user to adapt to any snow conditions. Simply unscrew the nut, switch basket, and tighten again.

In addition to baskets for different hardness of snow, SWIX offers the Carbon roller dedicated for roller skiing. The TBS makes it a lot easier to change ferrule while roller skiing out on the tarmac.

By replacing some of the carbon fiber with fiberglass the impact strength increases dramatically, but unfortunately also the weight increases. Although Quantum 4, Quantum 5 and Quantum 6 are all strong and durable poles, the additional weight reduces the pendulum properties compared to Swix Triac 4.0 Aero, Swix Quantum 1, Swix Quantum 2 and Swix Quantum 3.

### Aluminum shafts

When the percentage of glass fiber in a composite shaft reaches the 60% level, then the weight is so high that aluminum becomes a better alternative. Aluminum is stiffer, lighter and more durable compared to composite poles with a high share of glass fiber. Although these shafts are much more reasonably priced, the added weight is a disadvantage in terms of pendulum properties.

## What types of handle and strap should I choose?

Handles are first and foremost a question of comfort. A soft handle feels better than a hard one-component plastic handle, while a handle with natural cork feels warmer than a handle made of plastic. SWIX offers two main groups of handles: PC handles featuring a variety of different materials, and touring handles that are simpler handles made of plastic.

The SWIX PC handles are available in three versions:

- Soft grip zone in rubber that is comfortable to grip and with high durability.
- Cork-filled thermoplastic grip zone offering good insulation qualities and high durability.
- Grip zone made of 100% natural cork – excellent insulation properties, perfect friction to your hand, lightweight, but less durable than the other two versions.

The SWIX Just Click system is based on the PC handle geometry and is available in the same three materials.

- Soft grip zone in rubber that is comfortable to grip and with high durability.
- Cork-filled thermoplastic grip zone offering good insulation qualities and high durability.
- Grip zone made of 100% natural cork – excellent insulation properties, perfect friction to your hand, lightweight, but less durable than the other two versions.

The tour handles available on inexpensive models are very practical, but are not as comfortable as the PC handles. The more technical straps such as Pro Fit, Comfort and BIA do not fit on these handles.



## Straps

World Cup level skiers have been using professional straps designed similar to gloves for several years now. Most skiers will benefit from using this type of strap. For Nordic skiing on groomed trails, we recommend the same straps that are used on the World Cup circuit.

### SWIX Triac Connection system - TCS

The SWIX Triac Connection System TCS was developed for the Triac 3.0 pole, but the system is now offered for a wider range of the collection. The concept is that you choose your preferred pole length and then select your preferred strap.

Strap options in the TCS system:

- Swix TCS Profit : Swix TCS Profit has a construction that offers a perfect fit while keeping excellent flexibility within each size. The section between the index finger and thumb is an integrated part of the strap body. This means less stitching, better fit and tighter connection between handle and hand. Soft buckle prevents any hard spots on the strap.
- SWIX Triac 3.0: No compromise strap
- SWIX Triac 3.0 X-fit: The Biathlon skier's preference
- SWIX Triac 3.0 flex: More space between thumb and index finger allows for more flexibility
- Swix TCS Profit 2: The Swix TCS Profit 2 offering a perfect fit though having excellent flexibility within each size. The section between the index finger and thumb is an integrated part of the strap body. This means less stitching, better fit and tighter connection between handle and hand. Soft buckle prevents any hard spots on the strap.

### SWIX X-Fit

This strap design has been developed in collaboration with the top World Cup Biathlon athletes, but has a much wider application area! The strap has a high performance function, but at the same time extremely easy to enter into and get out of! The strap is also perfect for beginners and helps to develop a good cross country skiing technique. SWIX X-fit is patented.

The less expensive models offer simpler straps such as a straight or shaped strap. Although these straps do not offer the same level of comfort and performance, they are fine for beginners and for shorter trips. If you ski often, however, we recommend that you invest in a higher quality strap.



What's My New Pole Size?

Previous Pole Size (pole models prior to 2022)	Your NEW Pole Size (2022 pole models w/ the <span>NEW LENGTH</span> label on the hangtag)
135cm	130cm
137.5	132.5
140	135
142.5	137.5
145	140
147.5	142.5
150	145
152.5	147.5
155	150
157.5	152.5
160	155
162.5	157.5
165	160
167.5	162.5
170	165
172.5	167.5
175	170
177.5	172.5
180	175




T.C.S



**SWIX TCS - Revolutionary power transmission between hand and shaft**

- 100 % direct response,
- No stretch + no movement = no energy loss
- Hand shaped strap for maximum power transmission. No hard spots
- Index finger control platform
- Easy strap replacements
- 100% natural cork in gripping area.
- 5 different strap options



**SWIX IPM - World leading shaft technology**

- The only Cross Country pole based on molding technology. Swix IPM.
- Aerospace grade materials and 100% traceability for quality insurance.
- HM/UHM Carbon fiber
- Superior stiffness.
- Low weight.
- High balance point for best possible pendulum.

T.B.S



**SWIX TBS - Basket system covering any snow conditions**

- Easy exchange of baskets - no glue required.
- 6 baskets options.
- Super lightweight basket with aluminum spike for soft conditions.

T.C.S

**RCT41-00 / TRIAC 4.0 AERO POLE**

Swix Triac 4.0 Aero is a high performance racing pole with unique technical properties.

The tube is molded with our IPM technology with a patented 4 corners cross section, providing optimum stiffness properties, less vibrations and reduced wind drag.

Stiffness has increased by more than 15% versus its predecessor Triac 3.0. Wind tunnel testing confirms up to 20% reduced drag coefficient in critical areas of the shaft compared to shafts with a cylindrical cross section.

The Swix Triac Aero is compatible with the Swix TBS and TCS systems allowing top performance in all conditions.

Stiffness: 21mm  
Strength: 70 kp  
Shaft weight: 56 gr/m  
Total weight 155 cm pole: 136 grams

**Lengths**  
130 cm - 175 cm. 2.5 cm interval.

**Recommended use**  
Groomed trails, competition racing, skating and classic skiing

T.B.S

**RCTC10-00 / TRIAC GIRO POLE**

A high performance racing pole with a traditional circular cross section.

State of the art circular cross sectional pole, comparable with any premium circular poles on the market.

Technical pole with focus on optimization of lightweight, stiffness and pendulum properties.

Ultra High Modulus Carbon composite material with 100% Ultra High Modulus Carbon fiber composition.

The Triac Giro pole is compatible the Swix TBS and TCS systems allowing top performance in all conditions.

The Triac Giro comes without straps so that the entire TCS strap program is available for maximum custom fitting


Stiffness: 22 mm  
Strength: >70 kp  
Shaft weight: 58 gr/m  
Total weight 155 cm pole: 139 grams

**Diameters & lengths**  
Handle 16 mm, basket.  
130 cm - 175 cm. 2.5 cm interval.

**Recommended use**  
Groomed trails, competition racing, skating and classic skiing.



Quantum



Why choose Quantum?

The Quantum series from SWIX consists of two high-end racing poles for the active and recreational ski racer. The poles offer low weight and high stiffness, only surpassed by the Triac poles.

We work with world leading material suppliers and have refined our processes to create no-compromise products.

Quality is assured through strict quality routines throughout the production, securing top notch products. Compatible with all Triac-system straps (TCS) and baskets (TBS) for exceptional customization.

See page 126 and 128 for more information about the TBS and TCS systems.



RCQ11-00 / QUANTUM Q1 POLE

The Quantum Q1 is a competition pole perfectly balanced with excellent stiffness, pendulum and weight properties.

Stiffness: 26 mm  
Strength: > 70 kp  
Shaft weight: 66 gr/m  
Total weight 155 cm pole: 155 grams

**Diameters & lengths**  
Handle 16 mm.  
130 cm - 175 cm. 2.5 cm interval

**Recommended use**  
Groomed trails, competition racing, skating and classic skiing.

High Modulus Carbon composite material.  
The pole is 100% compatible with all Triac components in the SWIX collection such as the TBS and TCS.

The Quantum Q1 comes without straps so that the entire TCS strap program is available for maximum custom fitting.



RCQ21-00 / QUANTUM Q2 POLE

The Quantum Q2 is a competition pole with excellent stiffness, pendulum and weight properties in addition to superior impact properties.

Stiffness: 30 mm  
Strength: > 70 kp  
Shaft weight: 70 gr/m  
Total weight 155 cm pole: 170 grams

**Diameters & lengths**  
Handle 16 mm.  
130 cm - 175 cm. 2.5 cm interval

**Recommended use**  
Groomed trails, competition racing, skating and classic skiing.

High Modulus Carbon composite material.

The pole is 100% compatible with all Triac components in the SWIX collection such as the TBS and TCS.

The Quantum Q2 comes without straps so that the entire TCS strap program is available for maximum custom fitting.

Dynamic



RCD10-00 / DYNAMIC D1 POLE

The Dynamic D1 is a carbon composite pole with high stiffness and durability which makes it an excellent choice for a wide variety of skiers from the avid tour skier to the Birkebeiner skier.

Stiffness: 32 mm  
Strength: > 75 kp  
Shaft weight: 79 gr/m  
Total weight 155 cm pole: 192 grams

**Diameters & lengths**  
Handle 16 mm.  
130 cm - 175 cm. 2.5 cm interval

**Recommended use**  
Groomed trails, Nordic competitions, skating and classic skiing.

The PCU handle with the new Profit 3D strap assures good power transmission and comfort.

The TBS system allows for easy and fast change of basket. The poles are delivered with the 97 large TBS baskets.



RCD20-00 / DYNAMIC D2 POLE

The Dynamic D2 pole is designed with focus on stiffness, impact strength and durability. This pole is an excellent choice for skiers that are looking for solid performance and that accept a little extra weight for an almost unbreakable pole.

Stiffness: 38 mm  
Strength: > 75 kp  
Shaft weight: 84 gr/m  
Total weight 155 cm pole: 199 grams

**Lengths**  
Handle 16 mm.  
130 cm - 175 cm. 5 cm interval.

**Recommended use**  
Groomed trails, skating and classic skiing.

The PCU handle with the Profit 3D strap assures good power transmission and comfort.

The TBS system allows for easy and fast change of basket. The poles are delivered with the 97 large TBS baskets.



RCD30-00 / DYNAMIC D3 POLE

RCD30-05 / DYNAMIC D3 POLE PINK

The Dynamic D3 pole is the core level composite pole with well proven components such as PCU handle, 97 baskets covering all trail conditions. The pole is first and foremost, a touring pole.

Stiffness: 48 mm  
Strength: Unbreakable  
Shaft weight: 99 gr/m  
Total weight 155 cm pole: 212 grams

**Lengths**  
Handle 16 mm, basket 10 mm.  
130 cm - 175 cm. 5 cm interval.

**Recommended use**  
Groomed trails, skating and classic skiing.

The PCU handle with the new Profit 3D strap assures good power transmission and comfort.



# Infinity



IT111-00 / INFINITY SONIC ALU POLE

The Infinity Sonic Alu pole is dedicated to skiers who want function combined with easy and intuitive usage. The Sonic strap system allows for easy adjustments for larger or smaller gloves depending on outside temperature.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
120 cm - 155 cm. 5 cm interval.

**Recommended use**  
Groomed trails.



IT111-01 / INFINITY SONIC TOURING ALU POLE

The Infinity Sonic Touring Alu pole is dedicated to skiers that want function combined with easy and intuitive usage. The Sonic strap system allows for easy adjustments for larger or smaller gloves depending on outside temperature. This pole has a larger basket ideal for loose conditions though the asymmetrical shape still works on groomed trails.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
120 cm - 155 cm. 5 cm interval.

**Recommended use**  
Loose conditions, off track and groomed trails.



IT111-10 / INFINITY JUST CLICK ALU POLE

The Infinity Just click Alu pole is equipped with quick and easy strap release handle system. The just click strap is a technical strap with the same features and benefits as the straps used in World Cup allowing easy connection and release from the handle.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
120 cm - 155 cm. 5 cm interval.

**Recommended use**  
Groomed trails.



IT111-21 / INFINITY TOURING ALU POLE

The Infinity Tradition Alu pole has a cork filled urethane handle with shaped loop strap and large basket, ideal for loose conditions though the asymmetrical shape and still works on groomed trails.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
120 cm - 155 cm. 5 cm interval.

**Recommended use**  
Loose conditions, off track and groomed trails.



IT111-30 / INFINITY BASIC ALU POLE

Conical aluminum pole with cork filled urethane handle, shaped loop strap and large 97 basket.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
120 cm - 155 cm. 5 cm interval.

**Recommended use**  
Groomed trails.

# Focus

The FOCUS collection consists of composite and aluminium ski poles for cross country skiing for those who have a focus on solid material and good design at a “good value for money” price point.



RCF100-00 / FOCUS COMPOSITE POLE

Focus composite pole is a composite pole made from standard composite and designed with focus on impact strength and durability.

This pole is an excellent choice for skiers that are looking for solid performance and that accept a little extra weight for a strong and robust pole.

Touring handle with straps included, and glued-on touring basket.

**Lengths**  
130 cm - 175 cm. 5 cm interval.



STF102-00 / FOCUS NORDIC ALU POLE

Cylindrical aluminum pole in black with Touring handle, straight strap and fixed basket.

**Diameters & lengths**  
Handle 16 mm, basket 16 mm.  
115 cm - 155 cm. 5 cm interval.

**Recommended use**  
Groomed trails.





Blizzard



MT612-00 / BLIZZARD MOUNTAIN EXTREME

The Mountain Extreme is dedicated to demanding conditions. The pole has a super lightweight tube with excellent strength and durability. The pole comes with a new extended Ergo/ Multigrip handle in EVA and Corkfilled urethane for maximum comfort on long skiing days. The handle is linked to your hand with the Sonic strap system. The strap fixation is bullet proof and strap adjustment is easily done even when wearing thick mittens.

**Weight**  
212 grams at 155 cm pole length with leather basket.

**Diameters & lengths**  
Handle 16 mm, ferrule 10 mm.  
130 cm - 165 cm. 5 cm interval.

**Recommended use**  
Backcountry skiing, expeditions, snowshoeing, powder snow and loose tracks.



MT312-00 / BLIZZARD MOUNTAIN EXPLORER

The Mountain Expedition is a 2-piece telescopic back country pole dedicated for demanding use on snow. The pole has super lightweight tubes connected with the Sonic locking system. The Mountain Expedition comes with a new extended Ergo/Multigrip handle in EVA and Corkfilled urethane for maximum comfort on long skiing days. The handle is linked to your hand with the Sonic strap system. The strap fixation is bullet proof and strap adjustment is easily done even when wearing thick mittens.

**Weight**  
230 grams  
Adjustable. Length span 130-165 cm.

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm.  
130 cm - 165 cm.

**Recommended use**  
Backcountry skiing, expeditions, snowshoeing, powder snow and loose tracks.



MT212-00 / BLIZZARD MOUNTAIN TOURER

The Mountain Touring is a high performance composite pole reinforced to withstand rough usage outside of tracks. At the same time the basket system ensure good performance in groomed trails. The pole comes with the touring handle in corkfilled urethane with the Sonic strap system. The strap fixation is bullet proof and strap adjustment is easily done even when wearing thick mittens. The flexible leather basket gives excellent support against soft/powder snow, but still work well on crust snow and groomed trails.

**Weight**  
223 grams at 155 cm pole length.

**Diameters & lengths**  
Handle 16 mm, ferrule 10 mm.  
130 cm - 165 cm. 5 cm interval.

**Recommended use**  
Backcountry skiing, powder snow and loose tracks.

Junior



T.C.S

JCT40-01 / TRIAC JUNIOR POLE, TCS

Composite shaft especially designed for juniors with the Swix Triac Connection system (TCS) and Swix TBS system which enables you to

change baskets in the field within seconds! The Triac Jr. comes with a Swix Profit TCS strap.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
115 cm - 140 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic disciplines, skating.

T.B.S



T.B.S

JCT41-01 / TRIAC JUNIOR POLE, TBS

Composite shaft especially designed for juniors with the Swix Triac Jr TBS system which enables you to change baskets in the field within seconds!

The Triac Jr. comes with Swix Profit 3D strap

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
105 cm - 140 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic disciplines, skating.



JCQ10-00 / QUANTUM JUNIOR POLE

Composite shaft especially designed for Juniors. Features PC handle with cork-filled thermoplastic grip zone, SWIX Triac strap and large '97 basket.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
95 cm - 140 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic disciplines, skating.







JLD10-00 / DYNAMIC D1 JUNIOR ALU POLE

Aluminum pole for Juniors with PC handle and X-fit strap. The X-fit strap is intuitive and easy to use. Just as easy to enter as a traditional loop

strap, but the performance of the strap helps developing good skiing technique. Features a large '97 racing basket.

**Diameters & lengths**  
Handle 16 mm, basket 10 mm.  
95 cm - 130 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic, skating.



JLD20-00 / DYNAMIC D2 JUNIOR ALU POLE

Cylindrical 5086 aluminum shaft with PC handle, shaped strap and racing basket fitted to develop good skiing technique.

**Diameters & lengths**  
Handle 13 mm, basket 13 mm.  
80 cm - 115 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic, skating.



JLF204-00 / FOCUS CROSS JUNIOR POLE

Children's pole with components such as PC handle and a semi racing basket fitted for developing skiing technique.

**Diameters & lengths**  
Handle 13 mm, basket 13 mm.  
80 cm - 115 cm. 5 cm interval.

**Recommended use**  
Groomed trails, classic, skating.



JLF304-00 / FOCUS SNOWPATH JUNIOR POLE

Aluminum pole for the youngest ones with new design. The pole comes with the ergonomic SWIX children handle and easy adjustable straps. For safety the ferrule is made of thermoplastics

and has a tip with rounded shape. Large round basket prevents the pole from sinking deep into soft snow.

**Diameters & lengths**  
Handle 13 mm, basket 13 mm.  
70 cm - 105 cm. 5 cm interval.

**Recommended use**  
Wherever there is snow.

Spare Parts // Baskets & Ferrules



RDTRTXS2  
Basket Triac claw, XSmall



RDTRTS2  
Basket Triac, leaf, Small



RDTRTL2  
Basket Triac, paw, Large



RDTRTS4  
Liightweight Leaf pendulum  
Basket with spike for soft  
conditions only.



RDTRTL4  
lightweight paw pendulum.  
Larger basket with spike for  
soft conditions only.



RDTRT97L  
Large 97 basket for SWIX Triac.  
Basket system



RDHH925  
Ferrule roller TBS, roller.



25033-23  
Roadline Rollerski Ferrule  
Approved for FIS compe-  
titions



RDTBSSTD  
TBS pack std. Leaf and roller



RDTBSPRO2  
TBS PENDULUM BASKET KIT  
Lightweight basket kit for SWIX TBS  
system, including all SWIX lightweight  
baskets such as Leaf pendulum, paw  
pendulum and carbon claw.



RDTR94S  
Basket 97 Large, black,  
HM tip, 10 mm



RDTR398N  
Basket touring, 16mm



RDHH915C  
Touring ferrule for poles  
with 10mm circular shaft  
tips. To be used with the  
RDTR400N Touring 99  
basket (bought sepa-  
rately).



RDTR400N  
Basket touring 99 - black  
Fits ferrule RDHH915C



RDTR303  
Basket 98 mm round children, white



RDHH922  
Roller ski ferrule with a  
lightweight and durable  
spike in hard metal.

TBS GUIDE	loose snow	medium hard snow	very hard snow
Carbon Claw		★ ★	★ ★ ★
Carbon Leaf Carbon Leaf Pendelum	★ ★	★ ★ ★	★ ★
Carbon Paw / 97T Carbon Paw Pendelum	★ ★ ★	★ ★	

Loose snow:  
Medium hard snow:  
Very hard snow:

You easily sink down while walking on the snow surface.  
Your shoe makes a clear imprint in the snow, not sink in more than approx. 10 mm.  
Adult's foot leaves slight or no impression on snow.



Spare Parts // Handles & Straps



**RDPCCA.0WC**  
Handle for Swix Triac Aero Cross section.  
White with natural cork grip.



**RDPCC3.0WC**  
TCS handle for Triac 3.0.  
White with natural cork grip.



**RDTCSWC**  
TCS handle for circular poles 16mm cross section.  
White with natural cork grip.



**TRIAC 3.0 ORIGINAL STRAP**  
**RDT53** Strap Triac 3.0, small  
**RDTM3** Strap Triac 3.0, medium  
**RDTL3** Strap Triac 3.0, Large  
**RDTXL3** Strap Triac 3.0, X-large



**TRIAC X-FIT**  
**RDBC3S** Strap Triac 3.0 X-fit Small  
**RDBC3M** Strap Triac 3.0 X-fit Medium  
**RDBC3L** Strap Triac 3.0 X-fit Large  
**RDBC3XL** Strap Triac 3.0 X-fit X-large



**TRIAC 3.0 ADJUSTABLE STRAP**  
**RDT53AD** Strap Triac 3.0 flex, small  
**RDTM3AD** Strap Triac 3.0 flex, medium  
**RDTL3AD** Strap Triac 3.0 flex, Large  
**RDTXL3AD** Strap Triac 3.0 flex, X-large



**SWIX PROFIT STRAP**  
Swix TCS Profit has a construction that offers a perfect fit while keeping excellent flexibility within each size. The section between the index finger and thumb is an integrated part of the strap body.  
**RDPFTCS5** Profit, small  
**RDPFTCSM** Profit, medium  
**RDPFTCSL** Profit, Large  
**RDPFTCSXL** Profit, X-large  
**RDPFTCSXXL** Profit, XX-large



**SWIX TCS PROFIT QUICK RELEASE STRAPS**  
The Swix TCS Profit Quick Release strap features the new Quick Release TCS retainer that allows detaching the strap without a separate release tool. Changing straps has never been easier.  
**RDPFTCSQR** STRAP PROFIT TCS QUICK RELEASE  
Sizes: Small, Medium, Large, Xlarge XXlarge




**RDTST**  
Release tool for TCS straps



Strap size guide

Cut off the ribbon to the right on this page. Place the ribbon around the hand as close to the thumb as possible. You find the recommended strap size where the white half-arrow meets the ribbon. Measure without wearing gloves. This strap size recommendation is correct when wearing race style gloves. If you will be wearing thicker gloves we suggest going up one strap size.



XS	140-165
S	165-190
M	190-215
L	215-240
XL	240-265
XXL	265-290



**RDPCC100WC**  
White wedge handle with natural cork grip. Fits poles with 16mm circular cross section.



**RDPUC100WC**  
White wedge handle with cork-filled urethane grip. Fits poles with 16mm circular cross section.



**RDPNC100NW**  
Handle PC, black/white, 16 mm



**RDPCC110WC**  
White wedge handle with natural cork grip. Fits Triac poles with triangular cross section.



**RDCGWUC**  
White Just Click handle with natural cork grip. Fits poles with 16mm circular cross section.



**RDCGWUC**  
White Just Click handle with cork-filled urethane grip. Fits poles with 16mm circular cross section.

JUST CLICK

JUST CLICK

Spare Parts



**PRO FIT 3D STRAP**  
The strap consists of 3D mesh lining with a solid layer of nylon on the outside. The combination allows efficient power transfer during skiing, while ensuring optimal comfort.

**RDPF3DS** Strap Pro Fit 3D, Small  
**RDPF3DM** Strap Pro Fit 3D, Medium  
**RDPF3DL** Strap Pro Fit 3D, Large  
**RDPF3DXL** Strap Pro Fit 3D, X-large  
**RDPF3DXXL** Strap Pro Fit 3D, XX-large



**STRAP SWIX X-FIT**  
The strap consists of neoprene pads with a solid layer of nylon on the outside. The combination allows for efficient power transfer.

**RDBCPS** Strap SWIX X-Fit, Small  
**RDBCPM** Strap SWIX X-Fit, Medium  
**RDBCPL** Strap SWIX X-Fit, Large  
**RDBCPLX** Strap SWIX X-Fit, X-large



**RDCG5S** Strap just click, small  
**RDCG5M** Strap just click, medium  
**RDCG5L** Strap just click, large  
**RDCG5XL** Strap just click, XL  
**RDCG5XXL** Strap just click, XXL

JUST CLICK



**RDBC**  
Strap Biathlon, competition



**RDSRBIA**  
Strap Biathlon



**RDSR2412**  
Strap shaped touring 24/12



**T0176**  
Glue stick (4 pcs. of 10.5 g)



**PRP2018**  
Poleholder



**RDPCLTW**  
Locking cap Triac handle-white



**RDPCLCW**  
Locking cap for PC-handle, white

Spare Parts // Mountain Poles



**RDHSXC**  
SWIX Sonic XC handle with urethane cork grip (not including retainer).



**RDSRMT**  
Retainer Sonic XC handle, Orange  
Fits only RDHSXC Sonic Handle



**RDTPSTM**  
Sonic strap MT poles. (Not including retainer).



**RDBNSB**  
Basket Nut SWIX Sonic Ferrules  
To be used with the RDHHSB ferrule.

TOURING HANDLE WITH SWIX SONIC STRAP SYSTEM  
• Cork-filled urethane for warmth and comfort.  
• Sonic strap system for easy adjustments with thick gloves on your hands.  
Compatible components for this handle is the RDTPSTM "Sonic strap MT" and RDSRMT "Retainer Sonic XC handle".



**RDTRPIB**



**RDTR442**  
Basket leather brown  
Baskets for RDHH933 only



**RDTRTPNL**



**RDTRTPNM**



**RDHH933**  
Ferrule Mountain black, 10 mm  
To be used with the RDTR442 Leather basket.



**RDHHSB**  
Ferrule Sonic hard metal tip. Fits poles with 10mm circular shaft tip. Fits all sonic baskets:  
• RDTRTPNM  
• RDTRTPNL  
• RDTRPIB  
OBS: To be used with basket nut RDBNSB (sold separately).



**RDXMT3U**  
Upper tube MT300 complete, piece



**RDXMT3L**  
Lower tube MT300 ferrulle, piece



# Alpine Pole Length Recommendations

Skier's Height		Pole Length	
Cm	Inches	Cm	Inches
160	5'3"	105-110	41"-43"
165	5'5"	110-115	43"-45"
170	5'7"	115-120	45"-46"
175	5'9"	120-125	47"-49"
180	5'11"	125-130	49"-51"
185	6'1"	130-135	51"-53"
190	6'3"	135	53"



Place the pole with the handle on the floor and place your hand under the basket. Angle at the elbow should be 90 °.

# RACING COMPOSITE



## AC105-00 / WORLD CUP PRO SL CARBON

New developed shaft with focus on impact strength, balance and stiffness. DD4 handle with the patented SWIX ADD Tab system. Alpine racing basket.

The ultimate pole for the skier that wants the best. For slalom, giant slalom and free skiing. Super pendulum for a great feeling pole.

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm.  
110 cm - 135 cm. 5 cm interval.

**Recommended use**  
Competition, recreational skiing.



## AC115-00 / SGC, IPM CARBON COMPOSITE

Curved composite Super G shaft based on IPM technology (Internal Pressure Molding). Elliptical cross-section minimizes air drag.

Downhill racing handle and basket. A must for competition, but also a fantastic pole for the high speed cruiser. Innovative, great feel and sleek looking.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm.  
115 cm - 140 cm. 5 cm interval.

**Recommended use**  
Competition.



## AC125-00 / DHC, IPM CARBON COMPOSITE

Downhill pole based on IPM technology (Internal Pressure Molding) with an extra bend just below the handle (wrist bend) to ensure optimal aerodynamics. Elliptical cross-section minimizes air drag.

Downhill racing handle and basket. Unique IPM (Internal Pressure Molding), a part of SWIX technology, provides you with this pole. The DHC is 3 times stiffer than downhill poles in aluminum, giving a much more

explosive start and 50% less wind drag than conventional 18 mm aluminum poles. Gold medal performance!

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm.  
125 cm - 140 cm. 5 cm interval.

**Recommended use**  
Competition.



## HAND GUARD

The SWIX full face handguard is developed and tested together with some of the top World Cup athletes. The handguard gives better protection of your hand and especially the thumb. Made in heavy duty thermoplastics in order to withstand hard impacts.



RDHG15FB  
Handguard full face, for DD4 Blue



# RACING ALUMINIUM



**FA105-00 / WC PRO SL, PREMIUM ALUMINIUM**  
Top-of-the-line racing pole in 7075 Aluminum. DD4 handle with the patented SWIX ADD Tab system. Alpine racing basket.

**Diameters & lengths**  
18 mm, ferrule 10 mm.  
110 cm - 135 cm. 5 cm interval.

**Recommended use**  
Competition, recreational skiing.



**FA115-00 / WC PRO SG, PREMIUM ALUMINIUM**  
Same as FA105-00, but with Super G bend. Downhill racing handle and basket.

**Diameters & lengths**  
18 mm, ferrule 10 mm.  
110 cm - 135 cm. 5 cm interval.

**Recommended use**  
Competition, recreational skiing.



**FA125-00 / WC PRO DH, PREMIUM ALUMINIUM**  
Same as FA105-00, but with Downhill bend. Downhill racing handle and basket.

**Diameters & lengths**  
18 mm, ferrule 10 mm.  
110 cm - 135 cm. 5 cm interval.

**Recommended use**  
Competition, recreational skiing.



## Blackline

The Blackline Carbon pole is a high-performance pole with premium materials and components. State-of-the-art technology with a premium finish. The Blackline Carbon pole is dedicated to the expert skier who loves steep and demanding slopes. The shaft is designed with high stiffness, impact strength, and excellent pendulum properties. The hand fits perfectly in the DD4 handle, with a patented ADD Tab system and an alpine racing basket.



**25009-23 / COLOR: 10000 BLACK**  
BLACKLINE STINGRAY POLE CARBON

## Redline

The Redline Carbon is a high-performance pole built for speed. The shaft is developed focusing on impact strength, balance, and stiffness. DD4 handle for a perfect grip with the patented SWIX ADD Tab. This is a premium alpine pole for the skilled skier.



**25010-23 / COLOR: 90000 RED** Limited edition  
REDLINE PHOENIX POLE CARBON



**25010-23 / COLOR: 10000 BLACK**  
REDLINE PHOENIX POLE CARBON



**25012-23 / COLOR : 90000 RED**  
REDLINE PHOENIX POLE ALUMINIUM

## Whiteline

The Whiteline pole is a solid freeski pole in aluminum. Designed to withstand the most demanding usage and is almost unbreakable. It comes with baskets in two sizes and the DD4 handle for perfect grip.



**25013-23 / COLOR: 00100 WHITE**  
WHITELINE LEOPARD POLE

## Blueline

The Blueline pole is a new alpine pole in aluminum for the early intermediate skier. DD4 handle and durable baskets.



**25015-23 / COLOR: 70500 BLUE**  
BLUELINE BARRACUDA POLE

## Greenline

The Greenline pole is a great choice for a wide range of alpine skiing. The shaft is based on quality aluminum with functional components. Ergonomically designed handle and basket for various conditions. Clean design that matches a wide range of ski equipment and clothes.



**25017-23 / COLOR: 61000 GREEN**  
GREENLINE MAMBA POLE



# EXCALIBUR



**AC725-00 / EXCALIBUR DARK COMPOSITE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.

**AC725-10 / EXCALIBUR DARK COMPOSITE - DD4 HANDLE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AC726-00 / EXCALIBUR LIGHT COMPOSITE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.

**AC726-10 / EXCALIBUR LIGHT COMPOSITE - DD4 HANDLE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AC727-00 / EXCALIBUR SEA COMPOSITE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.


**Recommended use**  
Recreational skiing.

**AC727-10 / EXCALIBUR SEA COMPOSITE - DD4 HANDLE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AC728-00 / EXCALIBUR FIRE COMPOSITE -**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.

**AC728-10 / EXCALIBUR FIRE COMPOSITE - DD4 HANDLE**

The pole is reinforced to withstand the most demanding usage and is almost unbreakable.

**Diameters & lengths**  
Handle 13.3 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.

# TECHLITE



**AL346-00 / TECHLITE PRO, PERFORMANCE ALUMINUM**

New pole in durable aluminum featuring the new DD6 handle and SWIX Add Tab. Comes with the SWIX Saturn basket system.

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm. 110 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AL316-00 / TECHLITE PRO W, PERFORMANCE ALUMINUM**

Pole in quality aluminum with the ergonomical DD5 grip, easy adjustable strap and standard basket.

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm. 100 cm - 125 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AL305-D3 / TECHLITE PLUS, PERFORMANCE ALUMINUM**

Comes with an upgraded DD double molded ergonomic rubber compound grip for greater comfort, warmth and overall feeling when gripping the pole, a standard adjustable nylon strap, a 5000 series aluminum shaft, standard ferrule and a universal mid size basket

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



**AL306-00 / TECHLITE, PERFORMANCE ALUMINUM**

Aluminum pole with functional components such as the ergonomically designed handle and basket for various conditions.

**Diameters & lengths**  
Handle 18 mm, ferrule 10 mm. 100 cm - 135 cm. 5 cm interval.

**Recommended use**  
Recreational skiing.



Junior



**JA105-00 / WORLD CUP PRO JR SLALOM ALUMINUM**  
Junior slalom pole in the best aluminum alloy withstanding rough usage in slopes and gates. Comes with DD5 handle with SWIX Add tab and small racing baskets just as the poles for big guys.

**Diameters & lengths**  
Handle 16 mm, ferrule 10 mm.  
95 cm - 115 cm. 5 cm interval.

**Recommended use**  
Junior competition and recreational skiing.



**RDHG15FJB**  
Handguard full face, for DD5 handles



**JA115-00 / WORLD CUP PRO JR SUPER G ALUMINUM**  
Junior Super G pole in the best aluminum alloy withstanding rough usage in slopes and gates. Comes with DD5 handle and downhill baskets just as the poles for big guys.

**Diameters & lengths**  
Handle 16 mm, ferrule 10 mm.  
95 cm - 115 cm. 5 cm interval.

**Recommended use**  
Junior competition and recreational skiing.



**25014-23 / COLOR: 70500**  
BLUELINE BARRACUDA JUNIOR POLE

Junior pole in durable aluminum, featuring the SWIX DD5 handle. Perfect for juniors that want to improve their skiing skills



**25016-23 / COLOR: 61000 GREEN**  
GREENLINE MAMBA JUNIOR POLE


Aluminum alpine pole for the youngest ones. The Greenline Junior pole is an excellent choice for beginners, with high strength and impact properties.

Rental




**25020-23 / RENTAL CLASSIC POLE COMPOSITE**

Rental Classic Pole Composite is reinforced to withstand the most demanding usage and is almost unbreakable. Comes with an ergonomically designed handle and durable basket and ferrule. Color coded designs on shaft and basket.



**25019-23 / RENTAL CLASSIC POLE**

Rental Classic pole in aluminum. Ergonomically designed handle and color coded design.



**25018-23 / RENTAL CLASSIC JUNIOR POLE**

Rental Classic Junior pole in aluminum. Ergonomically designed handle and color coded design.



**25035-23 / RENTAL CLASSIC POLE KIDS**

Rental Classic Junior pole in aluminum. Ergonomically designed handle and color coded design.



Alpine Spare Parts



**25002-23 DD4**  
Alpine Handle Black/Black 13mm.  
Strap and ADD-tab included.



**25001-23 DD5**  
Alpine Handle White/Black 14mm. Includes  
strap, retainer and ADD-tab.



**25004-23 DD4**  
Alpine Handle Black/Black 16mm.  
Strap and ADD-tab included.

**25007-23 DD5**  
Alpine Handle White/Black 16mm

**RDAG013**  
Handle Alp, racing black, 13 mm. Fits  
FA115 and FA125.

**RDAG015**  
Handle Alp, racing black, 18 mm



**25031-23**  
Classic Alpine Handle, Fitting all sen-  
ior aluminum alpine poles with 16mm  
diameter shaft



**25003-23 DD4**  
Alpine Handle White/Black 13mm

**25005-23 DD4**  
Alpine Handle White/Black 16mm

**25006-23 DD4**  
Alpine Handle White/Black 18mm



**RDSR2N**  
Strap-retainer, DD4/DD3, black



**RDSR1G**  
Strap-retainer, DD2000, grey



**RDSR12W**  
Strap-retainer for DD5 handle,  
white



**RDAD1N**  
Add Tab for DD5 and  
DD2000 handles  
black



**RDSTARR**  
Racing Alpine strap, Red

**25008-23**  
Classic alpine strap Black,  
fitting all DD handles



**25032-23**  
Classic Alpine Strap Junior,  
fitting Blueline Junior Pole



**RDAD34N**  
ADD tab for DD4 and DD3 handles,  
black



**RDHH039RE**  
Ferrule alpine long Red, HM tip 10mm



**RDHH039NE**  
Ferrule Alp, long, HM tip, 10 mm



**RDHH049NE**  
Ferrule Alp, Saturn, HM tip, 10 mm



**RDHHSB**  
Ferrule Sonic, HM tip, 10mm



**RDBNSB**  
Basket Nut SWIX Sonic Ferrules



**RDTRPIB**  
Basket SWIX Sonic Piste Black  
Ø 65 mm



**RDTR70**  
Basket alpine, Saturn, two in one  
Fits RDHH049NE ferrule.



**25029-23**  
Classic Alpine Basket



**25028-23**  
Classic Threaded Alpine Basket Small,  
fits Whiteline Pole



**25027-23**  
Classic Threaded Alpine Basket Large,  
fits Whiteline Pole



**RDTR30NE**  
Basket alpine for deep snow Ø80 mm black  
Fits RDHH039NE/ RDHH039R



**RDTR20NE**  
Basket alpine medium Ø58 mm black  
Fits RDHH039NE/  
RDHH039R



**RDTR40NE**  
Basket alpine medium Ø58 mm black  
Fits RDHH039NE/  
RDHH039R



**RDTR10NE**  
Basket alpine slalom small Ø45 mm black  
Fits RDHH039NE/  
RDHH039R



**RDTR50NE**  
Basket alpine 99 black  
Ø55 mm  
Fits RDHH039NE

Sonic Alpine Touring



**AR212-00** / SWIX SONIC R2

2-PIECE CARBON/COMPOSITE

The combination of 100% high strength carbon  
fiber upper section and composite in lower sec-  
tion offers the perfect combination of lightweight  
and durability.

Breathable, lightweight “non slip” EVA foam  
handle with hard details designed to allow easy  
removal of excessive snow build up on the top of  
the skis.

The handle “Hook” allows for easy unlock-lock  
several “rando” bindings.

The strap has a unique self-locking system that  
ensures easy and fast adjustments. The strap  
attachment secures easy adjustment/replace-  
ment of straps (Patent pending).

The basket is engineered in a coated nylon fab-  
ric for super lightweight and optimum support  
against soft snow.

Highlights

- 100% high strength carbon/composite.
- Swix Sonic locking system.
- Multipurpose handle – ski scraper, tech-binding  
hook.
- Multifunction strap – fast fixation and adjust-  
ments, continues loop adjustment.
- Flexi basket – lightweight, easy to change.

Working lengths and weight

- |                   |                |
|-------------------|----------------|
| • 105 cm - 130 cm | 411 grams/pair |
| • 115 cm - 140 cm | 430 grams/pair |
| • 125 cm - 150 cm | 449 grams/pair |



Sonic Alpine Touring // Spare Parts

LOWER TUBES FOR SWIX SONIC POLES



**RDTPLR22-100** / Sonic R2 Lower tube, ferulle-100cm (105-130 cm)

**RDTPLR22-110** / Sonic R2 Lower tube, ferulle-110cm (115-140 cm)

**RDTPLR22-120** / Sonic R2 Lower tube, ferulle-120cm (125-150 cm)



**RDTPUTR11-E0**  
Sonic R1 and R2 top tube, extended handle with  
locking



**RDHHSB**  
Ferrule Sonic, HM tip, 10mm



**RDBNSB**  
Basket Nut SWIX Sonic Ferrules



**RDTPEVA**  
SWIX Sonic Handle EVA, Including Strap Retainer



**RDTPTPR**  
SWIX Sonic Handle TPR, Including Strap Retainer



**RDTPTX2**  
SWIX Sonic Strap, Including Strap Retainer



**RDTRTPNL**  
Basket SWIX Sonic, Black, Large  
Ø120 mm.



**RDTRTPNM**  
Basket SWIX Sonic, Black, Medium  
Ø80 mm



**RDTRPIB**  
Basket SWIX Sonic Piste Black  
Ø65 mm



**RDTR30NE**  
Basket alpine for deep snow  
Ø80 mm black  
Fits RDHH039NE/RDHH039RE



Packs & Bags



SW27 DOUBLE SKI BAG

215 cm length. Holds up to 8 pair Nordic and 2 pair Alpine ski’s. Heavy duty webbing with grommets for strength at adjustable shoulder straps and handles.



SW19 PADDED NORDIC POLE BAG 180 CM LENGTH

Made with 900 denier polyester with PU packing. Holds seven pairs of Nordic poles, PVC inner pipe for protection and durability. ¾ zip lid at top with inside pocket to hold tips. Detachable padded non skid shoulder straps.



SW18 PADDED NORDIC POLE BAG 180 CM LENGTH

Made with 900 denier polyester with PU packing. Holds two pairs of Nordic poles, PVC inner pipe for protection and durability. ¾ zip lid at top with inside pocket to hold tips. Detachable padded non skid shoulder straps.



R0282 SKI BAG NORDIC 2 PAIR 218CM LENGTH

DOUBLE nordic skibag. 600D Polyester. For two pairs.



R280 SKI BAG NORDIC 218CM LENGTH

SINGLE nordic ski bag. 600D Polyester. For one pair.



SW13 / ALPINE POLE BAG

Ski pole bag with 6 mm padding. Full length zip. Room for up to 6 pairs of ski poles End caps are carbon reinforced.



RT160 / ROAD TRIP SINGLE SKI BAG

- Single ski bag extends 170-190cm
- Fully padded thru binding section
- Heavy duty PP webbing for handle
- padded shoulder straps

RT162 / DOUBLE SKI BAG

- Double ski bag extends 170-190cm
- Fully padded thru binding section
- Heavy duty PP webbing for handle
- padded shoulder straps



RT117 / ROAD TRIP SINGLE SKI BAG SOLID

- Single ski bag extends 170-190cm
- Fully padded thru binding section
- Heavy duty PP webbing for handle
- padded shoulder straps



GL1307 / GOLD LITE DOUBLE SKI BAG W/ WHEELS

- 32cm W X 18cm H X 220cm L
- Unique expansion system allows you to go from 170 cm up to 210cm
- Fully padded main compartment holds up to two pair of Alpine skis and poles, Or 6 pr of Nordic skis and poles, or... 2 Boards
- Main compartment has padded sleeve for protection of gear
- Piggy Back clip allows you to attach your Tri Pack for easy and efficient travel
- Separate outside zipper compartment for small gear
- Easy rolling in line skate wheels, corner mounted for stability
- Side compression straps
- Padded grab handles
- YKK #10 transparent zip
- Tarpaulin panel at bottom make it water proof and durable
- Silicon print logo's
- Name tag for easy ID

GL1304 / GOLD LITE DOUBLE SKI BAG



GL1309 / GOLD LITE SINGLE SKI BAG

- 25cm W X 13cm H X 220 L
- Unique expansion system allows you to go from 170 cm up to 218cm
- Fully padded main compartment holds one pair of Alpine skis and poles, Or 3 pr of Nordic skis and poles, or... 1 Board
- Main compartment has padded sleeve for protection of gear
- Piggy Back clip allows you to attach your Tri Pack for easy and efficient travel
- Separate outside zipper compartment for small gear
- Side compression straps
- Padded grab handles
- YKK #10 transparent zip
- Tarpaulin panel at bottom make it water proof and durable
- Silicon print logo's
- Name tag for easy ID





**SW02 / DOUBLE WHEELED SKI BAG**

222.5cm X 33.75cm X 32.5cm

Adjusts to accommodate skis from 180cm to 215cm. Fully padded tip to tail main compartment with U shape opening, holds and protects ski's and poles. Interior synch straps with padded divider to keep gear and skis organized and secure. Zippered front wax and tool organizer. Quick release adjustable compression straps. Long webbing handles and shoulder straps. Rigid structure around the wheels and plastic molded rub rails protect the bottom of bag. In line skate style wheels in rugged corner-mounted housings with integrated bridge to keep bag stable.



Swix Red / 99990



Magnet / 12200

**95651963 ODYSSEY DOUBLE SKI BAG**

215 cm length (extendable). Heavy duty webbing with grommets for strength at adjustable shoulder straps and handles. Wheels for ease of transport.



**G1822 / CAMO SINGLE SKI**



**G1823 / LIGHTNING SINGLE SKI**

- Single ski bag extends 170-190 cm
- Fully padded thru binding section
- Heavy duty PP webbing for handle
- Padded shoulder straps



Swix Red / 99990



Magnet / 12200

**95651962 ODYSSEY TRI PACK**



Swix Red / 99990

**95651961 ODYSSEY PACK**



Magnet / 12200



**RT165 / TRI PACK**

- Two independent large side pockets for boot storage.
- Padded inside and out for further protection.
- Padded bottom with draining holes.
- Fleece lined sunglass pocket.
- Smooth strong Tarpaulin panels for extra protection.
- Top load main compartment for gear storage.
- Padded buddy handle, S shaped padded shoulder straps.



**GL1306 / GOLD LITE TRIPACK**

41cm W X 42cm H X 39cm D

- Two large boot compartments fit up to size 13 boots
- Hidden vented mesh flap on boot compartments
- YKK #10 transparent zip
- Tarpaulin panel at bottom make it water proof and durable
- Separate front compartment with brushed goggle sleeve and mesh zip pocket



**SW23 / TRI PACK. 65 LITERS**

45 cm x 41.25 cm x 35 cm

Large main compartment with U shaped opening to hold all your gear. Two size zip compartments with ventilation and drainage grommets to hold boots up to size 13. Fully padded bottom. Each side has smaller wax and tool pockets for storage. S shaped shoulder straps, padded back panel for support and ventilation. Front zip accessory pocket for tools and wax.



**RE034 / TECH PACK**

48 cm x 38 cm x 20 cm (19" x 15" x 8")

70 liter pack, made with waterproof Tarpaulin material. Six zippered storage compartments with one large main insulated compartment. Hard non skid feet at bottom. Mesh pads at back for support and ventilation. Padded adjustable harness straps with chest strap. Multi colored PP webbing. Crazy Black direct embroidered graphics.



**KT0002 / KILT CAMO TRI PACK**

- Large main compartment in center to hold helmet and gear.
- Two side boot compartments that hold up to size 13 boots.
- Each side compartment has grommet holes for breath-ability.
- Extra wax and tool pocket with zip on outside of pack.
- Heavy duty buddy handle at front and padded shoulder straps at back.



**KT0003 / KILT PARADISE TRI PACK**



**LP1806 / FIONNA LO PRO**



**LP1705 / RAINBOW LO PRO**

**LP1706 / CAMO LO PRO**

- Two independent large side pockets for boot storage.
- Padded inside and out for further protection.
- Padded bottom with draining holes.
- Fleece lined sunglass pocket.
- Smooth strong Tarpaulin panels for extra protection.
- Top load main compartment for gear storage.
- Padded buddy handle, S shaped padded shoulder straps.



**RT171-PP / DURA PACK BAG PREPACK**

10 Bags

- 3x - Black/Heather Grey Tri Pack
- 3x - Black/Red Tri Pack
- 2x - Black/Blue Tri Pack
- 2x - Black/Gold Tri Pack





**RE002 / DRINK BELT**  
Insulated bottle holder with SWIX 500 ml (16oz) bottle included. Mesh zippered pocket with reflective piping. Padded mesh back for breath-ability, clip waist strap.



**NNT16 / RACE X DRINK BELT**  
Fully insulated 1 liter reservoir prevents freezing and cooling. Separate zipper compartment on top for extra storage, Protected inside stretch pocket for media, Name plate on outside for easy identification, LED light with protective sleeve.

**RE033SC**  
Cup for drink belts SW003, NNT16, SW033, RE031.



**SW003 / INSULATED DRINK BELT**  
Insulated Drink belt that holds 1 liter of liquid and keeps it from freezing or keeps it warm. Zipper compartment on top to store food and media. Webbing with clip at waist. LED light with protective sleeve.



**SW035 / JUNIOR DRINK BELT**  
Hold 0.6 liters of any cold or hot beverage. Insulated Drink belt that keeps liquid from freezing. One zipper compartment at top to store food or media. Thick webbing with buckle at waist.



**RE004 / SMALL FANNY PACK**  
Rip stop nylon all purpose pack. 25 cm (10") center compartment with Velcro divider for separate compartments. Side synch straps. Separate outside compartment. Clip waist strap



**XT613 / HARNESS FOR KIDS**  
Fanny pack with a child harness and a 5.5 m strap with shock cords. Enables an adult to control a child's descent when alpine skiing, and to assist a child by towing during cross country skiing. Suitable for children between 2 and 6 years of age. Maximum child weight is 25 kg/55 lbs.



**RE031 / NORGE MIX DRINK BELT**  
Insulated Drink belt that holds 1 liter of liquid and keeps it from freezing or keeps it warm. Zipper compartment on top to store food and media. Two color webbing with clip at waist. Norge Mix graphics. LED light with protective sleeve.



**WC026-2 / TRIAC INSULATED DRINK BELT**  
Drink belt will keep any liter of liquid warm or cold in any climate. Small pocket for training essentials and waist strap. Volume approx. 0.9 Liter.



**RE012 / COACH VEST I**  
Simple radio/walkie talkie vest in 1680 D nylon. Accommodates one radio. Extra pocket for stationery and tools. Exterior D-ring for attaching an external microphone. Wide, sturdy webbing.



**RE003 / INSULATED DRINK BELT**  
Rip stop nylon all purpose pack. 10" center compartment with Velcro divider for separate compartments. Side synch straps. Separate outside compartment. Clip waist strap

**WC026-2CUP**  
Cup for WC026-2 drink belt.



# SWIX CUSTOM SKI STRAPS



Swix ski straps are a fantastic high margin accessory and a great promotional tool.

Just submit your hi-resolution store logo or artwork with the downloadable order form and Swix will do the rest.

Only a 300 pair minimum with no additional cost for your custom logo!

Orders are due March 15<sup>th</sup>

Return the order form below to your regional sales rep, visit swixonline.com or email directly to:

peter.bauer@brav.com or andy.polanco@brav.com



## \*\* BULK PACKED SHOW SPECIAL\*\*

\$1.25 per single strap - \$2.50 per pair - 1000 pair minimum order (not available for the R0398 Big Boy Strap)

ITEM NUMBER	PRICE	QTY	SPECIAL INSTRUCTIONS
R0402D - XC Pro	\$3.50		
R0395 - XC Ski Strap	\$3.00		
R0391 - Freeride	\$3.50		
R0392 - Alpine WC	\$4.00		
R0398 - Big Boy	\$5.25		

CUSTOMER #:	SHIP TO:		P.O. #
CUSTOMER NAME:			
ORDER DATE:			
PHONE #:		Email:	SHIP DATE:
CONTACT PERSON:			

Please supply your logo or artwork in hi-resolution 300dpi or vector format. Preferred file types are: AI, EPS, illustrator files or JPG, with a resolution of 300dpi.  
Images and logos pulled from websites will print poorly.  
If you have questions regarding artwork please email: Peter @: peter.bauer@brav.com

Order due date: March 15<sup>th</sup>  
Ship date: October 25<sup>th</sup>

Payment terms: Net 30 days



# Waxing Safety Guidelines

- Always use fluoro-free waxes.
- Make sure the waxing facility is well ventilated.
- Always use a mask with the recommended filter (minimum A1P3) when applying and brushing wax products. Don't forget that particles can be retained in the air for quite a while.
- Make sure your mask is properly adjusted, and, as a minimum, replace the filter at the start of each season. Always follow the manufacturer's cleaning recommendations.
- Wear suitable gloves when handling base cleaner and other liquid products.
- Do not heat the waxing iron to a temperature higher than stated on the wax package. Make sure to wipe the iron clean after application. The particle concentration rises as the difference increases between the melting point and waxing iron temperature.
- Do not use heat guns or gas burners in the waxing facility.
- Smoking is prohibited in the waxing facility. Smoking and airborne particles is an extremely hazardous mix.
- Do not eat or drink in the waxing facility.
- Make sure to collect any waxing residue and dispose of it in the appropriate manner.
- Wash your hands & your clothing once you finish waxing the skis.

For more tips on waxing and application visit  
[swixsport.com](https://www.swixsport.com)



Perfectly  
prepared since 1946.